

# Index to Volumes 36, 37 and 38

(1952, 1953 and 1954)

NOTE: The volume year is in *italic* type. Page numbers of symposium and clinic titles are in **boldface** type.

## SYMPOSIA

1952

*January* (Chicago)

*March* (Toronto)

(Tulane)

*May* (New York)

*July* (Los Angeles)

*September* (Boston)

*November* (Philadelphia)

RECENT ADVANCES IN CARDIOVASCULAR DISEASES

1. PSYCHOLOGIC ASPECTS OF MEDICINE

2. SYMPTOMS

ENDOCRINE AND METABOLIC DISORDERS

RECENT ADVANCES IN MEDICINE

SPECIFIC METHODS OF TREATMENT

PEDIATRICS

1953

*January* (Chicago)

*March* (Nationwide)

*May* (New York)

*July* (Nationwide)

*September* (Boston)

*November* (Philadelphia)

GASTROINTESTINAL DISEASES

NERVOUS AND MENTAL DISEASES

PROLONGED ILLNESS

BEDSIDE MANAGEMENT

SPECIFIC METHODS OF TREATMENT

CLINICAL MEDICINE

1954

*January* (Chicago)

*March* (Nationwide)

*May* (New York)

*July* (Mayo Clinic)

*September* (Boston)

*November* (Philadelphia)

EMERGENCIES IN GENERAL PRACTICE

EFFICACY OF NEW DRUGS

DIFFERENTIAL DIAGNOSIS OF INTERNAL DISEASES

BRONCHIAL AND PULMONARY DISEASE

SPECIFIC METHODS OF TREATMENT

CARDIOVASCULAR DISEASES

ABDOMEN, acute, in adults, early care, 1954: Jan., 115-141

injuries, in auto crash, 1954: Jan., 85

pain in, as manifestation of rheumatic fever, 1952: Nov., 1650

upper, pain in, differential diagnosis, 1954: May, 835-846

Abruptio placentae, 1954: Jan., 275

induction of labor in, 1952: Sept., 1475

Abscess. See also under names of organs.

perianal, incision, 1952: Sept., 1455

office treatment, 1953: Jan., 269

perinephric, 1954: Jan., 293

perirectal, incision, 1952: Sept., 1455

peritonsillar, 1954: Jan., 247; Sept., 1316

pilonidal, incision, 1952: Sept., 1457

retropharyngeal, 1954: Jan., 248

Abscess, spinal, epidural, acute, 1954: Jan., 167

Acetabulum, dysplasia or obliquity of, 1953: Sept., 1430

Acetanilid in rheumatoid arthritis, 1953: July, 1238

Acetone, plasma, test, 1953: Sept., 1540

Acetonuria, office tests, 1953: Sept., 1532

Acetylsalicylic acid, in arthritis, rheumatoid, 1953: July, 1237

in rheumatic fever, 1952: Nov., 1654; 1953: July, 1221; 1954: Nov., 1711

Acetylureas in epilepsy, 1952: Sept., 1386, 1389

Achlorhydria, cancer of stomach and, 1953: Jan., 69

Achromycin in pneumonia, 1954: July, 982

- Acid, burns of eye, emergency treatment, 1952: Sept., 1219  
phosphatase. See under *Phosphatase*.
- Acidity, gastric, in carcinoma of stomach, 1953: Jan., 73
- Acidosis, and uretero-intestinal anastomosis, 1954: Jan., 294  
diabetic, 1953: July, 1108; 1954: Jan., 184, 188  
treatment, 1952: May, 767-782  
in heart failure, 1952: Jan., 112  
tetany following, 1952: May, 891  
uremic, management, 1954: Sept., 1452
- Aene vulgaris, treatment, 1953: July, 1188
- ACTH, administration, 1952: Jan., 233, May, 801, 818  
diagnostic, in pulmonary disease, 1954: May, 727  
effects on gastric secretion and peptic ulcer, 1952: July, 1079  
eosinophil response to, in Addison's disease, 1952: May, 724, 744  
in adrenogenital syndrome, 1952: Jan., 243  
in allergy and allergic states, 1952: May, 811-827  
in amenorrhea, 1953: July, 1090  
in angioedema, 1952: May, 824  
in angioneurotic edema, 1952: Jan., 240  
in arthritis, rheumatoid, 1952: Jan., 238; 1953: May, 818, July, 1246  
in asthma, 1952: Jan., 239, 241, May, 819, 823, July, 1137, Sept., 1274, 1277; 1953: May, 781, July, 1020; 1954: March, 449-457, July, 975  
of infants and children, 1954: Sept., 1264  
in atherosclerosis, 1952: Jan., 190, 193  
in burns, 1953: July, 1125  
in colitis, ulcerative, 1952: Jan., 241, July, 1069; 1953: Jan., 254, July, 1171  
in collagen diseases, 1952: Jan., 238, May, 824; 1953: Nov., 1710  
in dermatitis, atopic, 1952: Jan., 241, May, 823, July, 1137  
exfoliative, 1952: Jan., 241  
in dermatomyositis, 1952: Jan., 239  
in digestive diseases, 1952: July, 1069-1081  
in drug sensitivity, 1952: Jan., 240; 1953: Sept., 1417  
in eczema of children, 1952: May, 823; 1954: Sept., 1260  
in enteritis, regional, 1952: July, 1078  
in eye diseases, 1952: Jan., 240  
in glomerulonephritis, chronic, nephrotic stage, 1952: Jan., 243  
in gout, 1952: Jan., 243  
in hay fever, 1952: Jan., 240  
in headache, 1953: July, 1265  
in hepatitis, 1952: July, 1078  
in Hodgkin's disease, 1952: Jan., 242; 1953: May, 861
- ACTH, in hypersensitivities, 1952: Jan., 239  
in hypoglycemia, spontaneous, 1952: Jan., 243  
in Landry-Guillain-Barré syndrome, 1952: Sept., 1367  
in leukemia, 1952: Jan., 242; 1953: May, 861, Nov., 1761  
in liver disease, 1952: July, 1078, Sept., 1352; 1953: Jan., 116, July, 1145  
in lupus erythematosus, 1952: Jan., 238, 240, July, 1116; 1953: Nov., 1710  
in lymphomas, 1953: May, 861  
in lymphosarcoma, 1953: May, 861  
in metabolic disorders, 1952: Jan., 243  
in myasthenia gravis, 1953: March, 540  
in mycosis fungoides, 1953: May, 862  
in nephrosis, 1952: Jan., 243  
in nephrotic syndrome, 1952: July, 933; 1953: May, 692, July, 1135, 1222  
in neurodermatitis, 1952: May, 823  
in neuropathies, peripheral, 1954: Sept., 1336  
in pemphigus, 1952: Jan., 241  
in peptic ulcer, 1952: July, 1079  
in periarteritis nodosa, 1952: Jan., 239  
in polyposis, 1952: May, 824  
in psoriasis, 1952: Jan., 241  
in psychotic episodes, acute, 1953: March, 591  
in pulmonary fibrosis, 1954: July, 1017  
in purpura, thrombocytopenic, 1953: Sept., 1403  
in rheumatic fever, 1952: Jan., 219, 238, Nov., 1657; 1953: July, 1222; 1954: Nov., 1711  
in rhinitis, vasomotor, 1952: May, 824  
in rickettsial infections, 1953: March, 411  
in scleroderma, 1952: Jan., 239  
in serum sickness, 1952: Jan., 240  
in skin disorders, 1953: July, 1180  
in surgery, 1952: Jan., 242  
in tuberculosis, 1954: July, 1173  
in urticaria, 1952: Jan., 240, May, 824; 1953: May, 793  
physiologic and clinical considerations, 1952: Jan., 229-246, May, 791-809  
sensitization to, 1952: May, 819  
side and toxic effects, 1953: May, 818, 819, July, 1228; 1954: March, 453  
studies, recent, 1952: Jan., 229-246  
test, 48 hour, in Addison's disease, 1952: May, 724  
therapeutic uses, 1952: Jan., 237; May, 802  
therapy, complications, 1952: Jan., 244, May, 803  
contraindications, 1952: May, 805, 819

- ACTH, therapy, magnesium levels in, 1952: July, 1166  
management of clinical state, 1952: Jan., 236  
tests in, 1952: Jan., 234
- Actinomycosis of lung, diagnosis, 1954: May, 739
- Adams-Stokes syndrome, treatment, 1953: July, 956, Sept., 1315; 1954: Jan., 22
- Adanon in rheumatoid arthritis, 1953: July, 1238
- Addison's disease, 1952: May, 721-737  
treatment, 1952: May, 725
- Adenine antagonists in leukemia, 1953: Nov., 1763
- Adenitis, tuberculous, with nodular goiter, jaundice and terminal coma, clinicopathologic conference, 1953: Nov., 1675
- Adenocarcinoma of thyroid gland. See *Thyroid gland*.
- Adenohypophysis, functional tests, 1952: May, 751
- Adenoma, bronchial, diagnosis, 1954: May, 734; July, 1043  
diagnosis and treatment, 1954: July, 1097-1107
- Adhesions, postoperative, intestinal obstruction due to, 1954: Jan., 127
- Adrenal cortex, functional tests, 1952: May, 743  
hyperfunction, 1952: Nov., 1715  
hyperplasia, in childhood, 1952: Nov., 1723, 1725  
tumors, 1952: Nov., 1723
- Adrenal crisis, acute, treatment, 1952: May, 734
- Adrenal dysfunction in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1779
- Adrenal extracts in Addison's disease, 1952: May, 733
- Adrenal medulla, functional tests, 1952: May, 754
- Adrenal steroids, 1952: Jan., 231  
effect on capillary permeability, 1952: Jan., 210  
in atherogenesis, 1952: Jan., 190
- Adrenal stimulation tests in Addison's disease, 1952: May, 725
- Adrenalectomy, for arterial hypertension, 1953: Nov., 1653  
in carcinoma of prostate, 1952: May, 699
- Adrenalin. See *Epinephrine*.
- Adrenocorticotrophic hormone. See *ACTH*.
- Aero-otitis media, 1954: Jan., 246
- Aerosol therapy in bronchiectasis, 1954: July, 1023
- Afibrinogenopenia, 1952: July, 1065
- Aged, care of, 1952: March, 569-583  
cardiovascular disease in, 1954: Nov., 1767-1784
- Aging, nutritional aspects, 1954: Sept., 1485-1492
- Aging, processes, normal, 1952: March, 571, 572
- Air embolism, cerebral, from air injection into maxillary antrum, 1954: Jan., 178  
treatment, 1953: July, 961
- Air-hammer disease, 1952: Jan., 156
- Air passages, foreign bodies in, 1954: Jan., 251
- Airsickness, treatment, 1952: Sept., 1373-1380
- Airway, maintaining, in crash injuries, 1954: Jan., 80  
in poisoning, 1954: Jan., 207
- Albright's syndrome. See *Osteitis fibrosa cystica*.
- Albumin, salt-poor, in liver disease, 1953: July, 1146  
in nephrotic syndrome, 1953: July, 932, 1136
- Albuminuria, office tests, 1953: Sept., 1534
- Alcohol, in angina pectoris, 1954: Nov., 1663  
in myocardial ischemia, 1953: Sept., 1288  
injection, for angina pectoris, 1954: Nov., 1665
- Alcoholics Anonymous, 1953: March, 604
- Alcoholism, Antabuse in, 1954: March, 515-524  
chronic, treatment, 1953: March, 595-607  
polyneuropathy in, 1954: Sept., 1328, 1334, 1335
- Aldinamide in tuberculosis, 1952: Sept., 1260
- Alkali burns of eye, emergency treatment, 1952: Sept., 1219
- Alkalosis, hypochloremic, 1952: July, 964  
in congestive failure, 1953: July, 982  
in peptic ulcer, 1953: Jan., 40  
tetany due to, 1952: May, 891
- Allergens, thrombocytopenia secondary to, 1952: Nov., 1699
- Allergic. See also *Allergy*.
- Allergic emergencies, treatment, 1954: Jan., 63-73
- Allergic reactions, hypertension in, treatment, 1953: Sept. 1334
- Allergic states, cardiovascular system and, 1953: Nov., 1625-1638
- Allergy, bacterial, 1953: Nov., 1626  
bronchial disease and, 1954: July, 963-968  
dermatologic, 1953: May, 768, 794  
drug, 1953: Nov., 1626  
in infants and children, 1954: Sept., 1271  
prevention and treatment, 1953: Sept., 1409-1418  
food, 1953: Jan., 12  
immunologic mechanisms, 1952: May, 815

- Allergy, in cardiovascular system, clinical manifestations, 1953: Nov., 1628  
 in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1780  
 in infancy and childhood, 1954: Sept., 1255-1279  
 long-range care, 1953: Sept., 1419-1425  
 pharmacopeia, 1954: Sept., 1276  
 mechanisms, 1953: Nov., 1625  
 nasal, 1954: Sept., 1313  
 in infants and children, 1954: Sept., 1265  
 peripheral, 1953: Nov., 1633  
 Piromen in, 1954: March, 561-568  
 prolonged illness and, 1953: May, 767-784  
 reaction, 1953: Nov., 1626  
 Aluminum hydroxide in peptic ulcer, 1952: Sept., 1324  
 Alveolar cell tumor of lung, 1954: July, 1139-1142  
 Amebiasis, colonic, diagnostic aspects, 1952: March, 405-409  
 treatment, 1953: May, 903, Nov., 1803-1809  
 Amenorrhea, 1953: July, 1077-1095  
 due to endocrine dysfunction, 1952: May, 706, 709  
 due to hypometabolism, 1952: Nov., 1734  
 psychotherapeutic methods in, 1953: July, 1092  
 secondary, 1952: Nov., 1734  
 surgical therapy, 1953: July, 1091  
 A-methopterin in leukemia, 1953: May, 859, Nov., 1763  
 Amidopyrine in rheumatic fever, 1952: Nov., 1655  
 Amino acids, hepatic function and, 1953: Jan., 117  
 in liver disease, 1953: July, 1142  
 Amino-an-fol in acute leukemia, 1953: May, 859  
 Aminophylline, in acute left ventricular failure, 1954: Jan., 9  
 in asthma, 1952: Sept., 1271, 1954: July, 972  
 in children, 1954: Sept., 1263  
 Aminopterin in leukemia, 1953: May, 859, Nov., 1763  
 Amithiazone in tuberculosis, 1952: Sept., 1260  
 Ammonium chloride in congestive heart disease, 1952: March, 430;  
 1953: May, 650, July, 982;  
 1954: Nov., 1657  
 in aged, 1954: Nov., 1773  
 Ammonium salts in chemical burns of eye, 1952: Sept., 1219  
 Amphetamine in parkinsonism, 1953: March, 531  
 Amputation in chronic arterial occlusions, 1952: Jan., 153  
 Amylase, blood and urine, in acute pancreatitis, 1953: Jan., 201  
 Amyl nitrite inhalations in headache, 1953: July, 1263  
 Amyloid disease, spleen and liver in, 1954: May, 861  
 Amyloidosis, generalized, in nontropical sprue, 1952: July, 1173-1185  
 of liver, 1953: Jan., 102  
 Amytal test in hypertension, 1952: Jan., 120  
 Analgesics in functional disorders, 1953: Nov., 1799  
 in obstetrics, 1954: Sept., 1437-1445  
 Anaphylactoid reactions, severe, treatment, 1954: Jan., 71  
 Androgen therapy. See *Testosterone*.  
 Androgenic hyperfunction in childhood, 1952: Nov., 1718  
 Anemia(s), hemolytic, acquired, splenectomy for, 1953: Jan., 193  
 congenital, splenectomy for, 1953: Jan., 188  
 familial, in differential diagnosis of infectious hepatitis, 1952: Nov., 1644  
 Lederer type, splenectomy for, 1953: Jan., 191  
 high cardiac output failure in, 1953: July, 975  
 hypochromic microcytic, 1953: July, 1195  
 in chronic uremia, treatment, 1954: Sept., 1454  
 iron deficiency, 1952: Nov., 1686;  
 1953: July, 1195  
 role of infection in, 1952: Nov., 1688  
 macrocytic, 1953: July, 1197  
 normocytic, 1953: July, 1195  
 pernicious, 1953: July, 1197  
 cancer of stomach and, 1953: Jan., 69  
 pre- and postoperative care in, 1953: May, 759  
 splenic, 1954: May, 872  
 treatment, 1953: July, 1191-1202  
 Anesthesia, in cardiovascular disease, 1954: Nov., 1733-1739  
 in obstetrics, 1954: Sept., 1437-1445  
 testing pain with, 1952: March, 497  
 Anesthetics, liver toxicity from, 1953: Sept., 1385  
 Aneurysm, aortic, asthma and, 1952: March, 363  
 intracranial, rupture of, 1952: Jan., 171  
 types, 1952: Jan., 145, 146  
 Anger, physical manifestations, 1952: March, 469  
 Angina pectoris, 1952: Jan., 85, 88, July, 991; 1953: Sept., 1284, Nov., 1633  
 differentiation from other chest pain, 1954: May, 743-751  
 in aged, 1954: Nov., 1775  
 treatment, 1954: Jan., 15, Nov., 1662



- Angiocardiography, 1952: Nov., 1677;  
1954: May, 796  
in congenital heart disease, value,  
1952: Jan., 57  
in pulmonary disease, 1954: May, 727
- Angioedema in infants and children,  
1954: Sept., 1269
- Angiography, cerebral, 1954: May, 801
- Angioneurotic edema, acute severe,  
treatment, 1954: Jan., 69
- Angiospasm, cerebral, 1953: March,  
426
- Anorectum, constricted, in children,  
1953: Jan., 274  
surgery of, instruments for, 1952:  
Sept., 1451
- Anoscopy, 1952: Sept., 1448; 1953:  
Jan., 263
- Anoxemia, effect on capillary perme-  
ability, 1952: Jan., 208
- Anoxia, hepatic, 1953: Jan., 111  
syncope in, 1953: Sept., 1337
- Antabuse in alcoholism, 1953: March,  
602; 1954: March, 515-524  
side and toxic effects, 1954: March,  
516  
treatment, 1954: March, 520
- Antacids in peptic ulcer, 1952: Sept.,  
1324; 1953: Jan., 34
- Anti-anemic factors, interrelationship,  
1952: Sept., 1228
- Antibiotics. See also *Penicillin*, *Strepto-*  
*mycin*, etc.  
administration, 1952: Jan., 258  
administration, 1952: Jan., 258  
dosages, 1952: Jan., 259  
in accessible infections, 1952: Nov.,  
1615  
effect on normal fecal flora, 1952:  
July, 1083  
in amebiasis, 1952: Jan., 254, 255,  
July, 1089; 1953: Nov., 1806  
in appendicitis, 1953: Jan., 224  
in bronchiectasis, 1954:  
July, 1023  
in brucellosis, 1952: Jan., 251, 253  
in burns, 1953: July, 1124  
in cat-scratch disease, 1952: Sept.,  
1252  
in chickenpox, 1952: Sept., 1250  
in Chlamydozoaceae infections,  
1952: Sept., 1241  
in colitis, ulcerative, 1952: July,  
1097; 1953: Jan., 252, July, 1170  
in common cold, 1952: Sept., 1246  
in conjunctivitis, inclusion, 1952:  
Sept., 1243  
in dermatitis, acute, 1952: Sept., 1439  
in dermatitis herpetiformis, 1952:  
Sept., 1249  
in fevers, effect on laboratory re-  
sults, 1954: May, 898  
in gas gangrene, 1952: Jan., 251, 253  
in gastrointestinal disease, 1952:  
July, 1083-1097  
in herpetic and other skin diseases,  
1952: Sept., 1248
- Antibiotics, in ileitis, regional, 1952:  
July, 1097  
in infections, 1952: Jan., 247  
accessible, 1952: Nov., 1615  
inaccessible, 1952: Nov., 1616  
viral, 1952: Jan., 254, Sept., 1239-1252  
in influenza, 1952: Sept., 1247  
in laryngotracheobronchitis, 1952:  
Jan., 255, 256  
in leptospirosis, 1952: Jan., 255  
in liver disease, 1952: Sept., 1351  
in lymphogranuloma venereum,  
1952: Sept., 1242  
in measles, 1952: Sept., 1252  
in meningitis, 1952: Jan., 249, 255;  
1953: March, 338  
aseptic, 1952: Sept., 1252  
influenzal, 1953: March, 339  
intrathecal, 1953: Sept., 1363-1378  
streptococcal, 1953: March, 339  
in mononucleosis, infectious, 1952:  
Sept., 1251  
in mumps, 1952: Sept., 1250  
in nephrotic syndrome, 1953: July  
1134  
in otitis media, 1952: Jan., 255, 256  
in pediatrics, 1952: Nov., 1607-1618  
in pneumonia, 1953: July, 1055; 1954:  
July, 981  
atypical, 1952: Sept., 1244  
in poliomyelitis, 1952: Sept., 1251  
in psittacosis, 1952: Sept., 1244  
in pyuria, abacterial, 1952: Sept.,  
1251  
in rheumatic fever, 1952: Nov., 1655  
in syphilis, 1952: Jan., 254, 255  
in tetanus, 1952: Jan., 251, 253  
in tonsillitis, 1952: Jan., 255, 256  
in trachoma, 1952: Sept., 1243  
in tuberculosis, 1952: Jan., 251, 253  
in tularemia, 1952: Jan., 251, 253  
in typhoid fever, 1952: July, 1092  
in urethritis, nonspecific, 1952: Sept.,  
1251  
in urinary tract infections, 1952:  
Sept., 1430  
in viral diseases, 1952: Sept., 1239-  
1252  
in whooping cough, 1952: Jan., 251,  
252  
in wounds, open, 1953: Sept., 1475  
synergism and antagonism, 1952:  
Nov., 1613  
toxicity, 1952: Jan., 261  
use, laboratory in, 1952: Jan., 256  
practical problems, 1952: Jan.,  
247-262
- Anticholinergic drugs in gastrointes-  
tinal disease, 1954: March, 459-471
- Anticoagulant therapy, hemorrhage  
from, treatment, 1953: July, 959,  
Sept., 1296  
in arterial occlusions, acute, 1952:  
Jan., 143, 144; 1954: Jan., 33  
in cerebral hemorrhage and throm-  
bosis, 1952: Jan., 170

- Anticoagulant therapy, in cerebral vascular accident, 1954: Jan., 32, 176  
 in congestive heart failure, 1953: May, 661  
 in cor pulmonale, acute, 1954: Nov., 1690  
 in coronary thrombosis, prevention, 1952: July, 998  
 in coronary heart disease, 1954: March, 399-412, Nov., 1668  
 in myocardial infarction, acute, 1953: Sept., 1293  
   in aged, 1954: Nov., 1778  
   prevention, 1952: Jan., 83  
 in myocardial ischemia, 1953: Sept., 1290  
 in phlebothrombosis, acute, 1954: Jan., 40, 306  
 in thromboembolism, 1952: Sept., 1318  
   long-term, 1953: May, 659-666  
   maintenance of constant prothrombin level in, 1952: Jan., 113  
 Anticoagulants, circulating, bleeding due to, 1952: July, 1066  
 Anticonvulsant drugs, 1954: March, 473-484  
   liver damage from, 1953: Sept., 1386  
   side effects, control of, 1954: Sept., 1339-1350  
 Antidotes, 1954: Jan., 201  
 Antiepileptic drugs, 1952: Sept., 1381-1392; 1954: March, 473-484  
   control of side effects, 1954: Sept., 1339-1350  
 Antihistaminic drugs, in asthma, 1952: Sept., 1272; 1953: July, 1020  
   in dermatitis, acute, 1952: Sept., 1440  
   in motion sickness, 1952: Sept., 1378  
   in parkinsonism, 1953: March, 531  
   in peptic ulcer, 1952: Sept., 1330  
   in urticaria, 1953: May, 793  
 Antihyaluronidase titer in rheumatic fever, 1952: Nov., 1650  
 Antimetabolites in leukemia and allied disorders, 1953: Nov., 1762  
 Antisecretory drugs in peptic ulcer, 1952: Sept., 1328  
 Antiseptics, urinary, choice of, 1952: Sept., 1430  
 Antisera in meningitis, 1953: March, 340  
 Antispasmodics in peptic ulcer, 1953: Jan., 35  
 Antistreptolysin titer in rheumatic fever, 1952: Nov., 1650  
 Antithyroid drugs, in congestive heart failure, 1953: July, 986  
   in hyperthyroidism, 1952: May, 603-621; 1953: May, 701, 705, July, 1065  
   mechanism of action, 1953: July, 1061  
 Antrenyl in gastrointestinal disease, 1954: March, 466  
 Anuria in poisoning, treatment, 1954: Jan., 206  
 Anus, abscesses, incision of, 1952: Sept., 1455  
   fissure in, office treatment, 1953: Jan., 268  
   in children, 1953: Jan., 274  
 fistula, office treatment, 1953: Jan., 269  
 papillae, hypertrophied, excision of, 1952: Sept., 1455  
 skin tags, excision, 1952: Sept., 1451  
 spasm, 1953: Jan., 270  
 Anxiety, attacks of, 1952: March, 566  
   fatigue due to, 1952: March, 313  
   heart disease and, 1954: Sept., 1536, Nov., 1796  
   hypertension and, 1954: Nov., 1797  
   in structural disease, 1952: March, 471-483  
   neuroses manifested by, 1954: Sept., 1355  
   physical manifestations, 1952: March, 458, 464  
   role in neurotic symptom formation, 1954: Sept., 1352  
 Aorta, arch of, anomalies, 1952: Jan., 43, 64; 1954: Nov., 1635  
   coarctation of, 1952: Jan., 40, 63, Nov., 1664; 1954: Nov., 1636  
   hypertension in, 1954: May, 763  
   diseases, in aged, 1954: Nov., 1782  
   overriding of, diagnosis, 1952: July, 1046  
   roentgenographic changes in silicosis, 1953: Nov., 1732  
   stenosis, 1952: Nov., 1665  
   syncope and dizziness in, 1953: Sept., 1318  
 Aortography, 1954: May, 790  
   abdominal, 1954: May, 799  
   thoracic, 1952: Nov., 1679  
 Aphasia in differential diagnosis of deafness in children, 1952: Nov., 1793  
 Apoplexy, 1952: Jan., 159-175  
   diagnosis and management, 1953: March, 423-435; 1954: May, 766  
 Appendectomy, 1953: Jan., 222  
 Appendicitis, acute, 1954: Jan., 117  
   pathogenesis, clinical manifestations, differential diagnosis, treatment, 1953: Jan., 207-226  
 Appendix, anatomy, 1953: Jan., 208  
 Apresoline, hypotension due to, 1953: Sept., 1304  
   in hypertension, 1953: Sept., 1304; 1954: March, 367, 372, Nov., 1724  
   arterial, 1953: Nov., 1651  
 Arch supports, 1953: Sept., 1438  
 Arfonad in acute pulmonary edema, 1953: July, 960

- Arrhythmias, cardiac, 1952: Jan., 3-20  
auscultation in, 1953: Sept., 1557  
circulatory collapse precipitated by, 1954: Jan., 19  
congestive failure in, 1953: July, 978  
disability in, causes, 1953: May, 680  
electrocardiography in, 1952: Jan., 94  
embolism in, anticoagulant therapy, long-term, 1953: May, 660  
in acute myocardial infarction, treatment, 1953: Sept., 1299  
management, 1954: Jan., 23
- Arsenic poisoning, polyneuropathy in, 1954: Sept., 1329  
BAL in, 1954: Sept., 1333
- Arsenic, radioactive, in lymphomas and leukemias, 1953: May, 852
- Arsenicals, hepatitis due to, 1953: Sept., 1385  
in amebiasis, 1953: Nov., 1806  
in leukemia, granulocytic, chronic, 1953: Nov., 1761
- Artane in parkinsonism, 1953: March, 530, Sept., 1514; 1954: March, 487, 490, 491, 492
- Arteries, cerebral and pial, headache and, 1954: May, 679  
occlusions, 1952: Jan., 142, 143, 146, 148; 1953: July, 957; 1954: Jan., 30  
acute, treatment, immediate, definitive and late, 1954: Jan., 32, 37, 38
- Arteriosclerosis, hypertension and, 1954: May, 756  
obliterations, 1952: Jan., 147, 148  
of aorta in aged, 1954: Nov., 1782
- Arteriography, peripheral, 1954: May, 790
- Arteritis, temporal, 1954: May, 691
- Arthritic spurring vs. disk as cause of root compression, 1953: March, 466
- Arthritis, degenerative, treatment, 1954: Sept., 1475-1481  
in rheumatic fever, 1952: Nov., 1652; 1954: Nov., 1706  
emotional manifestations, 1952: March, 478  
hypertrophic, physical medicine in, 1952: Sept., 1487  
rheumatoid, hydrocortisone in, intra-articular, 1954: March, 349-357  
oral, 1954: March, 337-347  
physical medicine in, 1952: Sept., 1489  
rehabilitation techniques, 1953: May, 815  
treatment, 1953: May, 815-827, July, 1235-1250  
placental serum in, 1953: May, 805-814
- Arthrodysplasia, hereditary, with dystrophy of nails, 1952: July, 915
- Ascariasis, Hetrazan in, 1954: March, 591-597  
treatment, 1953: May, 908
- Ascites, formation in cirrhosis, mechanism, 1953: Jan., 96  
in hepatitis, 1953: Jan., 131  
origin, liver in, 1953: Jan., 113
- Ascorbic acid, effect on capillary permeability, 1952: Jan., 211  
in infant nutrition, 1952: Jan., 283
- Asphyxial states, treatment, 1954: Jan., 55, 251
- Aspiration of foreign bodies, 1954: Jan., 51
- Aspirin. See *Acetylsalicylic acid*.
- Asthenia, neurocirculatory, 1954: Sept., 1536, Nov., 1789
- Asthma, 1952: March, 347-365  
bronchial, 1952: March, 350; 1953: May, 770  
1954: ACTH and cortisone in, March, 449-457, July, 975  
bedside management, 1953: July, 1009-1022  
bronchoscopy in, 1953: July, 1021  
crises of, treatment, 1954: July, 969-979  
drugs used in, evaluation, 1953: July, 1016  
in infants and children, 1954: Sept., 1261  
long-range care, 1953: Sept., 1419-1425  
treatment, 1954: Sept., 1263  
treatment, 1952: Sept., 1269; 1953: May, 779, July, 1009-1022  
cardiac, 1952: March, 350; 1953: July, 959, Nov., 1633  
pathologic physiology, 1953: July, 1011  
treatment, 1953: July, 1012, Nov., 1636  
conditions simulating, 1952: March, 348  
intractable, causes and treatment, 1954: Jan., 63, 251  
powders, 1953: July, 1018
- Astrocytoma in childhood, 1952: Nov., 1802
- Atabrine, in giardiasis, 1953: May, 907  
in malaria, 1953: May, 907
- Atelectasis, 1954: July, 1046
- Atherosclerosis, coronary, treatment, 1953: Sept., 1283-1301  
low cholesterol-low fat diets in, 1952: Jan., 189, 193, 195-199, May, 869, 872  
pathogenesis and treatment, 1952: Jan., 177-194  
prevention, 1952: July, 1001-1012
- Atomic attack, physician in, 1952: Jan., 263-272
- Atomic injuries, 1952: Jan., 263-272

- Atrial septum, defects, 1952: Nov., 1665; 1954: Nov., 1639  
cardiac catheterization in 1952: July, 1043
- Atropine, in cardiac standstill, 1952: Jan., 19  
in parkinsonism, 1953: Sept., 1512  
in peptic ulcer, 1952: Sept., 1329
- Aureomycin, dosages, 1952: Jan., 259  
effect on normal fecal flora, 1952: July, 1087  
in amebiasis, 1952: July, 1091; 1953: Nov., 1806  
in bacterial endocarditis, 1954: March, 394  
in infectious hepatitis in children, 1952: Nov., 1645  
in pediatric practice, 1952: Nov., 1612  
in pneumonia, 1954: July, 982  
in rickettsial infections, 1953: March, 407  
prophylactic, 1953: March, 420  
in salmonellosis, 1952: July, 1095  
in staphylococcal infections, 1953: Sept., 1470  
in urinary infections, 1952: Sept., 1432, 1433  
in vaginitis, nonspecific, 1952: Nov., 1731  
liver damage by, 1953: Sept., 1386
- Auricular fibrillation, 1952: Jan., 7, 16  
emotional manifestations, 1952: March, 478  
in acute coronary thrombosis, treatment, 1953: July, 957  
paroxysmal, 1953: July, 965  
treatment, 1954: Jan., 23
- Auricular flutter, 1952: Jan., 8, 15  
paroxysmal, 1953: July, 966  
treatment, 1954: Jan., 24
- Auricular tachycardia, paroxysmal, 1953: July, 962
- Autism, 1952: Nov., 1545
- Autohemotherapy in urticaria, 1953: May, 794
- Automobile crash victim, care of, 1954: Jan., 75-94
- Autonomic control, disturbances, in emotional disorders, 1952: March, 459
- Aversion therapy in alcoholism, 1953: March, 600
- BABY. See *Infant*.
- Bacitracin, dosage, 1952: Jan., 259  
in amebiasis, 1952: July, 1091  
in bacterial endocarditis, 1954: March, 395  
in staphylococcal infections, 1953: Sept., 1471
- Back, lower, anatomy, 1953: Sept., 1449  
pain, low, 1953: Sept., 1457, 1458  
herniated disk and, 1953: March, 484, 508; 1954: May, 666  
postural, 1953: Sept., 1455; 1954: May, 666  
syndromes, 1953: Sept., 1449-1460
- Back strain, 1954: May, 670
- Backache, causes, diagnosis, 1953: July, 1207; 1954: May, 655-672  
management, 1953: July, 1203-1213
- Bacteremia, problem cases, 1954: May, 910
- Bacteria, sensitivity testing, use and abuse, 1953: Sept., 1465
- Bacteriologic studies in pulmonary disease, importance, 1954: July, 1219-1226  
in pulmonary tuberculosis, 1954: July, 1158
- BAL, in heavy metal poisoning, 1954: Jan., 203, Sept., 1333  
in hepatitis, toxic, 1953: Sept., 1390  
in lewisite burns of eye, 1952: Sept., 1219  
in peripheral neuropathies, 1954: Sept., 1334  
in polyneuritis, 1952: Sept., 1365
- Balarsen in amebiasis, 1953: Nov., 1806
- Ball-valve thrombus, 1953: Sept., 1319
- Ballistocardiography, 1954: Nov., 1601-1615
- Banthine, in gastrointestinal disease, 1954: March, 463  
in peptic ulcer, 1952: Sept., 1329; 1953: Jan., 35
- Banti's syndrome, 1954: May, 872
- Barbiturates, in epilepsy, 1952: Sept., 1386, 1389  
in obstetrics, 1954: Sept., 1440  
intoxication, 1954: Jan., 212
- Basal metabolic rate. See *Metabolism*, basal.
- Baths, in acute dermatitis, 1952: Sept., 1441  
in dermatoses, 1953: May, 799
- Bauer-Aub diet, 1952: May, 755
- B.C.G. vaccine in prevention of tuberculosis, 1954: Sept., 1528
- Bed rest. See under *Rest*.
- Bedside management, symposium on, 1953: July, 953-1268
- Bee stings, reactions in children, 1954: Sept., 1273
- Behavior, inventory, preliminary, of children, 1952: Nov., 1528  
problems in children, management, 1953: March, 565-577
- Belching, 1953: Jan., 3
- Bell's palsy, 1954: Sept., 1330  
cortisone in, 1954: Sept., 1337
- Bellabulgar in parkinsonism, 1953: Sept., 1513; 1954: March, 488, 492, 494
- Belladonna, in parkinsonism, 1953: March, 529, Sept., 1512  
in peptic ulcer, 1952: Sept., 1329
- Benadryl, in motion sickness, 1952: Sept., 1378, 1379  
in parkinsonism, 1953: Sept., 1515; 1954: March, 487, 490, 492, 494
- Bence-Jones protein in urine, 1953: Sept., 1535
- Benedict's test for sugar, 1953: Sept., 1532

- Benemid, in bacterial endocarditis, 1954: March, 396  
 in pediatric practice, 1952: Nov., 1611  
 Benodaine in diagnosis of pheochromocytoma, 1954: March, 375-384  
 Benzodioxane test in pheochromocytoma, 1952: Jan., 123, May, 754  
 Bernheims' syndrome, 1952: July, 912  
 Beta-naphthyl-di-2-chloroethylamine in leukemia and allied disorders, 1953: Nov., 1760  
 Bicarbonates in blood, office tests, 1953: Sept., 1539  
 Bile, ducts, carcinoma of, 1953: Jan., 166  
   diseases, diarrhea and bloody stools in, 1954: May, 819  
   x-ray diagnosis, 1954: May, 814  
   in urine, office test, 1953: Sept., 1535  
   salts in chronic cholecystitis and cholelithiasis, 1953: Jan., 163  
 Bilharziasis of liver, 1953: Jan., 103  
 Biliary cirrhosis, obstructive, 1953: Jan., 97  
 Biliary dyskinesia, 1953: Jan., 156, 176  
 Biliary obstruction, congenital, 1953: Jan., 156  
 Biliary tract, disease, diagnosis and treatment, 1954: Sept., 1403-1417  
   extrahepatic, normal physiology, 1953: Jan., 170  
   syndromes and their treatment, 1953: Jan., 155-167  
 Bilirubin, serum, in jaundice, 1952: March, 400  
 Biopsy, endometrial, 1952: May, 750  
   in carcinoma of prostate, 1952: May, 693  
   in diagnosis of cancer, 1954: May, 641  
   needle, in bronchogenic carcinoma, 1954: July, 1121  
   of liver. See under *Liver*.  
   of lymph nodes in bronchogenic carcinoma, 1954: July, 1121  
   testicular, 1952: May, 749  
 Bismuth, hepatitis due to, 1953: Sept., 1385  
 Bite, dog, 1954: Jan., 107  
   human, 1954: Jan., 106  
   snake, 1954: Jan., 108  
 Bladder, care in aged, 1952: March, 577  
   management in paraplegia, 1953: May, 926  
   neck obstruction, 1954: Jan., 281  
   rupture, 1954: Jan., 287  
 Blastomycosis of lung, diagnosis, 1954: May, 739  
 Bleeding. See *Hemorrhage*.  
 Blood, cell count, in clinical diagnosis of congenital heart disease, 1952: Nov., 1662  
   red cell, 1953: Sept., 1537  
   white cell, 1953: Sept., 1538  
   circuit, extracorporeal, 1953: Nov., 1607  
   collecting, without using syringe, 1954: Jan., 288  
 Blood, culture in clinical diagnosis of congenital heart disease, 1952: Nov., 1662  
   examination, office procedures, 1953: Sept., 1535  
   in stool, differential diagnosis, 1954: May, 817-833  
   in sputum, 1952: March, 337  
   kinetic energy, circulatory consequences with special reference to kidney, 1952: July, 967-980  
   lead concentration in lead poisoning, 1952: Nov., 1592, 1595  
   oxygenation, tests of impairment, 1954: July, 1232  
   pressure, determination, 1952: Nov., 1521  
   high. See also *Hypertension*.  
   differentiation, 1954: May, 753-764  
   intravascular, measurement, 1954: May, 792  
   screening tests, 1952: Nov., 1521  
   smear examination, 1952: Nov., 1522; 1953: Sept., 1538  
   studies in newborn infants, 1952: Nov., 1568  
   sugar, tests for, 1953: July, 1099, Sept., 1540  
   significance and limitations, 1953: Jan., 286  
   transfusions. See *Transfusions*.  
   venous, cardiac, disposition of, 1953: Nov., 1614  
 Body, temperatures, basal, in study of fertility, 1952: May, 751  
   water, measurements, 1952: May, 829  
   total, 1954: May, 875  
 Boeck's sarcoid, 1945: July, 1004  
 Bone, cysts, in infants and children, 1952: Nov., 1754  
   treatment, 1952: Nov., 1756  
 disease, urinary calculi in, 1954: Sept., 1465  
   matrix and ossification, 1952: May, 847  
   tumors in childhood, 1952: Nov., 1803  
 Boric acid as antiseptic, the case against, 1954: Jan., 299-304  
 Bowels, care in aged, 1952: March, 577  
 Brachial plexus pressure, neck and shoulder pain due to, 1952: Sept., 1298  
 Brachial neuritis, 1954: Sept., 1330  
 Brachio-cephalic vessels and aortic arch, anomalous position, 1954: Nov., 1635  
 Bradycardia, sinus, 1952: Jan., 6  
 Brain, abscess, 1954: Jan., 172  
   circulation, physiology of, 1952: Jan., 161; 1954: Nov., 1572  
   injuries, in auto crash, 1954: Jan., 89  
   lesions, headache due to, 1954: May, 674  
   organic, precocious puberty resulting from, 1952: Nov., 1713  
   vascular, acute, differential diagnosis, 1954: May, 765-779

- Brain, lesions, vascular, acute, diagnosis and management, 1953: March, 423-435  
emergency treatment, 1954: Jan., 43  
softening of, 1952: Jan., 165, 166  
stem, glioma of, in childhood, 1952: Nov., 1802  
tumor in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Breast, carcinoma, advanced, hormone therapy, 1952: May, 681-688  
detection and early diagnosis, 1954: May, 646
- Breast feeding, 1952: Nov., 1556  
maternal desire, 1952: Nov., 1557  
maternal inability, 1952: Nov., 1558  
maternal reluctance, 1952: Nov., 1557  
vs. artificial feeding, 1952: Jan., 273
- Bright's disease. See *Nephritis*.
- Bromides in epilepsy, 1953: March, 324; 1954: March, 476
- Bronchial obstruction, recurrent, chronic, clinicopathologic conference, 1953: Nov., 1691
- Bronchiectasis, cysts, 1954: July, 1075  
diagnosis, 1953: July, 1023-1034; 1954: May, 736  
in older people, 1953: Sept., 1351-1361  
in silicosis, 1953: Nov., 1734  
treatment, 1953: July, 1023-1034; 1954: July 1019-1026
- Bronchiolitis, acute, 1952: Sept., 1284  
treatment, 1952: Sept., 1286
- Bronchitis in asthma, control of, 1954: July, 977
- Bronchodilators in asthma, 1954: July, 970  
in children, 1954: Sept., 1278
- Bronchogenic carcinoma, diagnosis, May, 729; 1954: July, 1109-1122  
treatment, 1954: July, 1123-1131
- Bronchogenic cysts, congenital, 1954: July, 1075
- Bronchography in bronchiectasis, 1953: July, 1028, Sept., 1353  
techniques and application, 1954: July, 1207-1214
- Broncholithiasis, 1954: July, 1043
- Bronchopulmonary sequestration, intralobar, 1954: July, 1081-1090
- Bronchoscopy, diagnostic value, 1954: July, 1215-1218  
in asthma, 1953: July, 1021  
in bronchial adenoma, 1954: July, 1109  
in bronchiectasis, 1953: July, 1027  
in bronchogenic carcinoma, 1954: July, 1118
- Bronchostenosis, 1954: July, 1044  
in asthma, control of, 1954: July, 978
- Bronchus, adenoma, diagnosis and treatment, 1954: July, 1097-1107
- Bronchus, compression by contiguous growths, 1954: July, 1048  
diseases, allergic, 1954: July, 963-968  
symposium on, 1954: July, 943-1241  
foreign bodies in, 1954: July, 1040  
obstruction, benign, problem of, 1954: July, 1039-1049  
secretions, cytology, in diagnosis of pulmonary disease, 1954: May, 725; July, 1118, 1223  
tumors, benign, 1954: July, 1043
- Brown-Sequard syndrome, 1952: July, 911
- Buerger's disease. See *Thromboangiitis obliterans*.
- Burns, acute, treatment, 1953: July, 1119-1128  
chemical, of eye, emergency treatment, 1952: Sept., 1215-1222  
emergency care, 1954: Jan., 95-100  
of eye, 1954: Jan., 240  
pulmonary, 1953: July, 1125  
shock in, 1954: July, 98  
treatment, annotated outline, 1952: Sept., 1201-1214
- Bursitis of shoulder, physical medicine in, 1952: Sept., 1490
- Butanephrine in asthma, 1953: July, 1017
- Butazolidin, in gout, 1954: March, 611-624  
in rheumatoid arthritis, 1953: July, 1239
- CAFERGOT in headache, 1953: July, 1265
- Calcinosis, interstitial in tendinitis of shoulder, 1952: Sept., 1304
- Calcium, deficiency, in uremia, 1954: Sept., 1454  
tetany due to, 1952: May, 880  
in urine, office test, 1953: Sept., 1534  
serum, in acute pancreatitis, 1953: Jan., 202  
in parathyroid disease, 1952: May, 755
- Calcium carbonate in peptic ulcer, 1952: Sept., 1325
- Calcium versenate in lead poisoning, 1952: Nov., 1593
- Calculi, bronchial, 1954: July, 1043  
common duct, 1953: Jan., 153; 1954: Sept., 1412  
gallbladder. See *Gallstones*.  
ureteral or renal, 1954: Jan., 283
- urinary, medical management, 1954: Sept., 1461-1474  
types and causes, 1954: Sept., 1462
- Calories, requirements in aged, 1954: Sept., 1487
- Cancer. See *Carcinoma*.
- Capillary(ies), circulation, clinical physiology, 1952: Jan., 201-215  
fragility in hypertension, 1952: Jan., 124  
in peripheral vascular disease, 1954: May, 789

- Capillary(ies), permeability, 1952: Jan., 205, 1954: May, 879  
 tourniquet test, 1953: Nov., 1847  
 topography and vasomotion, 1952: Jan., 211
- Carbarsone, in amebiasis, 1953: Nov., 1806  
 in amebic dysentery, 1953: May, 904, 905  
 suppositories in *Trichomonas vaginalis* vaginitis, 1952: Sept., 1467
- Carbohydrate(s), in infant feeding, 1952: Jan., 276  
 restriction in diabetes mellitus, 1953: May, 716
- Carbomycin in staphylococcal infections, 1953: Sept., 1472
- Carbon dioxide, inhalations, in amenorrhea, 1953: July, 1092  
 in asthma, 1954: July, 973  
 in headache, 1953: July, 1263  
 narcosis complicating oxygen therapy, 1953: July, 960
- Carbon monoxide poisoning, 1954: Jan., 59, 215
- Carbon tetrachloride, liver damage from, 1953: Sept., 1386  
 poisoning, 1954: Jan., 59
- Carcinoma, bronchogenic, bronchiectasis and, 1953: Sept., 1360  
 diagnosis, May, 729; 1954: July, 1109-1122  
 treatment, 1954: July, 1123-1131  
 detection methods, 1954: May, 642  
 diagnosis, early, 1954: May, 639-654  
 emotional manifestations, 1952: March, 480  
 endocrine therapy, 1954: Sept., 1285  
 in childhood, 1952: Nov., 1797-1806  
 intractable pain in, control of, 1954: Sept., 1296  
 management, medical problems in, 1953: May, 869-884  
 metabolic antagonists in, 1954: Sept., 1290  
 metastatic, laboratory methods for estimating activity of, 1954: Sept., 1290  
 treatment, 1954: Sept., 1281-1299  
 nitrogen mustard therapy, 1954: Sept., 1284  
 nonmalignant disease in, management, 1953: May, 880  
 of organs. See under organ names.  
 pain in, control of, 1953: May, 875  
 palliative treatment, 1953: May, 878; 1954: Sept., 1281-1299  
 radiation therapy, 1954: Sept., 1283  
 radioactive gold therapy, 1954: Sept., 1285
- Cardiac. See also *Heart*  
 emergencies, 1953: July, 955-970; 1954: Jan., 7-28  
 patient, work capacity of, 1953: May, 667-684
- Cardiology, clinical, contributions of physiologic research to, 1954: Nov., 1565-1573
- Cardiospasm, 1953: Jan., 15  
 treatment, 1952: March, 384  
 wrongly blamed on heart, 1952: March, 507
- Cardiovascular defects, congenital, cardiac catheterization and contrast study of heart and great vessels in, 1952: Nov., 1673-1682  
 diagnosis and treatment, 1954: Nov., 1635-1648  
 diagnosis in reference to surgical intervention, 1952: Jan., 37-51
- Cardiovascular disease, anesthesia in relation to, 1954: Nov., 1733-1739  
 home care, rehabilitation and placement in injury in, 1954: Nov., 1785-1788  
 in aged, 1952: March, 580; 1954: Nov., 1767-1784  
 symposium on, 1952: Jan., 1-228; 1954: Nov., 1561-1800
- Cardiovascular system, allergic states and, 1953: Nov., 1625-1638.  
 See also *Allergy in cardiovascular system*.  
 in kidney disease, 1953: Nov., 1657-1668
- Cardiovascular syphilis, penicillin in, 1954: Nov., 1757-1765
- Carditis in rheumatic fever, 1952: Nov., 1651; 1954: Nov., 1706
- Carotid artery, internal, thrombosis of, 1954: Jan., 175; May, 768
- Carotid sinus pressure, as test for arrhythmias, 1952: Jan., 10  
 in treatment of supraventricular tachycardia, 1952: Jan., 12
- Carotid sinus syndrome, syncope in, treatment, 1953: Sept., 1313, 1329
- Carter-Robbin's test of posterior pituitary function, 1952: May, 753
- Cataplexy, 1952: March, 541
- Catheterization, cardiac. See under *Heart*.
- Cation exchange resins. See under *Resins*.
- Caudal anesthesia in obstetrics, 1954: Sept., 1443
- Causalgia, 1952: Jan., 156, March, 492  
 of neck and shoulder, 1952: Sept., 1306
- Cedilanid, in acute pulmonary edema in pregnancy, 1954: Nov., 1750  
 in congestive heart failure, 1954: Nov., 1655
- Cephalin-cholesterol flocculation, abnormal, incidence in infectious hepatitis, 1952: Nov., 1642  
 test, of Hanger, 1952: March, 398
- Cephalopelvic disproportion, induction of labor in, 1952: Sept., 1478
- Cerebral. See also *Brain*.



- Cerebral attacks, psychic aspects, 1952: March, 557-568
- Cerebral circulation, 1953: March, 424
- Cerebral vascular accidents, diagnosis and management, 1952: 159-175; 1953: March, 423-435
- differentiation, 1954: May, 765-779
- emergency treatment, 1954: Jan., 43
- in aged, 1952: March, 581
- space-occupying lesions and, differentiation, 1954: May, 774
- stellate ganglion block and anticoagulant therapy in, 1954: Jan., 32, 176
- Cerebral vascular disorders, syncope in, 1953: Sept., 1327
- Cerebrospinal fluid examination, office procedures, 1953: Sept., 1541
- Cervical root compression, syndromes of, neurologic and roentgenologic aspects, 1953: March, 451-478
- treatment, 1953: March, 462, 467, 468
- Cervix uteri, carcinoma, early diagnosis, 1954: May, 644
- lesions, leukorrhea due to, treatment, 1952: Sept., 1463, 1465
- Chair treatment of congestive heart failure, 1953: July, 966
- of myocardial infarction, 1954: Nov., 1667
- Charcot-Marie-Tooth disease, 1953: March, 553
- Chemotherapy, in leukemia and allied disorders, 1953: Nov., 1755-1767
- in meningitis in children, 1952: Nov., 1617
- intrathecal, 1953: Sept., 1363-1378
- in parkinsonism, 1953: Sept., 1511
- in tuberculosis, present status, 1952: Sept., 1257; 1954: July, 1167-1176
- Chest. See *Thorax*.
- Child(ren), allergy in, 1954: Sept., 1255-1279
- long-range care, 1953: Sept., 1419-1425
- appraisal of, 1952: Nov., 1516
- developmental, by general practitioner, 1952: Nov., 1525-1532
- frequency of examination, 1952: Nov., 1517
- behavior inventory, preliminary, 1952: Nov., 1528
- behavior problems in, 1953: March, 565-577
- cancer in, 1952: Nov., 1797-1806
- deaf, 1952: Nov., 1787-1795
- developmental norms and observations, 1952: Nov., 1527
- growing, posture changes in, 1952: Nov., 1533-1540
- hemorrhagic disease in, 1952: Nov., 1693-1710
- Child(ren), hernias in, management of, 1952: Nov., 1767-1777
- hospitalization of, problems resulting from, 1952: Nov., 1552
- immunization schedules, 1954: Sept., 1506
- infectious hepatitis in, 1952: Nov., 1637-1647
- iron deficiency in, 1952: Nov., 1683-1691
- lead poisoning in, 1952: Nov., 1587-1597
- meningitis in, tuberculous, 1953: March, 345-362
- noninfectious osseous lesions of, 1952: Nov., 1751-1765
- of diabetic mothers, course and management, 1953: Sept., 1481-1496
- orthopedic problems in, 1953: Sept., 1427-1448
- physically handicapped, New York plan for, 1953: May, 935
- proctologic problems in, 1953: Jan., 274
- rheumatic fever in, recognition and management, 1952: Nov., 1649-1658; 1954: Nov., 1693-1716
- tuberculosis in, treatment of, 1952: Nov., 1619-1626
- Childbirth. See *Labor*.
- Chiniofon in amebiasis, 1953: Nov., 1806
- Chlamydozoaceae infections, antibiotics in, 1952: Sept., 1241
- Chloral hydrate in asthma, 1954: July, 975
- Chloramphenicol. See *Chloromycetin*.
- Chlorides in blood, office tests, 1953: Sept., 1539
- Chlorine poisoning, 1954: Jan., 59
- Chloromycetin, dosages, 1952: Jan., 259
- effect on normal fecal flora, 1952: July, 1087
- in amebiasis, 1952: July, 1091
- in bacterial endocarditis, 1954: March, 394
- in pediatric practice, 1952: Nov., 1612
- in rickettsial infections, 1953: March, 407
- prophylactic, 1953: March, 420
- in salmonellosis, 1952: July, 1095
- in staphylococcal infections, 1953: Sept., 1470
- in typhoid fever, 1952: July, 1092; 1954: March, 578, 586
- in urinary infections, 1952: Sept., 1432, 1433
- Chloroquine, in amebiasis, 1952: July, 1091
- Chloroquin diphosphate, in amebiasis, 1953: Nov., 1807
- in malaria, 1953: May, 906
- Cholangitis, 1953: Jan., 173
- Cholecystectomy, prophylactic, 1953: Jan., 153
- syndrome following, 1953: Jan., 169-179

- Cholecystitis, acute, 1953: Jan., 145-154, 158, 172; 1954: Jan., 133, Sept., 1409  
 epigastric pain in, 1952: March, 369  
 chronic, 1953: Jan., 145-154, 160, 174; 1954: Sept., 1403  
 Cholelithiasis, chronic, 1953: Jan., 172  
 Cholelithiasis, 1953: Jan., 145-154, 160; 1954: Sept., 1403  
 Cholera, immunization, 1954: Sept., 1517  
 Cholesterol, concept of atherogenesis, 1952: Jan., 177  
 excess, in blood, clinical significance and management, 1952: May, 865  
 metabolism, liver in, 1953: Jan., 117  
 pneumonia, 1954: July, 990  
 restriction, in atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872  
 in coronary disease, 1953: May, 674  
 serum, in thyroid disease, 1952: May, 742  
 Cholesterosis, 1954: Sept., 1407  
 Choline esterase, serum, in liver disease, 1953: Jan., 120  
 Cholinergic blocking agents in peptic ulcer, 1952: Sept., 1329  
 Chondrosarcoma in infants and children, 1952: Nov., 1759  
 Chorea, as manifestation of rheumatic fever, 1952: Nov., 1653; 1954: Nov., 1705  
 Choroid plexus coagulation or extirpation, 1952: Nov., 1746  
 Chronic illness, symposium on, 1953: May, 629-941  
 Ciliary injection, 1954: Jan., 227, 229  
 Cinchophen, hepatitis due to, 1953: Sept., 1385  
 Circulation, lesser, physiology, as altered by congenital and acquired heart disease, 1952: July, 1035-1049  
 time, determinations, 1954: Nov., 1567  
 in congenital heart disease, 1952: Nov., 1662  
 in peripheral vascular disease, 1954: May, 787  
 in thyroid disease, 1952: May, 742  
 Circulations, regional, new knowledge about, 1954: Nov., 1569  
 Circulatory collapse due to heart disease, 1954: Jan., 16  
 Circulatory consequences of blood kinetic energy, particularly in kidney, 1952: July, 967-980  
 Cirrhosis, biliary, obstructive, 1953: Jan., 97  
 cardiac, 1953: Jan., 102  
 clinical aspects, 1953: Jan., 103  
 infiltrative, 1953: Jan., 100  
 Laennec's, 1953: Jan., 89, 92  
 splenectomy in, 1953: Jan., 194  
 of liver, diagnosis, 1954: May, 866  
 in hepatitis, 1952: Sept., 1348  
 natural history of, 1953: Jan., 87-108  
 Cirrhosis, of liver, treatment, 1953: July, 1139-1156  
 pigmentary, 1953: Jan., 100  
 portal, 1953: Jan., 89, 92  
 postnecrotic, 1953: Jan., 89, 90  
 xanthomatous, 1953: Jan., 98  
 zooparasitic, 1953: Jan., 103  
 Citrate tetany, 1952: May, 892  
 Cleidocranial dysostosis in differential diagnosis of hydrocephalus, 1952: Nov., 1744  
 Climacteric. See *Menopause*.  
 Climatotherapy in rheumatoid arthritis, 1953: May, 817  
 Clinicopathologic conference, 1952: March, 435-444; 1953: Nov., 1675-1696; 1954: May, 921-932  
 Clinitest for sugar, 1953: Sept., 1532  
 Clubfoot, 1953: Sept., 1431  
 Coagulation, disturbance, bleeding disorders associated with, 1952: July, 1058  
 mechanism, clinical concept, 1953: Nov., 1843  
 Coagulogram, clinical use, 1953: Nov., 1843-1853  
 Coarctation of aorta. See under *Aorta*.  
 Coccidioidomycosis of lung, diagnosis, 1954: May, 739  
 Cold pressor test in hypertension, 1952: Jan., 121  
 Colectomy for ulcerative colitis, 1953: Jan., 255  
 Colic, biliary, 1953: Jan., 149, 160; 1954: Jan., 132  
 postoperative, 1953: Jan., 164  
 mucous, 1953: Jan., 7  
 Colitis, diarrhea and bloody stools in, 1954: May, 823, 824  
 spastic, 1953: Jan., 7  
 ulcerative, chronic, treatment, 1953: Jan., 247-259, July, 1157-1174  
 nonspecific, chronic, etiologic factors, 1953: Nov., 1778  
 local deficiency factors, 1953: Nov., 1780  
 management of patients with, 1953: Nov., 1777-1784  
 Collagen disorders, diffuse, clinical expressions, 1953: Nov., 1697-1714  
 manifestations, 1953: Nov., 1701  
 treatment, 1953: Nov., 1710  
 Collapse therapy in tuberculosis, 1952: Sept., 1260  
 Collar, use, in cervical root compression, 1953: March, 463  
 Colon, amebiasis, diagnostic aspects, 1952: March, 405-409  
 carcinoma, detection and early diagnosis, 1954: May, 647  
 in ulcerative colitis, 1953: Jan., 258, July, 1164  
 obstruction due to, 1954: Jan., 125  
 diseases, diarrhea and bloody stools in, 1954: May, 822  
 functional, 1953: Jan., 3-16  
 x-ray diagnosis, 1954: May, 814

- Colon, diverticulitis, 1954: Jan., 130  
irritable, anticholinergic drugs in, 1954: March, 459  
sore, 1953: Jan., 7
- Coma, diabetic, 1953: Jan., 280  
magnesium metabolism in, 1952: July, 1161  
treatment, 1952: May, 767-782  
hepatic, 1953: Jan., 112  
patient in, examination, 1953: March, 310  
neurologic, 1952: Sept., 1401  
terminal, in nodular goiter, tuberculous adenitis and jaundice, clinicopathologic conference, 1953: Nov., 1675
- Comedos, perianal, excision of, 1952: Sept., 1457
- Commissurotomy for mitral stenosis, evaluation of patients for, by cardiac catheterization, 1952: July, 1040
- Common duct, stone in, 1953: Jan., 153; 1954: Sept., 1412  
missed at operation, 1953: Jan., 177  
stricture, postoperative, 1953: Jan., 165
- Communications, privileged, 1953: Sept., 1573
- Complex, Eisenmenger's. See *Eisenmenger's complex*.
- Compound E. See *Cortisone*.
- Compound 08958 in parkinsonism, 1953: Sept., 1516
- Conduction, disturbances, electrocardiogram in, 1952: Jan., 94
- Condyloma acuminata, office treatment, 1953: Jan., 271  
removal, 1952: Sept., 1454
- Conflict situation, treatment, 1953: Nov., 1796
- Conjunctival injection, 1954: Jan., 227, 228
- Conjunctivitis, 1954: Jan., 228
- Constipation, 1953: Jan., 9  
treatment, 1953: Jan., 10
- Constitutional factors determining reactions to morbid influences, 1952: March, 467
- Contact dermatitis. See under *Dermatitis*.
- Conteben in tuberculosis, 1952: Sept., 1260
- Contractions, premature, 1952: Jan., 7, 11
- Conversion symptoms in office patient, 1954: Sept., 1356
- Convulsions, blood sugar in, significance, 1953: Jan., 286  
differential diagnosis, 1954: May, 693-704  
etiology, 1954: May, 694  
uremic, treatment, 1954: Sept., 1458
- Convulsive disorders, 1953: March, 315-328  
drugs used in, control of side effects, 1954: Sept., 1339-1350
- Coordination, disturbances, testing for, 1953: March, 307
- Cor pulmonale, 1954: Nov., 1675-1692  
acute, 1954: Nov., 1686  
physiologic research in, 1954: Nov., 1571  
chronic, 1953: July, 1013; 1954: Nov., 1675
- Coramine. See *Nikethamide*.
- Coronary artery, disease, anticoagulants in, 1954: March, 399-412  
diagnosis and treatment, 1952: Jan., 69-91; 1954: Nov., 1659-1674  
disability in, causes, 1953: May, 673  
electrocardiogram in, 1952: Jan., 96; 1953: Sept., 1346  
in aged, 1954: Nov., 1775  
pain of, vs. noncardiac pain, 1954: May, 743-751  
surgical risk in, 1954: Nov., 1672  
syncope in, treatment, 1953: Sept., 1319  
treatment, 1953: Sept., 1283-1301; 1954: March, 399-412; Nov., 1659-1674  
left, anomalous origin from pulmonary artery, 1952: Nov., 1667
- Coronary circulation, physiologic research in, 1954: Nov., 1569
- Coronary insufficiency, chronic, anticoagulant therapy in, 1953: May, 662  
treatment, 1954: Jan., 15, Nov., 1659, 1775
- Corticoids, glycogenic, in adrenal cortex disease, 1952: May, 744
- Corticotropin. See *ACTH*.
- Cortisone, administration, 1952: Jan., 233, May, 801, 818  
diagnostic, in pulmonary disease, 1954: May, 727  
effects on gastric secretion and peptic ulcer, 1952: July, 1079  
in Addison's disease, 1952: Jan., 243, May, 727  
in adrenogenital syndrome, 1952: Jan., 243  
in allergy, 1952: May, 811-827  
in amenorrhea, 1953: July, 1090  
in androgenic adrenocortical hyperfunction, 1952: Nov., 1717  
in angioedema, 1952: May, 824  
in angioneurotic edema, 1952: Jan., 240  
in arthritis, rheumatoid, 1952: Jan., 238; 1953: May, 818, July, 1246  
in asthma, 1952: Jan., 239, May, 819, Sept., 1274, 1277; 1953: May, 781, July, 1020; 1954: March, 449-457, July, 975  
in infants and children, 1954: Sept., 1264  
in atherosclerosis, 1952: Jan., 190, 193  
in burns, 1953: July, 1125  
chemical, of eye, 1952: Sept., 1220

- Cortisone, in colitis, ulcerative, 1952: Jan., 241, July, 1069; 1953: Jan., 254, July, 1171  
 in collagen diseases, 1952: Jan., 238, May, 824; 1953: Nov., 1710  
 in dermatitis, atopic, 1952: Jan., 241; May, 823, July, 1137  
 in dermatomyositis, 1952: Jan., 239  
 in digestive diseases, 1952: July, 1069-1081  
 in drug sensitivity, 1952: Jan., 240; 1953: Sept., 1417  
 in eczema, infantile, 1952: May, 823; 1954: Sept., 1260  
 in enteritis, regional, 1952: July, 1078  
 in eye diseases, 1952: Jan., 240  
 in glomerulonephritis, chronic, nephrotic stage, 1952: Jan., 243  
 in hay fever, 1952: Jan., 240  
 in hepatitis, 1952: July, 1078  
 in Hodgkin's disease, 1953: May, 861  
 in hypersensitivities, 1952: Jan., 239  
 in hyperthyroidism, 1953: May, 700  
 in hypoglycemia, spontaneous, 1952: Jan., 243  
 in Landry-Guillain-Barré syndrome, 1952: Sept., 1367  
 in leukemia, 1952: Jan., 242; 1953: May, 861, Nov., 1761  
 in liver disease, 1952: July, 1078, Sept., 1352; 1953: Jan., 116, July, 1145  
 in lupus erythematosus, 1952: Jan., 238, 240, July, 1116; 1953: Nov., 1710  
 in lymphomas, 1953: May, 861  
 in lymphosarcoma, 1953: May, 861  
 in metabolic disorders, 1952: Jan., 243  
 in mycosis fungoides, 1953: May, 862  
 in nephrosis, 1952: Jan., 243  
 in nephrotic syndrome, 1952: July, 933; 1953: May, 692, July, 1135  
 in neurodermatitis, 1953: May, 823  
 in neuropathies, peripheral, 1954: Sept., 1336  
 in pemphigus, 1952: Jan., 241  
 in periarteritis nodosa, 1952: Jan., 239  
 in polyposis, nasal, 1952: May, 824  
 in psychotic episodes, acute, 1953: March, 591  
 in pulmonary fibrosis, 1954: July, 1017  
 in purpura, thrombocytopenic, 1953: Sept., 1403  
 idiopathic, 1952: Nov., 1702  
 in rheumatic fever, 1952: Jan., 219, 238, Nov., 1657; 1953: July, 1222; 1954: Nov., 1711  
 in rhinitis, vasomotor, 1952: May, 824  
 in rickettsial infections, 1953: March, 411  
 in scleroderma, 1952: Jan., 239  
 in serum sickness, 1952: Jan., 240  
 in skin disorders, 1953: July, 1180  
 in status asthmaticus, 1954: Jan., 68  
 in surgery, 1952: Jan., 242  
 in tuberculosis, 1954: July, 1173
- Cortisone, in typhoid fever, 1954: March, 578, 586  
 in urticaria, 1952: Jan., 240, May, 824; 1953: May, 793; 1954: Jan., 70  
 physiologic and clinical considerations, 1952: Jan., 229-246, May, 791-809  
 side and toxic effects, 1952: May, 732; 1953: May, 818, 819, July, 1228; 1954: March, 453  
 studies, recent, 1952: Jan., 229-246  
 therapeutic uses, 1952: Jan., 237, May, 802  
 therapy, complications, 1952: Jan., 244, May, 803  
 contraindications, 1952: May, 805, 819  
 management of clinical state, 1952: Jan., 236  
 tests in, 1952: Jan., 234  
 Corynebacterium infections, erythromycin in, 1954: March, 572  
 Costen's syndrome, 1952: March, 323  
 Cough, causes and treatment, 1954: July, 949-962  
 chronic, 1952: March, 333-337  
 differential diagnosis, 1954: May, 705-719  
 mechanism, 1954: May, 707  
 syncope due to, 1953: Sept., 1321  
 Coumadin in coronary heart disease, 1954: March, 411  
 Crash victim, automobile, care of, 1954: Jan., 75-91  
 Cry of baby, 1952: Nov., 1560  
 Cryptitis, anal, 1953: Jan., 270  
 Cryptococcosis, 1953: Nov., 1738  
 Cumopyran, as anticoagulant, 1953: May, 665  
 in coronary heart disease, 1954: March, 411  
 Curare in parkinsonism, 1953: March, 531  
 Cushing's syndrome, hypertension in, 1954: May, 762  
 in corticosteroid therapy, 1953: May, 818, 819  
 tests for, 1952: May, 744  
 Cyanide poisoning, 1954: Jan., 220  
 Cyanosis, heart anomalies associated with, 1952: Jan., 44  
 Cyclopropane anesthesia in obstetrics, 1954: Sept., 1442  
 Cylindroma of trachea, 1954: July, 1092  
 Cysts, air-containing, thin-walled, of lung, 1954: July, 1078  
 bone. See under Bone.  
 bronchiectatic, 1954: July, 1075  
 bronchogenic, congenital, 1954: July, 1075  
 of lungs, 1954: July, 1075-1079  
 Cystic duct, remnant, resulting in "reformed gallbladder," 1953: Jan., 177  
 Cystitis, 1952: Sept., 1427  
 Cytodiagnosis in carcinoma of stomach, 1953: Jan., 74

- Cytological test for cancer, 1954: May, 641
- Cytology of sputum and bronchial secretions, 1954: May, 725, July, 1118
- Cytosiderosis, liver in, 1953: Jan., 101
- DANILONE, as anticoagulant, 1953: May, 665
- Darstine in gastrointestinal disease, 1954: March, 467
- DDS in leprosy, 1954: March, 559, 603
- Deafness in children, 1952: Nov., 1787-1795
- Death, fear of, in patient, 1952: March, 473
- sudden, overdistention of veins following, 1953: Nov., 1669-1673
- Dehydration in chronic disease, pre- and postoperative management, 1953: May, 758
- Delirious states, management, 1954: Jan., 146
- Demerol, in obstetrics, 1954: Sept., 1440
- in rheumatoid arthritis, 1953: July, 1238
- poisoning, nalorphine hydrochloride in, 1954: Jan., 203, 220
- Denis-Browne splint, 1953: Sept., 1428
- Depo-Heparin in coronary heart disease, 1954: March, 408
- Departments, physicians', 1952: March, 586
- Depressed patients, fatigue in, 1952: March, 314
- Depression, mild, 1952: March, 527-537
- with somatic manifestations, 1954: Sept., 1357
- Dermatitis, acute, treatment, guiding principles, 1952: Sept., 1435-1443
- allergic, 1953: May, 768, 794
- atopic, 1953: May, 768, 794; 1954: Sept., 1256
- treatment, 1952: July, 1127-1139; 1953: May, 797
- contact, emergency treatment, 1954: Jan., 72
- in infants and children, 1954: Sept., 1271
- hydrocortisone ointment in, 1954: March, 321-336
- treatment, 1953: July, 1182
- Dermatologic diagnosis, 1953: July, 1176. See also under *Diagnosis*.
- Dermatomyositis, 1953: Nov., 1704
- in childhood, 1953: March, 555
- Dermatophytoses, treatment, 1954: Sept., 1301-1308
- Dermatosis, of feet, office test, 1953: Sept., 1543
- producing chronic illness, 1953: May, 785-803
- treatment, 1953: July, 1175-1190
- Desensitization in atopic dermatitis, 1952: July, 1136
- Desoxycorticosterone, in Addison's disease, 1952: May, 727
- Dexedrine in parkinsonism, 1953: March, 531
- Dextrocardia, 1952: Nov., 1666
- Dextrose therapy in liver disease, 1953: July, 1140
- Diabetes, bronze, 1953: Jan., 100
- Diabetes mellitus, diagnosis, 1953: July, 1098
- emergency complications, 1954: Jan., 183-197
- in childhood, 1953: July, 1109
- insulin allergy and resistance in, management, 1952: May, 783-790
- management, 1953: May, 715-731, July, 1097-1112
- polyneuropathy in, 1954: Sept., 1328, 1334, 1335
- pre- and postoperative care in, 1953: May, 754
- predisposition to, in women who give birth to large babies, 1952: July, 1151-1155
- pregnancy and, 1953: July, 10
- induction of labor in, 1952: Sept., 1477
- management, 1953: Sept., 1481-1496
- Diabetic mothers, children of, course and management, 1953: Sept., 1481-1496
- Diagnosis, clinical, of congenital heart disease, 1952: Nov., 1659-1671
- dermatologic, 1953: July, 1176
- differential, symposium on, 1954: May, 637-932
- neurologic, 1952: Sept., 1393-1408
- proctologic, 1952: Sept., 1445-1450
- Diamox in congestive heart failure, 1954: Nov., 1657
- Diaphragm, dome of, roentgenographic changes in silicosis, 1953: Nov., 1733
- Diarrhea, differential diagnosis, 1954: May, 817-833
- functional, 1953: Jan., 15
- Diasone in leprosy, 1954: March, 599, 603
- Dibenamine, hypotension due to, 1953: Sept., 1332
- in pheochromocytoma, diagnostic, 1952: May, 754
- Dibenzylamine in hypertension, 1954: Nov., 1726
- Diemaryl, dosage and administration, 1953: May, 663
- excessive hypoprothrombinemia due to, Mephyton in, 1954: March, 413-417
- hemorrhage from, treatment, 1953: July, 959, Sept., 1296
- hypoprothrombinemia due to, 1952: July, 1063
- in arterial embolism, 1952: Jan., 144
- in cor pulmonale, acute, 1954: Nov., 1690

- Dicumarol, in coronary heart disease, 1954: March, 409, Nov., 1669  
 in myocardial infarction, acute, 1953: Sept., 1294  
     in aged, 1954: Nov., 1778  
 in prevention of coronary thrombosis, 1952: July, 998  
 in thromboembolism, 1952: Sept., 1318  
 Diet, aged persons, 1954: Sept., 1485-1492  
 Bauer-Aub, 1952: May, 755  
 cholesterol-poor, in coronary disease, 1953: May, 674  
     low fat, in prevention and treatment of atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872  
 in arthritis, rheumatoid, 1953: July, 1243  
 in asthma, 1953: July, 1015  
 in atherosclerosis, role, 1952: May, 869  
 in burns, 1953: July, 1125  
 in cholecystitis, chronic, 1953: Jan., 163  
 in cholelithiasis, chronic, 1953: Jan., 163  
 in colitis, ulcerative, 1953: July, 1169  
 in dermatitis, atopic, 1952: July, 1136  
 in diabetes mellitus, 1953: July, 1100  
 insulin-treated patient, 1953: May, 726  
     without insulin, 1953: May, 716  
 in functional disorders, 1953: Nov., 1799  
 in glomerulonephritis, 1953: July, 1131  
 in heart failure, congestive, 1952: March, 429; 1953: May, 648, 655  
 in hypercholesteremia, role, 1952: May, 869  
 in hypertension, 1952: July, 1022  
     arterial, 1953: Nov., 1650  
 in hyperthyroidism, 1953: May, 699  
 in kidney failure, chronic, 1952: Sept., 1417  
 in liver disease, 1953: July, 1150, Sept., 1389  
 in myocardial infarction, 1953: Sept., 1285; 1954: Nov., 1667  
 in nephrotic syndrome, 1952: July, 927; 1953: May, 690, July, 1134  
 in peptic ulcer, 1952: Sept., 1332; 1953: Jan., 34  
 in rheumatic fever, 1952: Jan., 225, Nov., 1655  
 in tuberculosis in children, 1952: Nov., 1620  
 sodium-poor, in hypertension, 1952: Jan., 127  
     handicaps of, 1953: May, 671  
     in liver disease, 1953: July, 1147  
 reducing, in obesity, performance index as measure of, 1953: May, 733-746  
 rice, in hypertension, 1952: Jan., 127, 135  
 Diethylstilbestrol, in abnormal uterine bleeding, 1952: May, 715  
     in amenorrhea, 1952: May, 709  
     in carcinoma of breast, 1952: May, 682  
     of prostate, 1952: May, 697  
     in dysmenorrhea, 1952: Nov., 1736; 1954: Sept., 1429  
     in gonorrheal vaginitis, acute, 1952: Nov., 1731  
     in pregnancy with diabetes, 1953: Sept., 1485  
 Digestive tract, hypersensitive, 1953: Jan., 5  
 Digitalis, electrocardiographic check on use, 1952: Jan., 97  
     in acute left ventricular failure, 1954: Jan., 10  
     in atrioventricular heart block, 1952: Jan., 19  
     in auricular fibrillation, 1952: Jan., 16  
     in auricular flutter, 1952: Jan., 15  
     in heart disease in pregnancy, 1954: Nov., 1749  
     in heart failure, congestive, 1952: March, 426; 1953: May, 647; 1954: Nov., 1655  
         in aged, 1954: Nov., 1773  
     in myocardial infarction, acute, 1954: Jan., 14  
     in paroxysmal supraventricular tachycardia, 1952: Jan., 13  
     in pulmonary edema in pregnancy, acute, 1954: Nov., 1750  
     in rheumatic fever, 1952: Nov., 1656  
     in rheumatic heart disease, 1954: Nov., 1710  
     toxic rhythms from, 1953: July, 966  
 Digitoxin, in congestive heart failure, 1954: Nov., 1655  
     in myocardial infarction, 1954: Nov., 1671  
 Digoxin in congestive heart failure, 1953: May, 647; 1954: Nov., 1655  
 Dihydroergocornine, hypotension due to, 1953: Sept., 1332  
 Dihydrostreptomycin, in tuberculosis, 1952: Sept., 1259; 1954: July, 1167-1176  
     reactions, 1954: July, 1171  
 Dilantin sodium, in epilepsy, 1952: Sept., 1385, 1388; 1953: March, 323; 1954: March, 475  
     side effects, 1954: Sept., 1341  
 Dimercaprol. See B.A.L.  
 Diodoquine in amebiasis, 1953: Nov., 1807  
 Dipareol in parkinsonism, 1953: Sept., 1514  
 Diphenan in enterobiasis, 1953: May, 910  
 Diphenylhydantoin sodium. See Dilantin sodium.  
 Diphtheria, antibiotics in, 1952: Jan., 251, 253  
     immunization, 1952: Nov., 1599; 1954: Sept., 1501  
     polyneuritis of, 1954: Sept., 1328

- Disease(s), chronic, pre- and post-operative care in, 1953: May, 747-765  
 rehabilitation in management of, 1953: May, 915-932  
 symposium on, 1953: May, 629-941  
 combined systems, physical medicine in, 1952: Sept., 1492  
 contagious. See *Infectious diseases, acute*.  
 functional vs. organic, concept of, 1952: March, 305-310  
 organic, in diagnosis of fatigue, 1953: Nov., 1788  
 patient's conception of, 1952: March, 472  
 structural, emotional manifestations, 1952: March, 471-483  
 the physician, the patient and, 1953: Nov., 1833-1841
- Disk syndrome, backache in, 1954: May, 666  
 cervical, 1953: March, 451-478  
 lumbar, 1953: March, 479-502, 503-510
- Disulfiram. See *Antabuse*.
- Diuretics, in edema, 1952: July, 954  
 in nephrotic syndrome, 1952: July, 932; 1953: May, 691, July, 1136  
 in premenstrual tension, 1952: May, 719  
 mercurial, 1952: July, 932, 953  
 in congestive heart failure, 1952: March, 429; 1953: May, 649; 1954: March, 431-435, Nov., 1656  
 in aged, 1954: Nov., 1774  
 in rheumatic fever, 1952: Nov., 1656  
 poisoning due to, 1952: Jan., 111  
 potentiating agents with, 1953: July, 985  
 urea as, 1953: May, 691, July, 985, 1136
- Diverticulitis of colon, 1954: Jan., 130  
 Diverticulum, Meckel's, 1953: Jan., 227-235
- Doctor-patient relationship, 1952: Jan., 289-296, March, 308, 469, 585-592  
 in peptic ulcer, 1952: Sept., 1334
- Dog bite, 1954: Jan., 107
- Douche, vaginal, in leukorrhea, 1952: Sept., 1463
- Drainage, mechanical, in edema of nephrotic syndrome, 1952: July, 931  
 postural, in bronchiectasis, 1953: Sept., 1354; 1954: July, 1062  
 suction, in spontaneous pneumothorax, 1954: July, 1069
- Dramamine in motion sickness, 1952: Sept., 1378, 1379
- Dressings, wet, in acute dermatitis, 1952: Sept., 1441
- Drowning, 1954: Jan., 58
- Drug(s), allergies, 1953: Nov., 1626  
 in infants and children, 1954: Sept., 1270  
 eruptions, treatment, 1953: July, 1185
- Drug(s), hypotension due to, 1953: Sept., 1330  
 modern, hemocytopenic reactions to, 1953: Nov., 1811-1820  
 new, efficacy of, symposium on, 1954: March, 319-628  
 reactions to, treatment, 1954: Jan., 71  
 suspect, 1953: Nov., 1815, 1816  
 sensitivity, prevention and treatment, 1953: Sept., 1409-1418  
 sympathomimetic, in treatment of functional disorders, 1953: Nov., 1799  
 therapy in hypertension, arterial, 1953: Nov., 1651  
 thrombocytopenia secondary to, 1952: Nov., 1699
- Ductus arteriosus, patent, 1952: Jan., 38, 63, Nov., 1663; 1954: Nov., 1637  
 cardiac catheterization in, 1952: July, 1045  
 reverse, 1954: Nov., 1639
- Duodenitis, treatment, 1952: March, 384
- Duodenum, diseases, x-ray diagnosis, 1954: May, 812  
 ulcer, hemorrhages from, recurrent, 1953: Jan., 24
- Dye, injections in angiocardiology, reactions to, 1952: Nov., 1678  
 studies, special, in hydrocephalus, 1952: Nov., 1743
- Dysentery, amebic, acute, treatment, 1953: May, 904
- Dyskinesia, biliary, 1953: Jan., 156, 176; 1954: Sept., 1408
- Dysmenorrhea, 1952: May, 717, Nov., 1735; 1954: Sept., 1419
- Dyspepsia, 1952: March, 367-384
- Dyspeptic, 1953: Jan., 15
- Dysplasia, fibrous, in infants and children, 1952: Nov., 1752  
 retinal, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Dyspnea, 1952: March, 341-344  
 functional, 1954: July, 1231  
 in congestive heart failure, 1952: Jan., 32, 34; 1954: Jan., 7  
 simulated, 1952: Jan., 113
- Dystrophy, muscular, progressive, differential diagnosis, 1953: March, 545-563  
 in children, 1953: March, 547
- EAR, cough, reflex, 1954: May, 715  
 diseases, 1954: Sept., 1319  
 headache in, 1954: May, 689
- Ear, nose and throat emergencies, 1954: Jan., 241-263
- Earache, 1954: Jan., 244
- Ebstein's disease, 1952: Nov., 1669
- Eczema, allergic, 1952: July, 1127  
 in infants and children, 1953: May, 768, 794; 1954: Sept., 1256



- Eczema, in infants and children, long-range care, 1953: Sept., 1419-1425  
treatment, 1954: Sept., 1257  
vaccinatum, antibiotics in, 1952: Sept., 1249
- Eddowes' syndrome, 1952: July, 913
- Edema, 1952: May, 836  
angioneurotic, 1953: May, 790  
acute severe, treatment, 1954: Jan., 69  
hormonal disturbance in, 1952: May, 838  
in congestive heart failure, 1952: Jan., 31, 33  
in hepatitis, 1953: Jan., 131  
in uremia, management, 1954: Sept., 1452  
pathogenesis and differential diagnosis, 1954: May, 875-889  
post-thrombophlebitic, prevention and treatment, 1954: Jan., 311  
pulmonary, acute, treatment, 1953: July, 959  
in pregnancy, 1954: Nov., 1750  
physiologic research in, 1954: Nov., 1571  
treatment, in nephrotic syndrome, 1952: July, 928  
recent developments, 1952: July, 953-966
- EDTA in lead poisoning, 1952: Nov., 1593
- Effort syndrome, 1954: Sept., 1536, Nov., 1789  
wrongly attributed to heart, 1952: March, 510
- Ego, 1952: Nov., 1544
- Ehlers-Danlos syndrome, 1952: July, 913
- Eisenmenger complex, 1952: Nov., 1670  
roentgenology in, 1952: Jan., 61
- Elastic stockings in prevention of thromboembolism, 1952: Sept., 1313
- Electrical stimulation to induce labor, 1952: Sept., 1480
- Electrocardiogram, aV limb leads, 1952: Jan., 103  
deflections (bipolar and unipolar leads), significance, 1954: Nov., 1583  
esophageal leads, 1954: Nov., 1594  
in arrhythmias, 1952: Jan., 11, 94  
in clinical diagnosis of congenital heart disease, 1952: Nov., 1661  
in conduction disturbances, 1952: Jan., 94  
in coronary artery disease, 1952: Jan., 72, 96; 1953: May, 674; 1954: Nov., 1591  
in digitalis therapy, 1952: Jan., 97  
in myocardial infarction, 1952: Jan., 75; 1954: Nov., 1591, 1595  
in valvular deformities, 1952: Jan., 96  
in various electrical positions of heart, 1954: Nov., 1586  
patterns, 1952: Jan., 95
- Electrocardiogram, precordial leads, additional, use of, 1954: Nov., 1592  
tall R waves in, significance, 1954: Nov., 1587
- V chest leads, 1952: Jan., 105
- Electrocardiography, as office procedure, 1953: Sept., 1542  
high fidelity, 1954: Nov., 1598  
pitfalls in, 1953: Sept., 1341-1350  
recent advances, 1952: Jan., 93-108; 1954: Nov., 1583-1599
- Electroencephalogram, as hearing test in children, 1952: Nov., 1792  
in chronic subdural hematoma, 1953: March, 445  
in epilepsy, 1952: Sept., 1390; 1953: March, 319  
in rickettsial diseases, 1953: March, 404, 414
- Electrolyte(s), balance, in nephrotic syndrome, 1952: July, 929  
disturbances, as cardiac emergencies, 1953: July, 967  
in congestive heart failure, 1953: May, 654, July, 981  
metabolism, physiologic considerations, 1952: May, 829-846
- Electroshock therapy, amenorrhea and, 1953: July, 1093  
in acute psychotic episodes, 1953: March, 591  
massive gastric hemorrhage during, 1953: Jan., 26  
outpatient, in psychoses, 1954: Sept., 1363-1378
- Elorine sulfate in gastrointestinal disease, 1954: March, 467
- Embolectomy, 1952: Jan., 144  
in pulmonary embolism, 1954: Jan., 43
- Embolism, air, cerebral, from air injection into maxillary antrum, 1954: Jan., 178  
treatment, 1953: July, 961  
arterial, 1952: Jan., 142  
in acute coronary thrombosis, treatment, 1953: July, 957  
cerebral, 1952: Jan., 173; 1953: March, 429  
diagnosis, 1954: May, 769  
in cardiac arrhythmias, anticoagulant therapy, long-term, 1953: May, 660  
prevention, in acute cor pulmonale, 1954: Nov., 1689  
pulmonary, circulatory collapse due to, 1954: Jan., 18  
cor pulmonale due to, 1954: Nov., 1686  
physiologic aspects, 1954: Nov., 1677  
diagnosis, 1952: Sept., 1317  
massive, hypotension in, treatment, 1953: Sept., 1321  
prevention and emergency treatment, 1952: Sept., 1313; 1954: Jan., 41

- Embolism, pulmonary, sites of origin, 1952: Sept., 1309  
treatment, 1953: July, 961  
thrombosis and, differentiation, 1954: Jan., 36
- Emergencies in general practice, symposium on, 1954: Jan., 1-297
- Emesis, 1952: March, 374  
in poisonings, 1954: Jan., 204
- Emetine hydrochloride in amebiasis, 1953: Nov., 1807
- Emotional disorders, in differential diagnosis of deafness in children, 1952: Nov., 1794  
physical manifestations, 1952: March, 457-470
- Emotional manifestations of structural disease, 1952: March, 471-483
- Emotional reactions, role, in pain, 1952: March, 494
- Emotions, cardiac disturbances originating in, diagnosis, 1954: Sept., 1535-1545  
diarrhea and, 1954: May, 828  
role, in ulcerative colitis, 1953: July, 1158, Nov., 1781
- Emphysema, 1952: March, 354  
in cardiac asthma, 1953: Nov., 1634  
in silicosis, 1953: Nov., 1734  
pulmonary, 1954: July, 1051-1063  
bronchiectasis with, 1953: Sept., 1356  
in asthma, control of, 1954: July, 979  
treatment, 1954: July, 1061  
subcutaneous and mediastinal, in thoracic injury, 1954: July, 1186
- Encephalitis, associated with exanthems, mumps and vaccination procedures, 1952: Nov., 1627-1635
- Encephalogram in hydrocephalus, 1952: Nov., 1743
- Encephalomalacia, 1952: Jan., 165, 166, 169
- Encephalomyelitides, virus, 1953: March, 373-393
- Encephalomyelitis, vaccinal, 1953: March, 383
- Encephalopathy, hypertensive, diagnosis, 1954: May, 770  
in hepatitis, 1953: Jan., 132
- Endocarditis, bacterial, 1952: Jan., 225  
drug therapy, 1954: March, 385-397  
problem cases, 1954: May, 915  
treatment, 1953: July, 977  
in aged, 1954: Nov., 1780
- Endochondromas, in differential diagnosis of bone cysts, 1952: Nov., 1756  
multiple, in children, 1952: Nov., 1752
- Endocrine disorders, leukorrhea due to, 1952: Sept., 1464  
menstrual disorders due to, 1952: May, 705-720  
symposium on, 1952: May, 601-695
- Endocrine function, tests, 1952: May, 739-756
- Endocrine therapy, in abnormal uterine bleeding, 1952: May, 713  
in advanced cancer, 1954: Sept., 1285  
in alcoholism, 1953: March, 601  
in amenorrhea, 1952: May, 709; 1953: July, 1086  
in carcinoma of breast, 1952: May, 681-688  
in dysmenorrhea, 1954: Sept., 1429  
in functional disorders, 1953: Nov., 1799  
in leukemia and allied disorders, 1953: Nov., 1761  
in peptic ulcer, 1952: Sept., 1330  
in pregnancy with diabetes, 1953: Sept., 1485  
in undescended testicle, 1952: Nov., 1783
- Endometrium, biopsy of, 1952: May, 750
- Energy, kinetic, of blood, circulatory consequences, in kidney, 1952: July, 967-980
- Enteritis, regional, chronic, extensive and nonresectable, course of, 1953: Jan., 237-245
- Enterobiasis, treatment, 1953: May, 909
- Enterogastrone in peptic ulcer, 1952: Sept., 1330
- Enzymatic débridement in staphylococcal infections, 1953: Sept., 1474  
of indolent, infected cutaneous ulcers, 1954: March, 359-361
- Eosinophil(s), response, to ACTH, in Addison's disease, 1952: May, 724, 744  
to epinephrine, in Addison's disease, 1952: May, 724, 752  
test in ACTH and cortisone therapy, 1952: Jan., 235
- Ephedrine in asthma, 1952: Sept., 1270; 1953: July, 1016; 1954: July, 972  
in children, 1954: Sept., 1264, 1278
- Epididymitis, 1952: Sept., 1426
- Epidural abscess, spinal, acute, 1954: Jan., 167
- Epiglottitis, acute, 1952: Sept., 1279
- Epilepsy, 1953: March, 315-328  
drug therapy, 1952: Sept., 1381-1392; 1953: March, 321; 1954: March, 473-484  
control of side effects, 1954: Sept., 1339-1350  
electroencephalogram in, 1952: Sept., 1390  
neurosyphilitic, 1952: July, 1146  
reflex, 1952: March, 561  
seizures with psychic symptoms, 1952: March, 557
- Epinephrine, effect on liver, 1953: Jan., 115  
emergency, in urticaria, 1953: May, 794  
in asthma, 1952: Sept., 1271; 1953: July, 1016; 1954: July, 970  
in children, 1954: Sept., 1263

- Epinephrine, in atrioventricular heart block, 1952: Jan., 19  
in cardiac standstill, 1952: Jan., 19  
oral, in massive gastric hemorrhage, 1953: Jan., 18  
response of eosinophils to, in Addison's disease, 1952: May, 724, 752  
Epiphysis, femoral, capital, slipped, 1953: Sept., 1435  
Epistaxis, treatment, 1954: Jan., 241; Sept., 1310  
Equipment for office laboratory, 1953: Sept., 1529  
Ergotamine tartrate in headache, 1953: July, 1263  
Ergotoxin derivatives in arterial hypertension, 1953: Nov., 1651  
Erythema annulare as manifestation of rheumatic fever, 1952: Nov., 1653  
Erythroblastosis fetalis, 1953: March, 609-620  
in differential diagnosis of infectious hepatitis, 1952: Nov., 1644  
Erythrocyte(s), sedimentation rate, 1953: Sept., 1539  
Erythroleukemia, 1953: Nov., 1750  
Erythromelalgia, 1952: Jan., 157  
Erythromycin, in bacterial endocarditis, 1954: March, 395  
in infectious diseases, 1954: March, 569-575  
in staphylococcal infections, 1953: Sept., 1472  
Eschatin in alcoholism, 1953: March, 602  
Esophagoscopy in carcinoma of stomach, 1953: Jan., 77  
Esophagus, diseases, x-ray diagnosis, 1954: May, 808  
foreign bodies in, 1954: Sept., 1318  
varices, massive bleeding from, 1954: Jan., 139  
Ethinyl estradiol, in carcinoma of breast, 1952: May, 682  
in dysmenorrhea, 1954: Sept., 1429  
Estradiol, in amenorrhea, 1953: July, 1087  
in dysmenorrhea, 1954: Sept., 1429  
Estradiol dipropionate in carcinoma of breast, 1952: May, 682  
Estrogen(s), hepatic function and, 1953: Jan., 114  
therapy, in abnormal uterine bleeding, 1952: May, 715  
in amenorrhea, 1952: May, 709; 1953: July, 1086  
in carcinoma, of breast, 1952: May, 681  
of prostate, 1952: May, 695  
in dysmenorrhea, 1954: Sept., 1429  
in hyperthyroidism, 1953: May, 700  
in leukorrhea, 1952: Sept., 1465  
in menopause, 1952: March, 523  
to induce labor, 1952: Sept., 1480  
Estrone sulfate in carcinoma of breast, 1952: May, 682  
Ether anesthesia in obstetrics, 1954: Sept., 1442  
Ethinyl estradiol in dysmenorrhea, 1954: Sept., 1429  
Ethyl carbamate. See *Urethane*.  
Ethylenediamine tetra-acetic acid in chemical burns of eye, 1952: Sept., 1220, 1222  
in lead poisoning, 1952: Nov., 1593  
Eve's rocking method of artificial respiration, 1954: Jan., 57  
Ewing's tumor in infants and children, 1952: Nov., 1760, 1803  
treatment, 1952: Nov., 1761  
Examination, proctologic, 1953: Jan., 262  
Exanthema, encephalitis associated with, 1952: Nov., 1627-1635  
Exchange resins. See under *Resins*.  
Exercise(s), in flatfoot, 1953: Sept., 1441  
in functional disorders, 1953: Nov., 1800  
in orthopedic practice, 1953: Sept., 1446  
in postural low back, 1953: Sept., 1455  
in rheumatoid arthritis, 1953: July, 1241  
test in arrhythmias, 1952: Jan., 10  
in electrocardiographic diagnosis, 1952: Jan., 95  
Exertion, syncope following, 1953: Sept., 1336  
Exhaustion in emotional disorders, 1952: March, 461  
Exophthalmos, treatment, 1953: July, 1071  
Expectorants, in asthma, 1954: July, 974  
in children, 1954: Sept., 1278  
in cough, 1954: July, 957, 958  
Exposure treatment of burns, 1953: July, 1124  
Extrasystoles, 1953: Nov., 1632  
wrongly attributed to heart disease, 1952: March, 509  
Extremities, neurovascular lesions, 1952: Jan., 155  
vascular disease in, diagnostic tests, 1954: May, 781-794  
Eye, burns, 1954: Jan., 241  
chemical, emergency treatment, 1952: Sept., 1215-1222  
diseases, headache in, 1954: May, 689  
emergencies, 1954: Jan., 225-240  
foreign bodies in, 1954: Jan., 236  
injuries, 1954: Jan., 236  
painful, 1954: Jan., 232  
red, 1954: Jan., 226  
Eyeground examination in hypertension, 1952: Jan., 119  
Eyelid, lacerations, 1954: Jan., 238  
FACE, injuries, 1954: Jan., 258  
pain in, 1954: Jan., 249  
Facies in parkinsonism, 1953: March, 524  
Faciocapulo humeral muscular dystrophy, 1953: March, 550  
Fainting. See *Syncope*.

- Fallot, tetralogy of. See *Tetralogy of Fallot*.
- Family, relation to hospital, 1952: Nov., 1551-1554
- Fat, in infant feeding, 1952: Jan., 276  
requirements in aged, 1954: Sept., 1490  
restriction in atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872
- Fatigue, 1952: March, 311-317  
and nervousness, clinical evaluation, 1953: Nov., 1785-1802  
hysterical, 1952: March, 315  
psychogenic, 1952: March, 313  
wrongly attributed to heart, 1952: March, 511
- Fear, distorted symptoms resulting from, 1952: March, 460, 465  
in structural disease, 1952: March, 471-483
- Feces, flora, normal, effect of antibiotics on, 1952: July, 1083
- Feeding, breast. See *Breast feeding*.  
of infant. See *Infant feeding*.
- Feeling tone and pain, 1952: March, 493
- Felty's syndrome, 1952: July, 912
- Femur, fractures, in auto crash, 1954: Jan., 84
- Fever, as manifestation of rheumatic fever, 1952: Nov., 1650  
differential diagnosis, 1954: May, 891-904  
of unknown origin, present status of problem, 1954: May, 891-904  
therapy in hypertension, 1952: July, 1022
- Fibrin and thrombin activation test, 1953: Nov., 1846
- Fibrinogen deficiency in postpartum hemorrhage, 1954: Jan., 268, 274
- Fibrinogenopenias, 1953: July, 1065
- Fibroids of uterus, bleeding in, 1953: Sept., 1502, 1503
- Fibroplasia, retrolental. See *Retrolental fibroplasia*.
- Fibrosarcoma in infants and children, 1952: Nov., 1760
- Fibrosis, in cardiac asthma, 1953: Nov., 1634  
pulmonary, diagnosis and treatment, 1954: July, 1009-1018  
functional tests in, 1954: July, 1234
- Fibrositis, back pain from, 1954: May, 664  
of shoulder, physical medicine in, 1952: Sept., 1491
- Filariasis, treatment, 1953: May, 913
- Fissure, anal. See under *Anus*.
- Fistula, anal. office treatment, 1953: Jan., 269  
arteriovenous, 1952: Jan., 145  
pulmonary, 1954: Nov., 1645
- Fits. See also *Convulsions*.  
hysterical, 1952: March, 565
- Flatfoot, 1953: Sept., 1438
- Flatulence, 1953: Jan., 6
- Fluid(s), administration, in burns, 1953: July, 1120  
in nephrotic syndrome, 1952: July, 926  
in renal failure, 1952: Sept., 1410, 1416  
requirements of premature infants, 1952: Nov., 1574
- Fluoroscopy in congenital heart disease, 1952: Nov., 1660  
value, 1952: Jan., 56
- Focal seizures, 1953: March, 317, 322; 1954: May, 697
- Folic acid, antagonists, in leukemia, 1953: May, 859, Nov., 1762  
in infant nutrition, 1952: Jan., 282  
uses, in anemias, 1953: July, 1199
- Food(s), allergy, 1953: Jan., 12  
soft, for infants, 1952: Nov., 1559
- Foot, dermatosis, office test, 1953: Sept., 1543  
functional deformities, 1953: Sept., 1430  
pronated, 1953: Sept., 1438
- Foreign body, aspiration of, 1954: Jan., 51  
bronchiectasis due to, 1953: Sept., 1358  
in air passages, 1954: Jan., 251  
in bronchus, 1954: July, 1040  
in esophagus, 1954: Sept., 1318  
in eye, 1954: Jan., 236  
in tracheobronchial tree, 1954: Sept., 1318  
in vagina, leukorrhea due to, 1952: Sept., 1468  
vaginitis caused by, 1952: Nov., 1732
- Formula, selection of, for artificial feeding, 1952: Nov., 1559
- Fowler's solution, in leukemia, 1953: May, 858; Nov., 1761  
in lymphomas, 1953: May, 858
- Fractures, general, in auto crash, 1954: Jan., 93  
of mandible, 1954: Jan., 259  
of nose, 1954: Jan., 262  
of pelvis and femur, in auto crash, 1954: Jan., 84  
of skull, in auto crash, 1954: Jan., 91  
of spine, in auto crash, 1954: Jan., 91, 92  
of zygoma, 1954: Jan., 260
- Friction rub, pericardial, 1953: Nov., 1640
- Friedländer's pneumonia, 1953: July, 1047; 1954: May, 737, July, 974
- Frostbite, 1952: Jan., 156
- Fuadin in schistosomiasis, 1953: May, 912
- Fumagillin, in amebiasis, 1953: Nov., 1806
- Function, disorders of, causing fatigue and nervousness, clinical evaluation, 1953: Nov., 1785-1802  
tests, pulmonary, clinical applications, 1954: July, 1227-1238

- Fundus changes in hypertension, 1952: Jan., 119
- Fungus infections, of skin, treatment, 1954: Sept., 1301-1308
- of vagina, treatment, 1952: Sept., 1468
- problem cases, 1954: May, 917
- Furunculosis, topical antibiotics in, 1953: Sept., 1475
- GAIT in parkinsonism, 1953: March, 524
- Galatest for sugar, 1953: Sept., 1532
- Gallbladder, carcinoma, 1953: Jan., 166
- diseases, diarrhea and bloody stools in, 1954: May, 819
- x-ray diagnosis, 1954: May, 814
- inflammation. See *Cholecystitis*.
- Gallstones, 1953: Jan., 151, 160. See also *Cholelithiasis*.
- formation of, 1953: Jan., 171
- intestinal obstruction due to, 1954: Jan., 129
- silent, 1954: Sept., 1407
- Gamma globulin in prevention of poliomyelitis, 1954: Sept., 1525
- Ganglionic blocking agents, hypotension due to, 1953: Sept., 1330
- Gantrisin in meningitis, 1953: March, 336
- Gas bacillus infection, 1954: Jan., 112
- Gases, noxious, inhalation of, 1954: Jan., 59
- Gastric. See also *Stomach*.
- analysis, in gastritis syndrome, 1953: Nov., 1774
- office, 1953: Sept., 1541
- Gastritis, antral, 1953: Jan., 54
- atrophic, 1953: Jan., 43, Nov., 1772
- cancer and, 1953: Jan., 69
- clinical significance, emphasizing tumor-simulating variety, 1954: Jan., 41-61
- hypertrophic, 1953: Jan., 44, Nov., 1770
- superficial, 1953: Jan., 42, Nov., 1769
- treatment, 1952: March, 384; 1953: Jan., 58
- tumor-simulating, 1953: Jan., 45
- Gastritis syndrome, clinical manifestations, 1953: Nov., 1769-1776
- Gastrointestinal diseases, antibacterial agents in, 1952: July, 1083-1097
- anticholinergic drugs in, 1954: March, 459-471
- diarrhea and bloody stools in, 1954: May, 817
- symposium on, 1953: Jan., 1-290
- tetany due to, 1952: May, 890
- x-ray diagnosis, 1954: May, 808
- Gastrointestinal hemorrhage, massive, 1954: Jan., 137
- Gastrojejunal ulcer, 1953: Jan., 40
- Gastroscopy, in carcinoma of stomach, 1953: Jan., 76
- in gastric ulcer not demonstrable by x-ray, 1952: July, 1099
- in gastritis, 1953: Jan., 42, Nov., 1775
- Gaucher's disease, liver and spleen in, 1953: Jan., 101; 1954: May, 862
- splenectomy in, 1953: Jan., 195
- Gemonil, in epilepsy, 1954: March, 482
- Genetic syndromes, 1952: July, 912
- Genitalia, female, congenital anomalies, 1952: Nov., 1732
- trauma to, 1952: Nov., 1732
- Geriatric care, 1952: March, 569-583
- German measles, immunization, 1952: Nov., 1604; 1954: Sept., 1529
- Gerstmann's syndrome, 1952: July, 911
- Giardiasis, treatment, 1953: May, 907
- Gierke's disease, von, 1953: Jan., 101
- Gitalin in congestive heart failure, 1953: May, 647
- Glaucoma, narrow angle, acute, 1954: Jan., 230
- Gliomas of brain stem in childhood, 1952: Nov., 1802
- Globin insulin with zinc in diabetes, 1953: May, 722
- Glomerulonephritis, acute, 1953: Nov., 1659
- bedside management, 1953: July, 1129-1133
- chronic, 1953: Nov., 1661
- therapeutic dilemmas, 1952: March, 411-417
- Glucose, in diabetic acidosis and coma, 1952: May, 778
- tolerance tests, 1953: July, 1099
- oral, of pituitary function, 1952: May, 752
- Glucose-insulin tolerance test of pituitary function, 1952: May, 753
- Glycogen storage disease, 1953: Jan., 101
- Glycosides, cardiac, in congestive heart failure, 1953: May, 647
- Glycosuria in insulin-treated diabetic patient, significance, 1953: May, 728
- Goiter, exophthalmic, antithyroid drugs in, 1952: May, 606, 614
- nodular, with tuberculous adenitis, jaundice and terminal coma, clinicopathologic conference, 1953: Nov., 1675
- toxic. See *Hyperthyroidism*.
- Gold, colloidal, radioactive, intracavitary, in treatment of malignant pleural effusion, 1954: July, 1133-1138
- hepatitis due to, 1953: Sept., 1385
- in rheumatoid arthritis, 1953: May, 817, July, 1245
- radioactive, in metastatic carcinoma, 1954: Sept., 1285
- Gonadotropins, in amenorrhea, 1952: May, 710; 1953: July, 1088, 1089
- in uterine bleeding, abnormal, 1952: May, 715
- urinary, excretion, as test, 1952: May, 748
- of ovarian function, 1952: May, 751

- Gonadotropins, urinary, excretion, as test of testicular function, 1952: May, 749
- Gonads, functional tests, 1952: May, 748
- Gonorrhea, erythromycin in, 1954: March, 572
- Gout, Butazolidin in, 1954: March, 611-621
- kidney of, as clinical entity, 1952: July, 911-951
- Gradenigo's syndrome, 1952: March, 323
- Grand mal seizures, 1953: March, 316, 322; 1954: May, 695
- Granuloma, eosinophilic, in infants and children, 1952: Nov., 1762
- of lung, lipoid, 1954: July, 909-996
- Gratification and tension, 1952: Nov., 1542
- Graves' disease. See *Goiter, exophthalmic*.
- Ground substance, 1953: Nov., 1698
- histologic alterations, 1953: Nov., 1700
- Growth, rapid, influence on normal posture development, 1952: Nov., 1537
- screening test, 1952: Nov., 1518
- G.T. 41 in leukemia, granulocytic, 1953: Nov., 1760
- Guillain-Barré syndrome, 1954: Sept., 1327
- Gynecologic examination in young girls, 1952: Nov., 1729
- Gynecologic problems in preadolescent and adolescent years, 1952: Nov., 1729-1737
- HANDICAPPED, rehabilitation of, place of official agency in, 1953: May, 933-941
- Hands, burns, dressings in, 1953: July, 1124
- Hanger's cephalin-cholesterol flocculation test, 1952: March, 398
- Hanging, 1954: Jan., 58
- Hay fever, drugs used in, evaluation, 1951: Sept., 1547
- in infants and children, 1954: Sept., 1265, 1267
- Head, carcinoma, detection and early diagnosis, 1954: May, 649
- circumference in first five years of life, 1952: Nov., 1740
- Headache, 1952: March, 319-326; 1954: May, 673-692
- classification, 1953: July, 1251
- due to lesions of teeth, ears, eyes, nose or neck, 1952: March, 323; 1954: May, 688
- due to sustained muscular contraction, 1953: July, 1261, 1267; 1954: May, 686
- from nervous tension, 1952: March, 325
- in cervical disk syndromes, 1953: March, 458
- Hay fever, in diagnosis, 1953: March, 299
- migrainous, 1953: July, 1254; 1954: May, 682
- post-traumatic, 1952: March, 324
- treatment, 1953: July, 1251-1268
- varieties and their mechanism, 1954: May, 673-692
- vascular, 1952: March, 321; 1953: July, 1254; 1954: May, 682
- Health examination, pediatric, 1952: Nov., 1515-1523
- Hearing, normal development, 1952: Nov., 1790
- tests in children, 1952: Nov., 1521, 1792
- Heart, action, rapid, paroxysmal, treatment, 1953: July, 962
- adaptation, physiology, 1952: Jan., 22
- and great vessels, cardiac catheterization and contrast study in congenital cardiovascular defects, 1952: Nov., 1673-1682
- congenital malformations of, 1952: Nov., 1663, 1954: Nov., 1635-1647
- transposition, roentgenology in, 1952: Jan., 62
- and lung apparatus, mechanical, improved, 1953: Nov., 1603-1624
- anomalies, diagnosis, and treatment, 1952: Jan., 37-61; 1954: Nov., 1635-1648
- roentgenology in, 1952: Jan., 53-68
- arrhythmias. See *Arrhythmias*.
- auscultation of, 1953: Sept., 1552
- beat, reflex inhibition of, syncope due to, 1954: Jan., 22
- block, atrioventricular, 1952: Jan., 7, 19
- complete, 1952: Nov., 1666
- catheterization, in study of normal and diseased heart, 1952: July, 1035-1049; 1954: Nov., 1617-1634
- defibrillation, in ventricular fibrillation, 1952: Jan., 19
- disease, anesthesia in relation to, 1954: Nov., 1733-1739
- anxiety and, 1954: Nov., 1796
- arteriosclerotic, disability in, causes, 1953: May, 673
- cardiac catheterization in, 1952: July, 1035-1049; 1954: Nov., 1617-1634
- congenital, cardiac catheterization in, 1954: Nov., 1621
- diagnosis, clinical, 1952: Nov., 1659-1671
- in reference to surgical intervention, 1952: Jan., 37-51
- roentgenology in, 1952: Jan., 53-68
- disability in, causes, 1953: May, 680
- physiologic research in, 1954: Nov., 1566

- Heart, disease, coronary. See *Coronary artery disease*.  
 electrocardiogram in, 1952: Jan., 93-108  
 emergencies in, 1953: July, 955-970; 1954: Jan., 7-28  
 functional, 1954: Nov., 1789  
 high cardiac output, 1953: July, 974  
 home care, rehabilitation and placement in injury in, 1954: Nov., 1785-1788  
 in aged persons, 1954: Nov., 1767-1784  
 neck and shoulder pain in, 1952: Sept., 1304  
 pain of, differentiation from non-cardiac chest pain, 1954: May, 743-751  
 physiology of lesser circulation as altered by, 1954: July, 1035-1049  
 pre- and postoperative care in, 1953: May, 750  
 pregnancy and, management, 1954: Nov., 1741-1755  
 psychosomatic, 1954: Nov., 1789-1800  
 pulmonary, 1954: Nov., 1675-1692  
 rheumatic, 1954: Nov., 1705-1716  
 development, 1953: July, 1215  
 disability in, causes, 1953: May, 668  
 roentgenologic aspects, 1954: Nov., 1575-1581  
 shock due to, 1954: Jan., 16  
 symposium on, 1954: Nov., 1561-1800  
 syncope in, management, 1954: Jan., 22  
 syphilitic, treatment, 1953: July, 977  
 traumatic, circulatory, collapse in, 1954: Jan., 20  
 treatment, pitfalls in, 1952: Jan., 109  
 valvular, rheumatic, cardiac catheterization in, 1954: Nov., 1629  
 syncope and dizziness in, 1953: Sept., 1318  
 work capacity of patient with, 1953: May, 667-684  
 disturbances, of emotional origin, diagnosis, 1954: Sept., 1535-1545  
 failure, acidosis in, 1952: Jan., 112  
 congestive, 1952: Jan., 30; 1953: Nov., 1657; 1954: Nov., 1649-1658  
 cation exchange resins in, 1954: March, 419-430  
 chair treatment, 1953: July, 966  
 clinical features, 1954: Nov., 1651  
 diet in, 1953: May, 648, 655  
 disability in, causes, 1953: May, 680  
 diuresis in, 1953: May, 649  
 dyspnea from, management, 1954: Jan., 7  
 edema of, 1954: May, 883
- Heart, failure, congestive, electrolyte abnormalities in, 1953: May, 654  
 in acute myocardial infarction, treatment, 1953: Sept., 1298  
 in aged, management, 1954: Nov., 1769  
 in chronic uremia, treatment, 1954: Sept., 1457  
 magnesium levels in, 1952: July, 1163  
 mercurial diuretics in, 1954: March, 431-435  
 pathogenesis, 1953: May, 643  
 pathologic physiology, 1952: Jan., 21-36  
 physiologic research in, 1954: Nov., 1568  
 resistant cases, treatment, 1953: July, 971-989  
 thromboembolic complications, 1953: July, 986  
 treatment, 1952: March, 419-434; 1953: May, 643-658, July, 971-989; 1954: Nov., 1654  
 physiologic considerations, 1952: Jan., 33  
 pulmonary hemodynamics in, 1952: July, 1039  
 terminal, shock in, 1954: Jan., 21  
 functional disturbances, diagnosis, 1954: Sept., 1535-1545  
 infarction, acute, and differentiation from acute nonspecific pericarditis, 1953: Nov., 1639  
 inspection, 1953: Sept., 1549  
 irritable, 1954: Nov., 1789  
 massage, in auricular fibrillation, 1952: Jan., 18  
 metabolism, new knowledge of, 1954: Nov., 1570  
 murmurs, 1953: Sept., 1558  
 heart disease and, 1952: March, 511  
 in rheumatic fever, 1952: Nov., 1651  
 myxoma, pedunculated, 1953: Sept., 1319  
 pain from, management, 1954: Jan., 11  
 of emotional origin, 1954: Sept., 1542, Nov., 1789  
 pain wrongfully attributed to, 1952: March, 501-513  
 palpation, 1953: Sept., 1549  
 percussion, 1953: Sept., 1550  
 physical examination, 1953: Sept., 1547-1564  
 right, dynamics in hypertrophy, 1952: July, 1037  
 senile, normal, 1954: Nov., 1767  
 roentgenographic changes in silicosis, 1953: Nov., 1732  
 sounds, 1953: Sept., 1554  
 friction, 1953: Sept., 1563  
 standstill, treatment, 1952: Jan., 19  
 surgery, advances in, 1953: July, 977  
 tamponade, treatment, 1953: Sept., 1317; 1954: Jan., 19



- Heartburn, 1952: Jan., 371; 1953: Jan., 3  
wrongly attributed to heart, 1952:  
March, 507
- Heart-lung apparatus, 1953: Nov., 1605  
operative technique, 1953: Nov.,  
1610  
preparation, 1953: Nov., 1610
- Heat, application, in rheumatoid  
arthritis, 1953: July, 1242
- Heel, Thomas, 1953: Sept., 1438
- Hemachromatosis, liver in, 1953: Jan.,  
100
- Hematocrit, in congenital heart dis-  
ease, 1952: Nov., 1662  
office use, 1953: Sept., 1537
- Hematologic methods, routine, errors  
in, 1953: July, 1192
- Hematoma, intracerebral, headache  
and, 1954: May, 678  
subcortical, diagnosis, 1954: May, 766  
subdural, chronic, diagnostic con-  
siderations, 1953: March, 437-449  
headache and, 1954: May, 677  
in differential diagnosis of hydro-  
cephalus, 1952: Nov., 1744
- Hematuria, 1954: Jan., 296
- Hemiplegia, physical medicine in, 1952:  
Sept., 1491
- Hemocytopenic reactions to modern  
drugs, 1953: Nov., 1811-1820
- Hemoglobin determination, 1952: Nov.,  
1521  
office, 1953: Sept., 1536
- Hemolytic syndrome, 1952: July, 911
- Hemophilia, 1952: July, 1060, Nov.,  
1705  
in children, management, 1952: Nov.,  
1706
- Hemophilia-like disease in women,  
1952: July, 1062
- Hemopneumothorax, treatment, 1954:  
Jan., 54
- Hemoptysis, 1952: March, 337-339;  
1954: July, 945-948
- Hemorrhage, cerebral, 1952: Jan., 163,  
160; 1953: March, 428  
diagnosis, 1954: May, 765  
thrombosis and, differentiation,  
1954: Jan., 44; May, 771  
classification of causes of, 1952: Nov.,  
1694  
clinical evaluation, tests for, 1953:  
Nov., 1845  
from anticoagulants, treatment,  
1953: July, 959  
from peptic ulcer, treatment, 1953:  
Jan., 36  
gastric, massive, treatment, 1953:  
Jan., 17-32  
gastrointestinal, massive, 1954: Jan.,  
137  
obstetric, 1954: Jan., 265-277  
postpartum, 1954: Jan., 265  
pulmonary, treatment, 1954: Jan., 47  
subarachnoid, diagnosis, 1954: May,  
767  
headache in, 1954: May, 680
- Hemorrhage, subarachnoid, spontane-  
ous, primary, 1952: Jan., 171, 173  
uterine, course and management,  
1953: Sept., 1497-1509
- Hemorrhagic disease, classification,  
1952: July, 1052  
diagnosis, 1952: July, 1051-1068  
in children, 1952: Nov., 1693-1710  
tests in, results, 1953: Nov., 1848,  
1849  
treatment, 1952: July, 1051-1068;  
1953: Nov., 1850
- Hemorrhoids, office management,  
1953: Jan., 266  
treatment, 1952: Sept., 1452
- Hemosiderosis of liver, 1953: Jan., 100;  
1954: May, 861
- Hemothorax in thoracic injury, 1954:  
July, 1187, 1188
- Heparin, in acute arterial occlusions,  
1952: Jan., 143  
in atherosclerosis, 1952: Jan., 189,  
July, 1008  
in cor pulmonale, acute, 1954: Nov.,  
1690  
in coronary heart disease, 1954:  
March, 408, Nov., 1668  
in deep vein thrombosis, 1954: Jan.,  
307  
in myocardial infarction, 1953: Sept.,  
1290, 1295  
in prevention of coronary thrombo-  
sis, 1952: July, 998  
in thromboembolism, 1952: Sept.,  
1318
- Hepatitis, 1953: Jan., 125-143, July,  
1139-1156  
acute and subacute, 1954: May, 865  
amebic, 1953: Sept., 1383; 1954: May,  
870  
treatment, 1953: May, 906  
chronic, 1952: Sept., 1341-1355; 1954:  
May, 866  
splenectomy in, 1953: Jan., 194  
diagnosis, 1954: May, 863, 864, 865,  
866, 870  
epidemic. See *Hepatitis, infectious*.  
infectious, 1954: May, 863  
immunization, 1952: Nov., 1604  
in infancy and childhood, 1952:  
Nov., 1637-1647  
leptospirosis, 1953: Sept., 1383  
malarial, 1953: Sept., 1384  
serum, in differential diagnosis of in-  
fectious hepatitis, 1952: Nov., 1664  
subacute, 1952: Sept., 1341-1355  
syphilitic, 1954: May, 863, 870  
toxic, 1953: Sept., 1384; 1954: May,  
873  
treatment, 1953: Jan., 136, July, 1139-  
1156, Sept., 1387  
viral, 1953: Sept., 1379; 1954: May,  
864  
immunization, 1954: Sept., 1523  
with jaundice, in children, 1952:  
Nov., 1638, 1639
- Hepatolienography, 1954: May, 805

- Hepatomegaly, differential diagnosis, 1954: May, 857-874
- Heredity in carcinoma of stomach, 1953: Jan., 65
- Hernia, hiatal, treatment, 1952: March, 384  
in infants and children, management of, 1952: Nov., 1767-1777  
strangulated, intestinal obstruction due to, 1954: Jan., 127
- Herniation of intervertebral disks, cervical, 1953: March, 451-478  
lumbar, 1953: March, 479-502, 503-510
- Herpes zoster, neck and shoulder pain due to, 1952: Sept., 1306  
neuropathy in, 1954: Sept., 1329
- Hesperidin, effect on capillary permeability, 1952: Jan., 211
- Hetrazan, in ascariasis, 1954: March, 591-597  
in filariasis, 1953: May, 913
- Hexamethonium, and 1-hydrazinophthalazine in hypertension, 1953: July, 991-1008  
hypotension due to, treatment, 1953: Sept., 1330, 1331  
in arterial hypertension, 1953: Nov., 1651  
in hypertension, 1954: March, 365, Nov., 1723  
in peptic ulcer, 1952: Sept., 1329
- Hibicon in epilepsy, 1954: March, 477
- Hiccup in acute myocardial infarction, treatment, 1953: Sept., 1299
- Hip, dislocation, congenital, 1953: Sept., 1429  
osteoarthritis, treatment, 1954: Sept., 1482  
"toxic," 1953: Sept., 1433  
tuberculosis, 1953: Sept., 1432  
windblown, 1953: Sept., 1427
- Histamine, antagonists. See *Antihistaminic drugs*.  
effect on capillary permeability, 1952: Jan., 209  
test, for pheochromocytoma, 1952: Jan., 124  
of adrenal medulla function, 1952: May, 754
- Histoplasmosis of lung, diagnosis, 1954: May, 740
- Hives. See *Urticaria*.
- HN2. See *Nitrogen mustard*.
- Hodgkin's disease, liver and spleen in, 1954: May, 870  
treatment, 1953: May, 843-867  
triethylene melamine in, 1954: March, 547
- Holger-Nielsen method of artificial respiration, 1954: Jan., 56
- Home care in cardiovascular disease, 1954: Nov., 1785-1788
- Homicidal psychotic patient, management, 1953: March, 582
- Hookworm, treatment, 1953: May, 908
- Hormone(s), deficiencies, pre- and postoperative management, 1953: May, 762  
hepatic function and, 1953: Jan., 114  
mechanism of onset of puberty, 1952: Nov., 1711  
sex, female. See *Estrogen*.  
therapy. See *Endocrine therapy*.  
thyrotropic, effect on function of thyroid cancer, 1952: May, 656
- Horner's syndrome, 1952: July, 911
- Hospital, liability, 1953: Sept., 1569  
relation of family to, 1952: Nov., 1551-1554
- Hospitalization, of children, problems resulting from, 1952: Nov., 1552  
psychiatric, 1954: Jan., 156
- Human bite wounds, 1954: Jan., 106
- Humidity, relative, for premature infant, 1952: Nov., 1512
- Hürthle cell adenocarcinoma of thyroid gland, 1952: May, 648
- Hyaluronidase, effect on capillary permeability, 1952: Jan., 210
- Hydantoins in epilepsy, 1952: Sept., 1385, 1388
- Hydergine in hypertension, 1954: Nov., 1726
- Hydrazine poisoning, hypoglycemia in, 1953: Jan., 283
- Hydrazinophthalazine, and hexamethonium, in hypertension, 1953: July, 991-1008, Sept., 1304  
hypotension due to, 1953: Sept., 1332  
in arterial hypertension, 1953: Nov., 1651  
in hypertension, 1954: March, 367, 372, Nov., 1724
- Hydrocephalus, diagnosis and treatment, 1952: Nov., 1622, 1739-1750
- Hydrocortisone in rheumatoid arthritis, 1953: July, 1248  
intra-articular, in rheumatic disease, 1954: March, 349-357  
ointment, in dermatological therapy, 1954: March, 321-336  
oral, in rheumatoid arthritis, 1954: March, 337-347
- Hydrohepatosis, 1954: May, 860
- Hydroma, subdural, 1952: Nov., 1744
- Hydrops tubae profluens, 1952: Sept., 1470
- Hygroma, subdural, in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Hymen, imperforate, 1952: Nov., 1732
- Hyoscine. See *Scopolamine*.
- Hyoseyamine in motion sickness, 1952: Sept., 1379
- Hyperbilirubinemia, physiologic, 1954: May, 854
- Hypercalcemia in thyrotoxicosis, 1953: Nov., 1715-1724
- Hypercholesteremia, and atherosclerosis, relationship, 1952: Jan., 178  
clinical significance and management, 1952: May, 865-874

- Hyperchylomicronemia, alimentary, 1952: Jan., 179
- Hyperemia, venous, intermittent, 1952: Jan., 149
- Hyperglycemia, control, Underhill's studies, 1953: Jan., 283  
in insulin-treated diabetic patient, significance, 1953: May, 728
- Hypermetropia, test for, 1952: Nov., 1520
- Hyperostosis, cortical, infantile, 1952: Nov., 1764
- Hyperparathyroidism, complicating polycystic kidney, clinicopathologic conference, 1952: March, 435-444  
urinary calculi in, 1954: Sept., 1464
- Hyperphosphatemia, tetany due to, 1952: May, 890
- Hypersomnia, 1952: March, 545
- Hypersplenism, 1953: Jan., 185; 1954: May, 872
- Hypertension, anxiety and, 1954: Nov., 1797  
arterial, etiology, 1953: Nov., 1647  
headache and, 1954: May, 687  
management, 1953: Nov., 1617-1655  
atherogenesis and, 1952: Jan., 191  
capillary fragility in, 1952: Jan., 124  
causes, differential diagnosis, 1954: May, 753-764  
diagnosis and treatment, study plan for general practitioner, 1952: Jan., 117-128
- Dibenzyliline in, 1954: Nov., 1726  
diet in, 1952: July, 1022  
disability in, causes, 1953: May, 671  
drug therapy, 1952: July, 1020; 1954: March, 363-374, Nov., 1720  
emotional manifestations, 1952: March, 476  
essential, 1952: Jan., 129-139; 1953: Nov., 1637, 1662  
diagnosis, 1954: May, 755  
treatment, 1952: Jan., 134; 1953: Sept., 1303-1312
- eyeground or fundus examination, 1952: Jan., 119
- headache in, 1952: March, 322
- hexamethonium in, 1954: March, 365, Nov., 1723
- Hydergine in, 1954: Nov., 1726
- hydrazinophthalazine in, 1954: March, 367, 372, Nov., 1724
- Hyphep therapy (hexamethonium and 1-hydrazinophthalazine), 1953: July, 991-1008
- Ilidar in, 1954: Nov., 1727
- in aged, treatment, 1954: Nov., 1780
- in kidney disease, 1952: July, 1015; 1954: May, 758
- in pheochromocytoma, 1952: July, 1016; 1954: May, 760
- intravenous pyelogram in, 1952: Jan., 123
- liver and, 1953: Jan., 111
- pentapyrrolidinium in, 1954: March, 365, 372
- Hypertension, pituitary therapy, 1952: Jan., 136  
portal, in cirrhosis, mechanism, 1953: Jan., 96  
operative treatment, 1953: July, 1149
- psychotherapy in, 1952: July, 1019; 1953: July, 1003
- pulmonary, primary, syncope in, treatment, 1953: Sept., 1329
- Rauwolfia in, 1953: Sept., 1303; 1954: March, 365, 370, 372, Nov., 1725
- renin-antirenin therapy in, 1952: Jan., 135
- rice diet in, 1952: Jan., 127, 135
- salt restriction in, 1952: Jan., 127, 136; 1953: July, 1007; 1954: March, 368, Nov., 1727
- sympathectomy for, 1952: Jan., 127, 137, July, 1023; 1953: July, 1005; 1954: March, 368
- systolic, 1954: May, 757
- tests in, 1952: Jan., 120, 121, 123, May, 754
- thiocyanate therapy, 1954: Nov., 1721
- treatment, 1952: Jan., 134, July, 1013-1024; 1953: Sept., 1303-1312; 1954: March, 363-374; Nov., 1717-1731
- pitfalls in, 1952: Jan., 110
- vasoconstrictor blocking drugs in, 1952: Jan., 135; 1954: March, 364
- venous, in congestive heart failure, 1952: Jan., 30
- veratrum alkaloids in, 1954: March, 366, 371, Sept., 1725
- Hyperthermia, liver damage from, 1953: Sept., 1387
- Hyperthyroidism, diagnosis, radioiodine in, 1952: July, 981-989
- hypercalcemia in, 1953: Nov., 1715-1724
- liver disease in, 1953: Sept., 1387
- pre- and postoperative care in, 1953: May, 754, July, 1065
- radioiodine in, 1954: March, 555-559
- tests for, 1952: May, 739
- treatment, 1953: May, 695-713, July, 1059-1076
- Hyperventilation syndrome, 1952: March, 357
- Hypoglycemia, clinical and experimental, 1953: Jan., 277-290  
in diabetes, 1954: Jan., 190  
in hydrazine poisoning, 1953: Jan., 283
- Hypogonadism, ovarian and pituitary, primary, 1952: Nov., 1734
- Hypomagnesemia, symptoms and signs, 1952: July, 1166  
treatment, 1952: July, 1169
- Hypometabolism, amenorrhea due to, 1952: Nov., 1734
- Hyponatremia in congestive heart failure, 1952: March, 430
- Hypoparathyroidism, 1952: May, 887
- Hypoproteinemia, pre- and postoperative management, 1953: May, 755

- Hypotension, orthostatic, chronic, 1953: Sept., 1323  
 physiologic mechanisms and treatment, 1953: Sept., 1313-1339  
 postexertional, 1953: Sept., 1336  
 postural, 1953: Sept., 1323, 1336
- Hypothrombinemia, 1952: July, 1062  
 therapeutic, excessive, Mephyton in, 1954: March, 413-417
- Hyposensitization, for asthma in children, 1954: Sept., 1263  
 for eczema in children, 1954: Sept., 1258  
 for hay fever in children, 1954: Sept., 1268  
 for ivy poisoning, 1954: Sept., 1272
- Hypotension in hypertension, 1954: March, 373
- Hypothyroidism, diagnosis, radioiodine in, 1952: July, 981-989  
 tests for, 1952: May, 739
- Hypoxemia, effect on capillary permeability, 1952: Jan., 208
- Hypoxia in poliomyelitis, 1953: March, 371
- Hysterectomy in postmaturity abnormal uterine bleeding, 1952: May, 716
- ICTERIC index in jaundice, 1952: March, 400
- Icterus. See *Jaundice*.
- Id, as infant personality, 1952: Nov., 1543  
 reaction, treatment, 1954: Sept., 1307  
 versus ego, 1952: Nov., 1544
- Ileostomy, medical, in ulcerative colitis, 1953: July, 1171
- Ilidar in hypertension, 1954: Nov., 1727
- Illness, affecting child's behavior, 1953: March, 570  
 as cause of fatigue, 1952: March, 312  
 in premature infants, 1952: Nov., 1576  
 influence on normal posture development, 1952: Nov., 1537
- Immobilization, osteoporosis due to, 1952: May, 860  
 urinary calculi due to, 1954: Sept., 1464
- Immunization, mandatory procedures for foreign travel, 1954: Sept., 1509  
 pediatric aspects, 1954: Sept., 1506  
 procedures in private practice, 1952: Nov., 1599-1605  
 status in 1954, 1954: Sept., 1493-1534
- Impactions, fecal, treatment, 1952: Sept., 1456
- Inactivity, effects, in prolonged illness, and their prevention, 1953: May, 917
- Indigestion. See *Dyspepsia*.
- Industrial placement of cardiovascular patients, 1954: Nov., 1735-1738
- Infant(s), allergy in, 1954: Sept., 1255-1279  
 cry of, 1952: Nov., 1560  
 examination of, 1952: Nov., 1555  
 neurologic, 1952: Sept., 1404
- Infant(s), feeding, advances in, 1952: Jan., 273-288  
 artificial, 1952: Nov., 1558  
 practical aspects, 1952: Nov., 1555-1560  
 first day of life, physician's responsibility, 1952: Nov., 1561-1570  
 hernias in, management of, 1952: Nov., 1767-1777  
 iron deficiency in, 1952: Nov., 1683-1691  
 immunization schedules, 1954: Sept., 1506  
 infectious hepatitis in, 1954: Nov., 1637-1647  
 large, birth of, significance, 1952: July, 1151-1155  
 newborn, examination and immediate care of, 1952: 1561-1570  
 resuscitation of, 1954: Jan., 60  
 noninfectious osseous lesions of, 1952: Nov., 1751-1765  
 personality, 1952: Nov., 1542  
 id as, 1952: Nov., 1543  
 posture development in, early, 1952: Nov., 1533  
 premature, management of, 1952: Nov., 1571-1578  
 prenatal factors, 1952: Nov., 1562
- Infection(s), accessible, 1952: Nov., 1607  
 accompanied or complicated by thrombocytopenias, 1952: Nov., 1699  
 acute, as starting point of emotional disorder, 1952: March, 468  
 antibiotics in, 1952: Jan., 247  
 complicating diabetes, 1954: Jan., 195  
 debilitating, hypotension after, 1953: Sept., 1326  
 fulminating, acute, hypotension in, treatment, 1953: Sept., 1333  
 in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1778  
 inaccessible, 1952: Nov., 1607  
 problem cases, 1954: May, 905-920  
 protection of premature infant from, 1952: Nov., 1572  
 role in iron deficiency anemia, 1952: Nov., 1688
- Infectious diseases, erythromycin in, 1954: March, 569-575
- Influenza, immunization, 1954: Sept., 1526
- Injection treatment, of cervical root compression, 1953: March, 463  
 of hemorrhoids, 1953: Jan., 266
- Injuries, automobile crash, care in, 1954: Jan., 75-94  
 eye, 1954: Jan., 236  
 face, 1954: Jan., 258  
 kidney, 1954: Jan., 291  
 larynx, 1954: Jan., 253  
 thoracic, alterations in respiratory physiology in, 1954: July, 1183-1188  
 treatment, 1954: July, 1188

- Injuries, testis, 1954: Jan., 286  
 ureter, 1954: Jan., 289
- Insomnia, 1952: March, 547  
 treatment, 1952: March, 550  
 electroconvulsive, 1952: March, 551
- Insulin, allergy to, in diabetes, management, 1952: May, 783-790  
 hepatic function and, 1953: Jan., 115  
 hypoglycemic reactions, 1954: Jan., 190  
 in diabetes, 1953: May, 720, July, 1104  
 in diabetic acidosis and coma, 1952: May, 777  
 resistance to, in diabetes, management, 1952: May, 783-790  
 tolerance test of pituitary function, 1952: May, 752
- Intervertebral disk, cervical, syndrome of, neurologic and roentgenologic aspects, 1953: March, 451-478  
 degeneration and protrusion, neck and shoulder pain due to, 1952: Sept., 1294  
 lesions, backache due to, 1954: May, 666  
 lumbar, rupture of, 1953: March, 479-502, 503-510
- Intestine(s), normal flora, effect of antibiotics on, 1952: July, 1083  
 obstruction, acute, 1954: Jan., 123  
 chronic, diarrhea and bloody stools in, 1954: May, 827  
 medical management, 1952: March, 383  
 small, diseases, diarrhea and bloody stools in, 1954: May, 820  
 x-ray diagnosis, 1954: May, 812
- Iodides in asthma, 1952: Sept., 1272; 1953: July, 1017
- Iodine, in hyperthyroidism, 1953: May, 705  
 preparations in amebiasis, 1953: Nov., 1806  
 protein-bound, in serum in thyroid disease, 1952: May, 741; 1953: July, 1064  
 radioactive, effect on function of thyroid cancer, 1952: May, 652, 666  
 in congestive heart failure, 1954: Nov., 1657  
 in coronary heart disease, 1954: Nov., 1665  
 in hyperthyroidism, 1952: May, 623-637; 1953: May, 702, 708, July, 1068; 1954: March, 555-559  
 in diagnosis, 1952: July, 981-989; 1953: July, 1062  
 results, 1952: May, 623-637  
 in myocardial ischemia, 1953: Sept., 1291  
 in test of thyroid function, 1952: May, 741  
 in treatment of metastatic thyroid carcinoma, 1952: May, 663-680  
 medical centers engaged in therapy with, 1952: May, 668, 669
- Iodized oil, granuloma of lung due to, 1954: July, 991
- Ion exchange resins. See under *Resins*.
- Ipecac in asthma, 1953: July, 1018  
 in supraventricular tachycardia, 1952: Jan., 13
- Iproniazid in pulmonary tuberculosis, 1954: March, 437
- Iridocyclitis, 1954: Jan., 230
- Iron, deficiency, anemia of. See under *Anemia*.  
 in infants and children, 1952: Nov., 1683-1691  
 metabolism, 1952: Nov., 1683  
 therapy, supplemental, in iron deficiency, 1952: Nov., 1689  
 uses, in anemia, 1953: July, 1197
- Irradiation. See *Radium* and *Röntgen*.
- Irrigation of eye in chemical burns, 1952: Sept., 1215
- Isolation procedures in tuberculosis in children, 1952: Nov., 1620
- Isoniazid (isonicotinic acid hydrazide) in tuberculosis, 1952: Sept., 1260; 1953: May, 885-901; 1954: March, 437-448, July, 1167-1176  
 reactions, 1954: July, 1172
- Isuprel, in asthma, 1952: Sept., 1271; 1953: July, 1017
- Itching in acute dermatitis, treatment, 1952: Sept., 1440
- Itrumil in hyperthyroidism, 1952: May, 619, 620; 1953: May, 706
- Ivy poisoning in infants and children, 1954: Sept., 1271
- JACKSONIAN seizures, 1954: May, 697
- Jaundice, differential diagnosis, 1952: March, 393-403; 1954: May, 847-855  
 hemolytic, 1954: May, 853
- Jaundice, hepatogenous, 1953: Jan., 127; 1954: May, 851  
 attack rates in children of school age, 1952: Nov., 1638  
 laboratory test, 1952: March, 397
- obstructive, 1953: Jan., 174; 1954: May, 847  
 after cholecystectomy, 1953: Jan., 178  
 of biliary tract origin, 1954: Sept., 1413  
 with thyrotoxic storm, clinicopathologic conference, 1953: Nov., 1684
- Joint, disease, degenerative, physical medicine in, 1952: Sept., 1487
- Jugular compression test in lumbar disk syndrome, 1953: March, 487
- KARTAGENER's syndrome, 1952: July, 917
- Keratitis, 1954: Jan., 229
- Keratoconjunctivitis, epidemic, antibiotics in, 1952: Sept., 1252
- Kerion, treatment, 1954: Sept., 1306
- Ketosis, diabetic, and diabetic coma, treatment, 1952: May, 767-782

- 17-Ketosteroids, diagnostic significance, 1952: May, 757-766  
 excretion, as test of testicular function, 1952: May, 748  
 in ACTH and cortisone therapy, 1952: Jan., 235  
 in Addison's disease, 1952: May, 723, 760  
 in adrenal cortex disease, 1952: May, 743  
 in adrenogenital syndrome, 1952: May, 762  
 in Cushing's syndrome, 1952: May, 764  
 in malignancy, 1952: May, 694  
 Kidney, artificial, 1952: Sept., 1413; 1954: Sept., 1459  
 calculus, 1954: Jan., 283  
 medical management, 1954: Sept., 1461-1474  
 circulatory consequences of blood kinetic energy in, 1952: July, 967-980  
 disease, edema of, 1954: May, 883  
 cardiovascular, 1953: Nov., 1657-1668  
 hypertension in, 1954: May, 758  
 magnesium metabolism in, 1952: July, 1159  
 pre- and postoperative care in, 1953: May, 752  
 unilateral, 1953: Nov., 1665  
 hypertension and, 1952: July, 1015  
 end stage, and hypertension, 1952: July, 1018  
 failure, acute, treatment, 1952: Sept., 1409  
 chronic, treatment, 1952: Sept., 1415  
 functional tests, in hypertension, 1952: Jan., 121  
 injuries, 1954: Jan., 291  
 insufficiency, acute, treatment, 1952: Sept., 1409  
 advanced, medical management, 1954: Sept., 1447-1460  
 chronic, treatment, 1952: Sept., 1415  
 of gout as clinical entity, 1952: July, 941-951  
 polycystic, with hyperparathyroidism and osteitis fibrosa cystica, clinicopathologic conference, 1952: March, 435-444  
 Kimmelstiel-Wilson syndrome, hypertension in, 1954: May, 759  
 Kunkel's zinc sulfate turbidity reaction, 1952: March, 399  
 Kutrol in peptic ulcer, 1952: Sept., 1331  
 Kymography in pulmonary disease, 1954: July, 199  
 Laboratory, office, purposes, limitations, set-up, tests and administration, 1953: Sept., 1525-1545  
 Labyrinthine disturbance of virus origin, 1954: Sept., 1322  
 Labyrinthitis, suppurative, 1954: Sept., 1321  
 Lacerations, care of, 1954: Jan., 103, 104  
 Laennec's cirrhosis. See under *Cirrhosis*.  
 Laminectomy in paraplegia, 1953: May, 921  
 Laminography in diagnosis of pulmonary disease, 1954: July, 1197  
 Lanatoside C in myocardial infarction, 1954: Nov., 1671  
 Landry's paralysis, 1954: Sept., 1327  
 Language, significance of, 1952: March, 449  
 Laryngitis, acute, treatment, 1954: Sept., 1316  
 Laryngotomy, technique, 1954: Jan., 256  
 Laryngotracheobronchitis, acute, 1952: Sept., 1279-1288  
 Laryngotracheitis, acute, in children, 1954: Sept., 1317  
 Laryngotracheobronchitis, 1954: Jan., 254  
 Larynx, carcinoma, 1954: Sept., 1317  
 trauma to, 1954: Jan., 253  
 Lasèque test in lumbar disk syndrome, 1953: March, 487  
 Laurence-Moon-Bardet-Biedl syndrome, 1952: July, 916  
 Lavage, gastric, in poisoning, 1954: Jan., 205  
 Lead poisoning, in children, 1952: Nov., 1587-1597  
 polyneuropathy in, 1954: Sept., 1329  
 Lederer type of hemolytic anemia, splenectomy for, 1953: Jan., 191  
 Legg-Perthes disease, 1953: Sept., 1433  
 Leprosy, sulfone therapy, 1954: March 599-610  
 Leptospirosis in differential diagnosis of infectious hepatitis, 1952: Nov., 1645  
 Leukemia, and allied disorders, chemotherapy, 1953: Nov., 1755-1767  
 chronic, treatment, 1954: March, 525-540  
 diagnosis, 1953: Nov., 1747  
 in children, 1952: Nov., 1798  
 lymphatic, chronic, 1953: Nov., 1751  
 management, recent advances, 1953: May, 843-867  
 myelogenous, acute, 1953: Nov., 1748  
 aleukemic, acute, 1953: Nov., 1749  
 chronic, 1953: Nov., 1752  
 liver and spleen in, 1954: May, 869  
 oddities in onset and course, 1953: Nov., 1747-1753  
 subacute, 1953: Nov., 1750  
 treatment, 1953: May, 843-867

LABOR, analgesia and anesthesia for, 1954: Sept., 1437-1445  
 induction of, 1952: Sept., 1473-1484

- Leukemia, triethylene melamine in, 1954: March, 541-554
- Leukorrhea in general practice, diagnosis and treatment, 1952: Sept., 1459-1471
- Levophed. See *Norepinephrine*.
- Lewisite burns of eye, 1955: Sept., 1219
- Leydig cell tumors, precocious pseudopuberty due to, 1952: Nov., 1725
- Lichen chronicus simplex disseminatus, 1952: July, 1128
- Lime burns of eye, treatment, 1952: Sept., 1218, 1219
- Liniments in dermatoses, 1953: May, 801
- Lip, carcinoma, detection and early diagnosis, 1954: May, 649
- Lipid(s), and atherosclerosis, relationship, 1952: Jan., 179
- plasma, function, 1952: May, 865
- pneumonia or granuloma of lung due to, 1954: July, 989-996
- Lipidol, granuloma of lung due to, 1954: July, 991
- Lipoidoses, liver in, 1953: Jan., 101
- Lipoproteins, cholesterol-bearing, of plasma, 1952: Jan., 182
- Lipotropic agents, in arterial occlusions, chronic, 1952: Jan., 151
- in atherosclerosis, 1952: Jan., 193
- in liver disease, 1953: July, 1144, Sept., 1390
- Lithiasis, urinary, medical management, 1954: Sept., 1461-1474
- Liver, abscess, amebic, 1954: May, 871
- carcinoma, diagnosis, 1954: May, 868
- cirrhosis. See *Cirrhosis*.
- disease, acute, causes and treatment, 1953: Sept., 1379-1391
- diarrhea and bloody stools in, 1954: May, 819
- differential diagnosis, tests used in, 1953: Jan., 128
- treatment, 1953: July, 1139-1156
- enlarged, differential diagnosis, 1954: May, 857-874
- extract, in liver disease, 1953: July, 1145
- uses, in anemias, 1953: July, 1198
- fibrosis, diffuse, 1953: Jan., 89, 92
- inflammation. See *Hepatitis*.
- observation of phenomena in, 1953: Nov., 1640
- palpable, incidence in infectious hepatitis, 1952: Nov., 1642
- physiology and biochemistry, recent progress in, 1953: Jan., 109-124
- tests, functional, 1953: Jan., 119
- follow-up on normal infants and children, 1952: Nov., 1643
- in determining course of hepatitis, 1953: Jan., 135
- office, 1953: Sept., 1542
- Lobotomy in mental disease, indications and results. 1954: Sept., 1379-1391
- Lockjaw. See *Tetanus*.
- Long-term illness, changing scene in 1953: May, 631-642
- rehabilitation in, 1953: May, 915-932
- symposium on, 1953: May, 629-941
- Lotions in dermatoses, 1953: May, 800
- Lumbar puncture, headache after, 1952: March, 324; 1954: May, 681
- in meningitis, 1953: March, 340
- in neurological evaluation, 1953: March, 313
- in rickettsial diseases, 1953: March, 403, 410
- Lumbar subarachnoid-peritoneal shunt in hydrocephalus, 1952: Nov., 1748
- Lung(s), abscesses, in silicosis, 1953: Nov., 1734
- putrid, diagnosis, 1954: May, 736
- treatment, 1954: July, 1027-1037
- accessory, inferior, 1954: July, 1081
- and heart apparatus, mechanical, improved, 1953: Nov., 1603-1604
- bleb formation in silicosis, 1953: Nov., 1734
- carcinoma, asthma and, 1952: March, 359
- detection and early diagnosis, 1954: May, 650
- diagnosis, 1954: July, 1109-1122
- treatment, 1954: July, 1123-1131
- cystic lesions, 1954: July, 1075-1079
- diseases, chronic, differential diagnosis, 1954: May, 721-742
- heart disease due to (cor pulmonale), 1953: Nov., 1675-1692
- diagnosis, bacteriologic study in 1954: July, 1219-1226
- exploratory thoracotomy in, 1954: July, 1239-1241
- special roentgen techniques in, 1954: July, 1193-1200
- in aged, 1952: March, 580
- pre- and postoperative care in, 1953: May, 752
- symposium on, 1954: July, 943-1241
- emphysema, 1954: July, 1051-1063
- fibrosis, diagnosis and treatment, 1954: July, 1009-1018
- functional tests in, 1954: July, 1234
- functional tests, clinical applications, 1954: July, 1227-1238
- granuloma, lipoid, 1954: July, 989-996
- hemorrhage from, treatment, 1954: Jan., 47
- infections, diagnosis, 1954: May, 734
- nodules, circumscribed, solitary, diagnosis and treatment, 1954: July, 1143-1151
- roentgenographic changes in silicosis, 1953: Nov., 1733
- sarcoidosis, diagnosis, 1954: May, 740
- and treatment, 1954: July, 997-1008
- stone in, 1954: July, 1043
- surgically removed specimens, examination, 1954: July, 1224
- tuberculosis. See *Tuberculosis*.



- Lung(s), tumors, alveolar cell, 1954: July, 1139-1142  
diagnosis, 1954: May, 729
- Lupus erythematosus, disseminated, 1952: July, 1111-1125; 1953: Nov., 1706
- Lymph nodes, biopsy, in bronchogenic carcinoma, 1954: July, 112
- Lymphomas, management, recent advances, 1953: May, 843-867  
triethylene melamine in, 1954: March, 541-554
- Lymphosarcoma, treatment, 1953: May, 843-867  
triethylene melamine in, 1954: March, 549
- Lysozyme in etiology of chronic non-specific ulcerative colitis, 1953: Nov., 1780
- MACLAGAN's thymol turbidity test, 1952: March, 398
- Macrocephaly, true, in differential diagnosis of hydrocephalus, 1952: Nov., 1744
- Macrochylomiconemia, alimentary, 1952: Jan., 179
- Macrosomia adiposa congenita, 1952: July, 916
- Magnamycin in bacterial endocarditis, 1954: March, 396
- Magnesium, compounds in peptic ulcer, 1952: Sept., 1326  
deficiency, tetany due to, 1952: May, 893  
metabolism, clinical studies, 1952: July, 1157-1171
- Magnesium sulfate in lead poisoning, 1952: Nov., 1593
- Maico psychometer, 1952: Nov., 1792
- Maladie de Roger, 1952: Nov., 1665
- Malaria, treatment, 1953: May, 906
- Malignancy in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
- Malnutrition in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1780
- Malpractice, civil, basic principles, with suggestions from preventing malpractice claims, 1953: Sept., 1565-1575
- Malta fever. See *Brucellosis*.
- Mandelamine in urinary tract infections, 1952: Sept., 1433
- Mandible, fractures, 1954: Jan., 259
- Manic-depressive psychosis, 1954: Jan., 150  
manic phase, 1953: March, 589
- Marfan's syndrome, 1952: July, 914
- Marsilid in tuberculosis, 1952: Sept., 1260
- Massage, cardiac, in ventricular fibrillation, 1952: Jan., 18  
prostatic, 1952: Sept., 1425
- Maxillary antrum, air injection into, air embolism from, 1954: Jan., 178
- Measles, diuresis due to, in nephrosis, 1952: July, 934  
German. See *German measles*.  
immunization, 1952: Nov., 1603; 1954: Sept., 1522
- Mebaral, in epilepsy, 1952: Sept., 1386, 1389; 1953: March, 324; 1954: March, 477  
side effects, 1954: Sept., 1341, 1349
- Mecholyl in supraventricular tachycardia, 1952: Jan., 13
- Meckel's diverticulum, 1953: Jan., 227-235
- Mediastinum, tumor of, asthma and, 1952: March, 360
- Medical trends, thoughts on, 1953: Nov., 1827-1832
- Medicine, ancient and modern, 1953: Nov., 1821  
clinical, symposium on, 1953: Nov., 1595-1853  
physical, in office treatment, 1952: Sept., 1485-1493  
psychologic aspects, symposium on, 1952: March, 445-592  
recent advances in, symposium on, 1952: July, 909-1185
- Medionecrosis of aorta in aged, 1954: Nov., 1782
- Medulloblastoma in childhood, 1952: Nov., 1802
- Meig's syndrome, 1952: July, 912
- Membranes, rupture, for inducing labor, 1952: Sept., 1481
- Menarche, 1952: Nov., 1733
- Menière's disease, 1954: Sept., 1322  
headache and, 1954: May, 688
- Meningitis, antibiotics in, 1952: Jan., 249, 255; 1953: March, 338  
intrathecal, 1953: Sept., 1363-1378  
headache in, 1954: May, 678  
problem cases, 1954: May, 907  
purulent, acute, 1953: March, 329-344  
syphilitic, 1952: July, 1142  
tuberculous, in children, 1952: Nov., 1619-1625; 1953: March, 345-362; 1954: July, 1169
- Menometrorrhagia, due to hormonal abnormalities, 1952: May, 712  
in children, 1952: Nov., 1735
- Menopause, 1952: March, 515-525  
endocrine manifestations, 1952: March, 516  
osteoporosis after, 1952: May, 849  
physical changes, 1952: March, 519  
psychologic manifestations, 1952: March, 517
- Menstruation, disorders of, due to hormonal abnormalities, diagnosis and treatment, 1952: May, 705-720  
pain of, mechanisms, 1954: Sept., 1421
- Mental and nervous disease, symposium on, 1953: March, 295-607
- Mental deficiency in differential diagnosis of deafness in children, 1952: Nov., 1794

- Mentality, apparent, evaluation as index of severity of hydrocephalus, 1952: Nov., 1741
- Mental disease. See *Psychoses and Neuroses*.
- Meperidine in myocardial infarction, 1954: Nov., 1671
- Mephyton, in coronary disease, pre-operative, 1954: Nov., 1672  
in excessive therapeutic hypoprotrombinemia, 1953: July, 959; 1954: March, 413-417
- Meralgia paresthetica, 1954: Sept., 1329
- Mercaptopimerin sodium as diuretic, 1952: July, 954
- Mercurhydrin in congestive heart failure, 1954: Nov., 1656
- Mercurial diuretics. See *Diuretics*.
- Mercurital in congestive heart failure, 1954: March, 433
- Mercury bichloride poisoning, 1954: Jan., 217
- Mercury poisoning, subacute, 1954: Jan., 219
- Mesantoin, in epilepsy, 1952: Sept., 1385, 1388; 1953: March, 324; 1954: March, 476  
side effects, 1954: Sept., 1341, 1343, 1344, 1347
- Metabolism, basal, as test of thyroid function, 1952: May, 739  
in diagnosis of hyperthyroidism, 1953: July, 1064  
testing in office, 1953: Sept., 1542
- disorders, symposium on, 1952: May 601-895  
faulty, liver disease due to, 1954: May, 860  
of iron, 1952: Nov., 1683
- Metal poisoning, BAL in, 1954: Jan., 203; Sept., 1333
- Methacholine. See *Mecholyl*.
- Methylphenylethylhydantoin. See *Mesantoin*.
- 5-Methyl, 5-phenylhydantoin in epilepsy, 1953: March, 326
- Methyltestosterone, hepatitis due to, 1953: Sept., 1386  
in abnormal uterine bleeding, 1952: May, 715  
in amenorrhea, 1953: July, 1087  
in dysmenorrhea, 1954: Sept., 1431
- Methylthiouracil in hyperthyroidism, 1952: May, 619, 620
- Metrazol in poisonings, 1954: Jan., 209
- Migraine. See *Headache, migrainous*.
- Milbix in amebiasis, 1953: Nov., 1806
- Milk, drinking, excessive, urinary stones due to, 1954: Sept., 1464  
sensitivity, extreme, in children, 1954: Sept., 1273  
substitutes, in milk sensitivity, 1954: Sept., 1277
- Milontin, in epilepsy, 1953: March, 327; 1954: March, 479  
side effects, 1954: Sept., 1342
- Mineral oil, granuloma of lung due to, 1954: July, 994
- Mineral(s), deficits, effect on normal posture development, 1952: Nov., 1538  
in infant nutrition, 1952: Jan., 283  
replacement in chronic disease, pre- and postoperative, 1953: May, 758
- Miscarriage. See *Abortion*.
- Mitral stenosis, evaluation of patients for commissurotomy in, by cardiac catheterization, 1952: July, 1040  
syncope and dizziness in, 1953: Sept., 1318  
uncomplicated, emotional manifestations, 1952: March, 474
- MK-02 in parkinsonism, 1953: Sept., 1515; 1954: March, 488, 490, 493, 494
- Monilia infections of vagina, treatment, 1952: Sept., 1468
- Moniliasis, of lung, 1953: Nov., 1737  
and cryptococcal osteomyelitis in same patient, 1953: Nov., 1737-1746  
diagnosis, 1954: May, 740  
of mouth, 1954: Sept., 1314
- Mononucleosis, infectious, 1953: Sept., 1382  
in differential diagnosis of infectious hepatitis, 1952: Nov., 1644
- Morphine, in congestive heart failure, 1952: March, 424  
in myocardial infarction, acute, 1953: Sept., 1297  
in obstetrics, 1954: Sept., 1441  
in rheumatic fever, 1952: Nov., 1655  
in supraventricular tachycardia, 1952: Jan., 13  
poisoning, nalorphine hydrochloride in, 1954: Jan., 203, 220
- Mosenthal test, modified, in hypertension, 1952: Jan., 122
- Mother, new, conference with, 1952: Nov., 1556  
problems in breast-feeding infant, 1952: Nov., 1555, 1557, 1558  
or mother figure, absence of, 1952: Nov., 1545  
psychopathology in, 1952: Nov., 1546  
sensitized, induction of labor in, 1952: Sept., 1477
- Mother-child relationship in first year, 1952: Nov., 1541-1550
- Motion sickness, treatment, 1952: Sept., 1373-1380
- Motor function, testing, in neurology, 1952: Sept., 1399
- Motor system, examination, 1953: March, 305  
testing in cervical root compression, 1953: March, 458  
in lumbar disk syndrome, 1953: March, 489
- Mouth, moniliasis, 1954: Sept., 1314  
tumors, 1954: Sept., 1315
- 6-MP. See *Purinethol*.
- Mucin in peptic ulcer, 1952: Sept., 1327
- Mumps, immunization, 1952: Nov., 1604; 1954: Sept., 1523

- Mumps encephalitis, 1952: Nov., 1627-1635
- Murmurs, heart, 1953: Sept., 1558
- Muscle, blood supply, measurement, 1954: May, 792
- contraction headache, 1953: July, 1261, 1267; 1954: May, 686
- relaxants in cervical root compression, 1953: March, 463
- strength and power, testing, 1953: March, 305
- tone, testing, 1953: March, 306
- weakness and atonia in early childhood, 1953: March, 556
- Muscular atrophy, peroneal, 1953: March, 553
- dystrophy, postmenopausal, 1953: March, 558
- progressive, childhood type, 1953: March, 546
- differential diagnosis, 1953: March, 545-563
- facioscapulohumeral type, 1953: March, 550
- Musculoskeletal disorders, physical medicine in, 1952: Sept., 1485
- Mushroom poisoning, liver damage in, 1953: Sept., 1387
- Mutations of genes, 1952: July, 912
- Myasthenia gravis, 1953: March, 535-544
- in children, 1953: March, 557
- Myasthenic crisis, 1953: March, 541
- Mycoses, cutaneous, treatment, 1954: Sept., 1301-1308
- Mycosis fungoides, treatment, 1953: May, 844, 851
- Mycotic diseases of lung, diagnosis, 1954: May, 739
- Myeleran in leukemia, granulocytic, 1953: Nov., 1760
- Myelography, in cervical root compression, 1953: March, 473
- in lumbar disk syndrome, 1953: March, 494
- Myeloma, plasma cell, treatment, 1953: May, 844, 847, 851, 858, 862
- Myocarditis, shock in, 1954: Jan., 21
- Myocardium, failure, 1952: Jan., 25, 27
- hypertrophy, 1952: Jan., 24
- infarction, acute, shock due to, treatment, 1954: Jan., 11
- diagnosis and treatment, 1952: Jan., 73
- electrocardiogram in, 1953: Sept., 1346; 1954: Nov., 1591, 1595
- emotional problems of, 1954: Nov., 1799
- in aged, 1954: Nov., 1776
- in diabetes, 1954: Jan., 196
- treatment, 1953: Sept., 1292; 1954: Nov., 1666
- injury, syncope in, treatment, 1953: Sept., 1319
- ischemia, general management, 1953: Sept., 1284
- Myopia, test for, 1952: Nov., 1520
- Myositis, multiple. See *Dermatomyositis*.
- Myotonia dystrophica, 1953: March, 551
- Mysoline, in epilepsy, 1953: March, 326; 1954: March, 477
- side effects, 1954: Sept., 1340, 1341, 1349
- Myxedema, heart disease in, 1953: July, 977
- NAILS, ringworm, treatment, 1954: Sept., 1306
- Nalorphine hydrochloride in opiate intoxication, 1954: Jan., 203, 220
- Narcolepsy, 1952: March, 541, 545
- Nasal allergy, 1954: Sept., 1313
- in infants and children, 1954: Sept., 1265
- Nausea, 1952: March, 373; 1953: Jan. 5
- Neck, carcinoma, detection and early diagnosis, 1954: May, 649
- lesion, 1954: Sept., 1317
- pain in, 1952: Sept., 1289-1307
- Negligence in medical practice, 1953: Sept., 1570, 1574
- Neomycin, effect on normal fecal flora, 1952: July, 1089
- in bacterial endocarditis, 1954: March, 396
- in tuberculosis, 1952: Sept., 1260
- Neo-Penil in bronchiectasis, 1954: July, 1024
- Neostigmine in myasthenia gravis, 1953: March, 538
- Neosynephrine in myocardial infarction, 1954: Nov., 1671
- in pneumonia, 1953: July, 1056
- Nephritis, chronic, therapeutic dilemmas, 1952: March, 411-417
- glomerular, acute, bedside management, 1953: July, 1129-1133
- Nephrosis, lower nephron, 1954: Jan., 294
- upper and lower nephron, magnesium levels in, 1952: July, 1159, 1160
- Nephrotic syndrome, 1952: July, 921-939
- bedside management, 1953: July, 1133-1137
- in adults, differential diagnosis and treatment, 1953: May, 685-694
- Nephrotomography, 1954: May, 803
- Nerve(s), blocking agents, in peripheral neuropathies, 1954: Sept., 1336
- cranial, examination, 1952: Sept., 1398; 1953: March, 310
- pathway pain, 1952: March, 489
- peripheral, affections of, diagnosis and treatment, 1954: Sept., 1325-1338
- Nervous system, central, diseases, hypertension in, 1954: May, 759
- tumors of, in children, 1952: Nov., 1801
- rickettsial involvement, 1953: March, 395-422

- Nervous tension, fatigue due to, 1952: March, 313  
headache from, 1952: March, 325
- Nervousness, and fatigue, clinical evaluation, 1953: Nov., 1785-1802  
diagnosis and treatment, 1953: Nov., 1785-1802
- Neuralgia, facial, atypical, headache and, 1954: May, 683  
head pain due to, 1952: March, 325  
occipital, 1954: May, 685  
trigeminal, 1954: Jan., 251; May, 690
- Neurectomy, presacral, in dysmenorrhea, 1954: Sept., 1433
- Neuritis, brachial, 1954: Sept., 1330  
diabetic, PMLE in, 1952: Sept., 1366  
multiple. See *Polymyositis*.  
peripheral, multiple, diagnosis and treatment, 1952: Sept., 1357-1372  
serum, 1954: Sept., 1330
- Neuroblastomas in childhood, 1952: Nov., 1798
- Neurocirculatory asthenia, 1954: Nov., 1789
- Neurodermatitis, generalized, 1952: July, 1127
- Neurofibromatosis in infants and children, 1952: Nov., 1754
- Neurohypophysis, functional tests, 1952: May, 753
- Neurology, clinical method of, comments and suggestions, 1952: Sept., 1393-1408  
disorders in, acute, uncommon, 1954: Jan., 167-182  
examination, 1952: Sept., 1396  
signs and symptoms and their interpretation, 1953: March, 297-313  
symposium on, 1953: March, 295-607
- Neuromuscular disorders, physical medicine in, 1952: Sept., 1491  
pulmonary function tests in, value, 1954: July, 1231
- Neuropathy, peripheral, diagnosis and treatment, 1954: Sept., 1325-1338
- Neurosis, cardiac, 1954: Sept., 1536, Nov., 1789, 1791  
management, in office practice, 1954: Sept., 1351-1361  
nature of, modern psychiatric concepts, 1954: Sept., 1351
- Neurosyphilis, 1952: July, 1141-1149  
treatment, 1952: July, 1147
- Neurotic adaptation, causes, 1952: March, 307
- Neurotic attacks, 1952: March, 565
- Neurotic patient, obvious, management in office practice, 1954: Sept., 1351-1361
- Newborn. See *Infant(s)*, newborn.
- New York plan for physically handicapped child, 1953: May, 935
- Nieman-Pick disease, liver and spleen in, 1953: Jan., 101; 1954: May, 862
- Nikethamide in poisonings, 1954: Jan., 209
- Nitrite test in hypertension, 1952: Jan., 120
- Nitrogen, deficit, effect on normal posture development, 1952: Nov., 1538
- Nitrogen mustard in Hodgkin's disease, 1953: May, 854  
in leukemia, 1953: May, 854  
and allied disorders, 1953: Nov., 1755  
in lymphomas, 1953: May, 854  
in lymphosarcoma, 1953: May, 854  
in metastatic carcinoma, 1954: Sept., 1284  
in mycosis fungoides, 1953: May, 854  
in nephrotic syndrome, 1952: July, 933
- Nitroglycerin in angina pectoris, 1953: Sept., 1284, 1289; 1954: Nov., 1663
- Nitrous oxide in obstetrics, 1954: Sept., 1441
- Nodulation in silicosis, 1953: Nov., 1733
- Nodules of lung, solitary, circumscribed, diagnosis and treatment, 1954: July, 1143-1151
- Norepinephrine, in acute myocardial infarction, 1954: Jan., 17  
in pneumonia, 1953: July, 1055  
in poisoning, 1954: Jan., 210  
in shock, 1954: March, 499-514
- Nose, diseases, headache due to, 1954: May, 688  
fractures, 1954: Jan., 262  
injuries, 1954: Sept., 1311  
obstruction in, treatment, 1954: Sept., 1313
- Nosebleed, as manifestation of rheumatic fever, 1952: Nov., 1650  
treatment, Jan., 241; 1954: Sept., 1310
- NPH insulin in diabetes, 1953: May, 725, July, 1105
- Nucleus pulposus, 1953: March, 480
- Nursing care, skilled, for premature infant, 1952: Nov., 1573
- Nutrition, aged persons, 1954: Sept., 1485-1492  
deficiency, high cardiac output failure in, 1953: July, 975  
inadequate, iron deficiency anemia of infancy due to, 1952: Nov., 1686  
infant, advances in, 1952: Jan., 273-283  
proper, of premature infant, 1952: Nov., 1573
- Nydrazid in tuberculosis, 1952: Sept., 1260
- OATMEAL bath, 1953: May, 800
- Obesity, 1952: March, 365-392  
at menopause, 1952: March, 520  
hereditary, 1952: July, 916  
management, performance index as tool in, 1953: May, 733-746  
pre- and postoperative care in, 1953: May, 749  
psychologic factors in, 1952: March, 387
- Obstetric hemorrhage, 1954: Jan., 265-277

- Obstetrics, analgesia and anesthesia in, 1954: Sept., 1437-1445
- Oil clot retraction time in thromboplastin activation, 1953: Nov., 1845
- Oils, pneumonia or granuloma of lung due to, 1954: July, 989-996
- Ointments, in dermatoses, 1953: May, 802
- in eczema in children, 1954: Sept., 1276
- Old age, cardiovascular disease, in, 1954: Nov., 1767-1784
- care in, 1952: March, 569-583
- nutritional aspects, 1954: Sept., 1492
- Oliguria in poisoning, treatment, 1954: Jan., 206
- Ollier's disease in infants and children, 1952: Nov., 1752
- Omphalocele, 1952: Nov., 1772
- Operation in chronic disease, selection of, 1953: May, 747
- Opiate intoxication, 1954: Jan., 219
- nalorphine hydrochloride in, 1954: Jan., 203, 220
- Optic atrophy syphilitic, 1952: July, 1144
- Orchidopexy, age of election for, 1952: Nov., 1783
- Orchiectomy in carcinoma of prostate gland, 1952: May, 696
- Organic vs. functional disease, concept of, 1952: March, 305-310
- Orthopedics, pediatric, 1953: Sept., 1427-1448
- Oscillometry in peripheral vascular disease, 1954: May, 785
- Osgood-Schlatter's disease, 1953: Sept., 1436
- Osseous lesions, noninfectious, of infants and children, 1952: Nov., 1751-1765
- Osteitis fibrosa cystica, 1952: July, 917, Nov., 1713
- generalized, complicating polycystic kidney, clinocopathologic conference, 1952: March, 435-444
- Osteoarthritis, in aged, 1952: March, 581
- of spine, 1954: May, 662; Sept., 1482
- physical medicine in, 1952: Sept., 1487
- treatment, 1954: Sept., 1475-1484
- Osteochondrosis, 1953: Sept., 1436
- coxae, 1953: Sept., 1433
- Osteoma, osteoid, in infants and children, 1952: Nov., 1757
- Osteomyelitis, cryptococcal, and pulmonary moniliasis in same patient, 1953: Nov., 1737-1746
- of spine, 1954: May, 659
- cervical, neck, and shoulder pain due to, 1952: Sept., 1296
- Osteoporosis, 1952: May, 847-863
- due to immobilization, 1952: May, 860
- Osteoporosis, postmenopausal, 1952: March, 519, May, 849, 852
- spinal, 1954: May, 658
- Osteosarcoma in infants and children, 1952: Nov., 1758
- Otitis externa, treatment, 1954: Sept., 1319
- Otitis media, 1954: Jan., 244
- treatment, 1954: Sept., 1320
- Otolaryngology, modern, for general practitioner, 1954: Sept., 1309-1323
- Otosclerosis, 1954: Sept., 1321
- Ovary, functional tests, 1952: May, 749
- tumors, causing precocious pseudopuberty, 1952: Nov., 1721
- uterine hemorrhage due to, 1953: Sept., 1503
- virilizing, 1952: Nov., 1721
- Oxalate tetany, 1952: May, 892
- Oxazolidine-2,4-diones in epilepsy, 1952: Sept., 1385, 1388
- Oximetry, value, in cardiopulmonary problems, 1954: July, 1232
- Oxygen, for premature infant, 1952: Nov., 1572
- saturation, arterial, peripheral, in congenital heart disease, 1952: Nov., 1663
- therapy, in acute pulmonary edema, 1953: July, 959
- in asthma, 1952: Sept., 1273; 1954: July, 972
- in congestive heart failure, 1952: March, 424
- in aged, 1954: Nov., 1774
- in myocardial infarction, 1954: Nov., 1667
- in pneumonia, 1953: July, 1055
- in pulmonary fibrosis, 1954: July, 1016
- in rheumatic fever, 1952: Nov., 1655
- in rheumatic heart disease, 1954: Nov., 1709
- Oxytetracycline in amebiasis, 1953: Nov., 1806
- Oxyuriasis, treatment, 1953: May, 909
- PAGET's disease of spine, 1954: May, 658
- Pagitane in parkinsonism, 1954: March, 489, 494
- Pain, 1952: March, 485-500
- abdominal, as manifestation of rheumatic fever, 1952: Nov., 1650
- cardiac, of emotional origin, 1954: Sept., 1542
- chest, cardiac vs. noncardiac, 1954: May, 743-751
- craniofacial, 1954: May, 690
- cutaneous, 1952: March, 486
- deep, 1952: March, 487
- diagnosis, 1952: March, 496
- epigastric, 1952: March, 306-371
- in acute pancreatitis, 1953: Jan., 201
- wrongly attributed to heart, 1952: March, 507
- facial, 1954: Jan., 249
- heart, management, 1954: Jan., 11

- Pain, in cancer, control of, 1953: May, 875  
 in cervical disk syndrome, 1953: March, 456, 460; 1954: May, 669  
 in coronary heart disease, 1954: Nov., 1662  
 in diagnosis, 1953: March, 299  
 in lower backs, 1953: Sept., 1449-1460  
 in myocardial infarction, 1954: Nov. 1667  
 in paraplegia, control of, 1953: May, 927  
 in upper abdomen, differential diagnosis, 1954: May, 835-846  
 intractable, in cancer, control of, 1954: Sept., 1296  
 lower level, higher level modifications of, 1952: March, 492  
 lumbar, in intervertebral disk syndrome, 1953: March, 484, 508  
 menstrual, mechanisms, 1954: Sept., 1421  
 neck and shoulder, syndromes of, 1952: Sept., 1289-1307  
 nerve pathway, 1952: March, 489  
 neuritic, mistaken for heart pain, 1952: March, 504  
 phantom limb, 1952: March, 491  
 radicular, 1953: March, 299  
 referred, 1952: March, 488  
 response, tests for, in lumbar disk syndrome, 1953: March, 487  
 sciatic, in lumbar disk syndrome, 1953: March, 485; 1954: May, 667  
 symbolic, 1952: March, 495  
 thoracic, 1952: March, 339-341  
 treatment, 1952: March, 498  
 wrongfully attributed to heart, 1952: March, 501-513  
 Paint scrapings, lead determination in, 1952: Nov., 1592, 1596  
 Palsy. See also *Paralysis*.  
 cerebral, 1953: Sept., 1445  
 Pamine in gastrointestinal disease, 1954: March, 467  
 Pancreas, atherogenesis and, 1952: Jan., 191  
 diseases, diarrhea and bloody stools in, 1954: May, 819  
 Pancreatitis, acute, 1954: Jan., 134, Sept., 1393  
 importance of early diagnosis and conservative treatment, 1953: Jan., 199  
 chronic relapsing, 1952: March, 384; 1954: Sept., 1398  
 medical aspects, 1954: Sept., 1393-1402  
 Panparnit in parkinsonism, 1953: March, 530, Sept., 1514; 1954: March, 487, 491  
 Papanicolaou smears, 1953: Sept., 1543  
 in carcinoma of prostate, 1952: May, 693  
 Papaverine in arterial occlusions, 1952: Jan., 143, 149  
 Papillae, anal, hypertrophied, 1952: Sept., 1455; 1953: Jan., 270  
 Papilloma of trachea, 1954: July, 1095  
 Para-aminobenzoic acid, in dermatomyositis, 1953: Nov., 1710  
 in lupus erythematosus disseminatus, 1953: Nov., 1710  
 in meningitis, tuberculous, in children, 1952: Nov., 1622  
 in rickettsial infections, 1953: March, 409  
 in tuberculosis, 1952: Sept., 1257; 1954: July, 1167-1176  
 in children, 1952: Nov., 1624  
 reactions, 1954: July, 1172  
 Paracentesis, in congestive heart failure, 1952: March, 430  
 pericardial, 1953: Nov., 1642  
 Paradione in epilepsy, 1952: Sept., 1385, 1388; 1953: March, 326; 1954: March, 478  
 side effects, 1954: Sept., 1343  
 Paralysis, cerebral, 1953: Sept., 1445  
 infantile. See *Poliomyelitis*.  
 Paralysis agitans, 1953: March, 523-533, Sept., 1511-1523  
 Paranoia and paranoid states, 1954: Jan., 154  
 Paraphimosis, 1954: Jan., 284  
 Paraplegic, rehabilitation of, 1953: May, 920  
 Parasitic diseases, commoner, treatment, 1953: May, 903-913  
 Parasymphomimetic drugs in supraventricular tachycardia, 1952: Jan., 13  
 Parathyroids, functional tests, 1952: May, 755  
 Paratyphoid fever, immunization, 1954: Sept., 1497  
 Paredrine in myocardial infarction, 1954: Nov., 1671  
 Parent-child relationships, 1953: March, 566  
 Paresis, general, 1952: July, 1142  
 Parkinson's syndrome, 1953: March, 523-533, Sept., 1511-1523  
 Parkinson's syndrome, drug therapy, 1953: Sept., 1513; 1954: March, 485-498  
 side reactions, management, 1953: Sept., 1520  
 physical medicine in, 1952: Sept., 1493  
 treatment, 1953: March, 528, Sept., 1511-1523  
 Parsidol in parkinsonism, 1953: Sept., 1514  
 Pastes in dermatoses, 1953: May, 802  
 Patch test, Vollmer, 1952: Nov., 1522  
 Patient, as total organism, 1952: March, 305  
 his conception of his disease, 1952: March, 472  
 postoperative, magnesium levels in, 1952: July, 1163  
 the physician and disease, 1953: Nov., 1833-1841

- Patient-doctor relationship, 1952: Jan., 289-296, March, 308, 469, 585-592
- Pediometer, 1952: Nov., 1792
- Pediatric health examination, 1952: Nov., 1515-1523
- Pediatric orthopedics, 1953: Sept., 1427-1448
- Pediatrician, role in mother-child relationship, 1952: Nov., 1548, 1549
- Pediatrics, symposium on, 1952: Nov., 1513-1806
- Peep show method of hearing tests, 1952: Nov., 1792
- Peliosis rheumatica, 1952: Nov., 1707
- Pelvis, fractures, in auto crash, 1954: Jan., 84
- Penicillin, administration, 1952: Jan., 258, 259  
dosages, 1952: Jan., 258, 259  
effect on normal fecal flora, 1952: July, 1086  
in asthma, aerosol, 1953: July, 1018  
in bronchiectasis, aerosol, 1954: July, 1024  
prophylactic, 1953: Sept., 1354  
supraglottic, 1954: July, 1024  
in cardiovascular syphilis, 1954: Nov., 1757-1765  
in congestive heart failure, 1952: March, 430  
in endocarditis, bacterial, 1954: March, 387  
in gonorrheal vaginitis, acute, 1952: Nov., 1731  
in meningitis, 1953: March, 338  
intrathecal, 1953: Sept., 1363-1378  
in neurosyphilis, 1952: July, 1147  
in pediatric practice, 1952: Nov., 1608  
in pneumonia, 1953: July, 1055; 1954: July, 982  
in rheumatic fever, 1952: Nov., 1655  
prophylactic, 1952: Jan., 218, 219; 1954: Nov., 1713  
in staphylococcal infections, 1953: Sept., 1468  
in typhoid fever, 1954: March, 578  
in urinary tract infections, 1952: Sept., 1432, 1433  
resistance of staphylococci to, 1953: Sept., 1463  
in pediatric practice, 1952: Nov., 1609
- Pentapyrrolidinum in hypertension, 1954: March, 365, 372
- Pepper, O. H. Perry, symposium in honor of, 1953: Nov. 1595-1853
- Peptic ulcer, 1952: Sept., 1339  
alkalosis in, 1953: Jan., 40  
anticholinergic drugs in, 1954: March, 459  
antisecretory drugs in, 1952: Sept., 1328  
cancer and, 1953: Jan., 67  
complications, management, 1952: Sept., 1337; 1953: Jan., 35
- Peptic ulcer, diet in, 1952: Sept., 1332  
emotional factors, treatment, 1952: Sept., 1334  
epigastric pain in, 1952: March, 370  
hemorrhage from, massive, 1953: Jan., 20; 1954: Jan., 137  
treatment, 1953: Jan., 36  
intractable, 1952: Sept., 1337  
large, not demonstrable by x-ray, 1952: July, 1099-1110  
management, 1952: March, 379, Sept., 1323-1340; 1953: Jan., 33-40  
of Meckel's diverticulum, 1953: Jan., 229  
perforated, 1953: Jan., 39; 1954: Jan., 120  
pyloric obstruction in, 1952: Sept., 1338  
treatment, 1953: Jan., 35
- Perazil in parkinsonism, 1954: March, 489, 491
- Percussion test in lumbar disk syndrome, 1953: March, 487
- Performance index as therapeutic tool in obesity, 1953: May, 733-746
- Periarteritis nodosa, 1953: May, 778, Nov., 1629
- Periarticular conditions, physical medicine in, 1952: Sept., 1490
- Pericardial tap in rheumatic fever, 1952: Nov., 1656
- Pericarditis, constrictive, cardiac catheterization in, 1954: Nov., 1629  
nonspecific, acute, and differentiation from acute cardiac infarction, 1953: Nov., 1639  
treatment, 1954: Jan., 15  
tuberculous, surgery in, 1953: Nov., 1645  
with effusion, 1953: Nov., 1642
- Pericardium, disease of, observations on, 1953: Nov., 1639-1646  
scar, diagnostic features, 1953: Nov., 1643  
surgical features, 1953: Nov., 1644
- Perinephric abscess, 1954: Jan., 293
- Periosteal reaction in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765
- Peripheral vascular disease, diagnosis and management, 1952: Jan., 141-158  
diagnostic tests, 1954: May, 781-794
- Perirenal infections, 1952: Sept., 1429  
insufflation in adrenal cortex disease, 1952: May, 747
- Peritonsillar abscess, 1954: Jan., 247; Sept., 1316
- Peroneal muscular atrophy, 1953: March, 553
- Personality changes after lobotomy, 1954: Sept., 1387
- Pertussis. See Whooping cough.
- Pes adductus, 1953: Sept., 1436
- Pes planus, 1953: Sept., 1438



- Petit mal seizures, 1953: March, 316, 325; 1954: May, 696
- Phantom limb pain, 1952: March, 491
- Pharynx, lymphoid tissue, acute infections, 1954: Sept., 1315
- Phenacemide. See *Phenurone*.
- Phenacetin in rheumatoid arthritis, 1953: July, 1238
- Phenobarbital, in angina pectoris, 1954: Nov., 1664  
in asthma, 1954: July, 975  
in epilepsy, 1952: Sept., 1386, 1389; 1953: March, 322; 1954: March, 475  
in hypertension, 1952: July, 1020  
in rheumatic fever, 1952: Nov., 1654  
side effects, 1954: Sept., 1340
- Phenol poisoning, treatment, 1954: Jan., 202
- Phenolsulfonphthalein test in hypertension, 1952: Jan., 122
- Phenurone, in epilepsy, 1952: Sept., 1386, 1389; 1953: March, 324; 1954: March, 479  
liver damage from, 1953: Sept., 1386  
side effects, 1954: Sept., 1343, 1344, 1349
- Phenylbutazone, in gout, 1954: March, 611-624  
in rheumatoid arthritis, 1953: May, 819
- Phenylindanedione, excessive hypoprothrombinemia due to, Mephyton in, 1954: March, 413-417  
in coronary heart disease, 1954: March, 411
- Pheochromocytoma, diagnosis, Regitine and Benodaine in, 1954: March, 375-384  
hypertension in, 1954: May, 760  
tests for, 1952: Jan., 123, May, 754
- Phlebothrombosis, 1953: July, 1113-1118; 1954: Jan., 39
- Phlebotomy in congestive heart failure, 1952: March, 432
- Phyletenule, 1954: Jan., 226
- Phoria, test for, 1952: Nov., 1520
- Phosphatase, acid, in carcinoma of prostate, 1952: May, 694  
alkaline, in parathyroid disease, 1952: May, 755  
serum, in liver disease, 1953: Jan., 119
- Phosphorus, liver damage from, 1953: Sept., 1387  
poisoning, treatment, 1954: Jan., 202  
radioactive, in leukemia, 1953: May, 852; 1954: March, 525-540  
in lymphomas, 1953: May, 852  
serum, in parathyroid disease, 1952: May, 755
- Physical activity, restriction of, in treatment of tuberculosis in children, 1952: Nov., 1620
- Physical examination, in congenital heart disease, 1952: Nov., 1660  
of newborn infant, 1952: Nov., 1564
- Physician, and his patient, 1952: Jan., 289-296, March, 308, 469, 585-592  
deportment assumed by, 1952: March, 586  
importance, 1953: Nov., 1822  
obligations, on assuming professional care, 1953: Sept., 1566  
placebo and, 1953: Nov., 1821-1826  
psychologic effect of patients on, 1952: March, 585-592  
qualities in, affecting acceptance by patient, 1952: March, 587  
responsibility for acts of others, 1953: Sept., 1569  
the patient, and disease, 1953: Nov., 1833-1841
- Physician-patient relationship, establishment and termination, 1953: Sept., 1567
- Physiology, of psychotherapy, 1952: March, 447-456  
research in, contributions to clinical cardiology, 1954: Nov., 1565-1573
- Physiotherapy, in cerebral hemorrhage and thrombosis, 1952: Jan., 170  
in chronic vascular occlusions, 1952: Jan., 148  
in functional disorders, 1953: Nov., 1800  
in osteoarthritis, 1954: Sept., 1480  
in parkinsonism, 1953: Sept., 1517
- Picrotoxin in poisoning, 1954: Jan., 211
- Piromen in allergy, 1954: March, 561-568
- Pitocin, intravenous, to induce labor, 1952: Sept., 1481
- Pituitary function, tests, 1952: May, 751, 753  
therapy in hypertension, 1952: Jan., 136
- Placebo(s), and the physician, 1953: Nov., 1821-1826  
in treatment of functional disorders, 1953: Nov., 1799  
pharmacologic action, 1953: Nov., 1825  
therapy, 1953: Nov., 1823
- Placenta accreta, 1954: Jan., 267  
previa, 1954: Jan., 275  
induction of labor in, 1952: Sept., 1473
- Plague, immunization, 1954: Sept., 1516
- Plasma, in Ac globulin deficiency, 1953: Nov., 1851  
intravenous, in nephrotic syndrome, 1952: July, 932
- Plasma acetone, test, 1953: Sept., 1540
- Plasma cell myeloma, treatment, 1953: May, 844, 847, 851, 858, 862
- Plasma C/P ratios, 1952: Jan., 180
- Plasma hypervolemia in congestive heart failure, 1952: Jan., 31
- Platelet count, adhesive, 1953: Nov., 1847  
in thromboplastin activation, 1953: Nov., 1845
- Pleiotropism of genes, 1952: July, 912

- Plethysmography in peripheral vascular disease, 1954: May, 787
- Pleura, lesions, in silicosis, 1953: Nov., 1734
- Pleural effusion, malignant, treatment, intracavitary radioactive colloidal gold in, 1954: July, 1133-1138
- Pleural fluid, cytology, in diagnosis of pulmonary disease, May, 725; 1954: July, 1118, 1223
- Plummer-Vinson syndrome, 1952: July, 912
- PMLE (pregnant mammalian liver extract) in diabetic neuritides, 1952: Sept., 1366
- Pneumococcal infections, antibiotics in, 1952: Jan., 248, 250
- Pneumoconiosis, 1953: Nov., 1725 in industry, 1953: Nov., 1735
- Pneumonia, atypical, primary, 1954: May, 738; July, 986
- bacterial, problem cases, 1954: May, 906
- diagnosis, 1953: July, 1052
- Friedländer's, 1953: July, 1047; 1954: May, 737; July, 983
- influenza, 1953: July, 1045; 1954: July, 985
- lipoid, 1954: July, 989-996
- management, current problems, 1953: July, 1035-1057
- pneumococcal, 1954: July, 983
- recurrent, 1953: July, 1044
- staphylococcal, 1954: July, 984
- streptococcal, 1953: July, 1043; 1954: July, 985
- treatment, 1954: July, 981-987
- tuberculous, 1953: July, 1049, 1051
- viral (psittacosis, ornithosis), 1954: July, 986
- Pneumonolysis, extrapleural, in tuberculosis, 1952: Sept., 1264
- Pneumoperitoneum, diagnostic, value of, 1954: July, 1201-1205
- in pulmonary hemorrhage, 1954: Jan., 50
- in tuberculosis, 1952: Sept., 1261
- Pneumothorax, artificial, in tuberculosis, 1952: Sept., 1260
- in thoracic injury, 1954: July, 1183, 1189
- spontaneous, 1954: July, 1065-1074
- treatment, Jan., 52; July, 1069
- Poisonings, 1954: Jan., 199-223
- antidotes in, 1954: Jan., 201
- stimulants in, 1954: Jan., 209
- Poliomyelitis, 1953: March, 363-372
- bulbar, 1953: March, 368
- circulatory center involvement, 1953: March, 370
- encephalitic form, 1953: March, 371
- immunization, 1954: Sept., 1524
- paralytic, following injection of vaccines and toxoids, 1952: Nov., 1604
- respiratory center involvement, 1953: March, 370
- Poliomyelitis, spinal type, 1953: March, 365
- spinobulbar type, 1953: March, 370
- Polyarteritis nodosa, polyneuropathy with, 1954: Sept., 1328
- Polycythemia, pulmonary function tests in, 1954: July, 1235
- Polycythemia vera, treatment, 1953: May, 844, 851, 852, 854
- triethylene melamine in, 1954: March, 550
- Polycystic disease, congenital, 1952: July, 915
- Polymyxin, dosage, 1952: Jan., 259
- effect on normal fecal flora, 1952: July, 1089
- in bacterial endocarditis, 1954: March, 396
- in shigellosis, 1952: July, 1097
- Polyneuritic syndromes, diagnosis and treatment, 1952: Sept., 1357-1372
- Polyneuritis, idiopathic acute, 1954: Sept., 1327, 1334, 1336
- infections, 1954: Sept., 1327, 1334, 1336
- Polyneuropathies, diagnosis and treatment, 1954: Sept., 1325-1338
- Polyostotic fibrous dysplasia with precocious puberty, 1952: Nov., 1713
- Polyposis, complicating ulcerative colitis, 1953: July, 1164
- intestinal, hereditary, with oral pigmentation, 1952: July, 913
- Polyps, gastric, cancer and, 1953: Jan., 67
- of anus, fibrous, excision of, 1952: Sept., 1455
- of rectum, benign, removal of, 1952: Sept., 1436
- office treatment, 1953: Jan., 270
- in children, 1953: Jan., 275
- Polyradiculoneuritis, 1954: Sept., 1327
- Porphyria, acute, 1954: Sept., 1331, 1335, 1336
- autonomic blocking agents in, 1952: Sept., 1367
- Postcholecystectomy syndrome, 1953: Jan., 169-179; 1954: Sept., 1409
- Postmaturity, induction of labor in, 1952: Sept., 1478
- Postoperative care in chronic illness, 1953: May, 747-765
- Postpartum hemorrhage, 1954: Jan., 265
- Postpartum psychosis, 1954: Jan., 155
- Post-thrombophlebitic edema, treatment, 1954: Jan., 311
- Posture, backache and, 1954: May, 665
- changes in growing child, 1952: Nov., 1533-1540
- correction, 1952: Nov., 1539
- defects, physical medicine in, 1952: Sept., 1485
- development, pattern of, 1952: Nov., 1533
- mechanics of, 1952: Nov., 1534

- Posture, normal, factors influencing, 1952: Nov., 1537  
prevention of deformities, 1952: Nov., 1539
- Postural drainage in bronchiectasis, 1953: Sept., 1354
- Potassium, deficit, in nephrotic syndrome, 1952: July, 930  
in uremia, 1954: Sept., 1453  
in congestive heart failure, 1953: July, 983  
in diabetic acidosis and coma, 1952: May, 780  
replacement, 1953: May, 759
- Potassium chloride in premature contractions, 1952: Jan., 11
- Potassium iodide in asthma, 1954: July, 974  
permanganate bath, 1953: May, 800  
thiocyanate in hypertension, 1952: July, 1021
- Prantal in gastrointestinal disease, 1954: March, 466
- Prenesthetic drugs, approximate dosages in children, 1952: Nov., 1770
- Precocity, developmental, 1952: Nov., 1715  
incomplete (partial), 1952: Nov., 1726
- Pre-eclampsia, induction of labor in, 1952: Sept., 1476
- Pregnancy, diabetes and, 1953: July, 1110  
induction of labor in, 1952: Sept., 1477  
management, 1953: Sept., 1481-1496  
heart disease and, management, 1954: Nov., 1741-1755  
hypertension in, 1954: May, 763  
hyperthyroidism in, 1953: July, 1065  
antithyroid drugs in, 1952: May, 608  
radiiodine in, 1952: May, 635  
pulmonary edema in, acute, treatment, 1954: Nov., 1750  
syncope due to decubitus position in, 1953: Sept., 1323
- Premarin, in amenorrhea, 1953: July, 1087  
in dysmenorrhea, 1954: Sept., 1429  
in menometrorrhagia, 1952: Nov., 1735
- Premature infant. See under *Infant(s)*.
- Premenstrual tension, 1952: May, 719
- Prenderol in epilepsy, 1954: March, 478
- Preoperative care in chronic illness, 1953: May, 747-765
- Pressure paralysis, 1954: Sept., 1329
- Pressure sores in paraplegia, 1953: May, 925
- Prevention of chronic illness, 1953: May, 636
- Priscoline, hypotension due to, 1953: Sept., 1332
- Pro-Banthine in gastrointestinal disease, 1954: March, 463
- Procaine amide, in myocardial infarction, 1954: Nov., 1672  
in paroxysmal ventricular tachycardia, 1952: Jan., 17; 1953: July, 962  
in premature contractions, 1952: Jan., 13  
in ventricular tachycardia, 1952: Jan., 18; 1954: Jan., 25
- Proctology, diagnosis and office procedures, 1952: Sept., 1445-1457  
examination, 1952: Sept., 1447; 1953: Jan., 262  
office, 1953: Jan., 261-275  
pediatric, 1953: Jan., 274
- Proctoscopy, 1953: Jan., 264
- Proctosigmoidoscopy, office, 1954: May, 647
- Progesterone, in abnormal uterine bleeding, 1952: May, 714, 715  
in amenorrhea, 1952: May, 709; 1953: July, 1087  
in dysmenorrhea, 1954: Sept., 1431  
in pregnancy with diabetes, 1953: Sept., 1485
- Prolonged illness, symposium on, 1953: May, 629-941
- Promacetin in leprosy, 1954: March, 600, 602
- Promin in leprosy, 1954: March, 599, 602
- Promizole, in pulmonary tuberculosis in children, 1952: Nov., 1624  
in tuberculous meningitis, 1953: March, 351  
in children, 1952: Nov., 1612
- Pronestyl. See *Procaine amide*.
- Propylthiouracil, in hypertension, 1952: July, 1021  
in hyperthyroidism, 1952: May, 619, 620  
in myocardial ischemia, 1953: Sept., 1291
- Prostate, abscess, 1954: Jan., 293  
carcinoma, 1952: May, 689-704  
adrenalectomy in, 1952: May, 699  
early, Jan., 295; 1954: May, 648  
estrogen therapy, 1952: May, 695  
orchiectomy in, 1952: May, 696  
prostatectomy in, 1952: May, 697, 698  
hormonal therapy after, 1952: May, 698  
radiotherapy in, 1952: May, 699  
disease of, in aged, 1952: March, 581  
pre- and postoperative care in, 1953: May, 753  
massage, 1952: Sept., 1425
- Prostatectomy in carcinoma of prostate, 1952: May, 697, 698
- Prostatitis, 1952: Sept., 1423, 1424
- Prostatovesiculitis, acute, 1952: Sept., 1424
- Prostigmin in paroxysmal auricular tachycardia, 1953: July, 965
- Protamine sulfate in hyperheparinemia, 1953: Nov., 1851  
zinc insulin in diabetes, 1953: May, 721, 723, July, 1105

- Protein, in infant feeding, 1952: Jan., 275  
 requirements in aged, 1954: Sept., 1489  
 substitutes, in nephrotic syndrome, 1952: July, 932  
 therapy, in hepatitis, 1953: Jan., 139  
 pre- and postoperative, 1953: May, 755
- Protein hydrolysates in peptic ulcer, 1952: Sept., 1326
- Prothrombin, consumption, in thromboplastin activation, 1953: Nov., 1845  
 conversion factors, deficiency of, bleeding due to, 1952: July, 1064  
 level, maintenance in anticoagulant therapy, 1952: Jan., 113  
 test, one-stage, 1953: Nov., 1846  
 time in jaundice, 1952: March, 399
- Pruritus, anogenital 1953: May, 789  
 office treatment, 1953: Jan., 272  
 chronic, generalized, 1953: May, 785, 787  
 in aged, 1952: March, 579  
 in atopic dermatitis, treatment, 1952: July, 1135
- Pseudo-appendicitis, 1953: Jan., 14
- Pseudoglioma in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Pseudohemophilia, 1952: July, 1054
- Pseudohermaphroditism, female, 1952: Nov., 1717
- Pseudohypoparathyroidism, 1952: May, 889
- Pseudopuberty, and precocious puberty, 1952: Nov., 1711-1728
- Pseudo-ulcer, 1953: Jan., 14
- Psyche and soma, interaction of, 1952: Nov., 1544
- Psychiatric emergencies, recognition and management, 1954: Jan., 143-166
- Psychiatric patient, neurological examination of, 1952: Sept., 1401
- Psychiatric referral of office patient, 1954: Sept., 1360
- Psychiatry and neurology, symposium on, 1953: March, 295-607
- Psychic equivalents, 1953: March, 316, 322
- Psychogalvanometer in hearing tests, 1952: Nov., 1792
- Psychologic effect of patient on doctor, 1952: March, 585-592
- Psychometer, Maico, 1952: Nov., 1792
- Psychomotor attacks, 1954: May, 697
- Psychopathology in mother, 1952: Nov., 1546
- Psychoses, acute episodes, management, 1954: Jan., 144  
 common, characteristic symptoms, 1953: March, 584  
 electroshock therapy, outpatient, 1954: Sept., 1363-1378  
 functional, 1953: March, 584, 585, 588  
 hospitalization in, 1954: Jan., 156
- Psychosis, lobotomy in, indications and results, 1954: Sept., 1379-1391  
 manic-depressive, 1954: Jan., 144  
 manic phase, 1953: March, 589  
 neurosis and, differentiation, 1954: Jan., 149  
 organic, 1953: March, 584, 585, 586; 1954: Jan., 145  
 postpartum, 1954: Jan., 155  
 schizophrenic, 1954: Jan., 152  
 toxic, acute, 1953: March, 583, 584, 585
- Psychosomatic heart disease, 1954: Nov., 1789-1800
- Psychotherapy, in alcoholism, 1953: March, 599  
 in cardiac neurosis, 1954: Sept., 1543; Nov., 1794  
 in colitis, ulcerative, 1953: July, 1169  
 in dermatitis, 1953: July, 1184  
 atopic, 1952: July, 1136  
 in hypertension, 1952: July, 1019; 1953: July, 1003  
 in hyperthyroidism, 1953: May, 696  
 in insomnia, 1952: March, 550  
 in office neurotic patient, 1954: Sept., 1357  
 in painful states, 1952: March, 499  
 in parkinsonism, 1953: Sept., 1518  
 in peptic ulcer, 1953: Jan., 33  
 in psychoses after electroshock therapy, 1954: Sept., 1376  
 in psychotic episodes, acute, 1953: March, 591  
 physiology of, 1952: March, 447-456
- Psychotic episodes, acute, diagnosis and treatment, 1953: March, 579-593
- Pteroylglutamic acid. See *Folic acid*.
- Puberty, precocious, and pseudopuberty, 1952: Nov., 1711-1728  
 17-ketosteroids in, 1952: May, 762  
 uterine bleeding at, 1953: Sept., 1499
- Pudendal nerve block in obstetrics, 1954: Sept., 1445
- Pulmonary. See also *Lung*.  
 arteriovenous fistula, 1954: Nov., 1645  
 artery, idiopathic hypertrophy, 1952: Nov., 1667  
 circulation, cardiac catheterization in study of, 1952: July, 1035  
 new knowledge of, 1954: Nov., 1570  
 diseases, pre- and postoperative care in, 1953: May, 752  
 embolism, circulatory collapse due to, 1954: Jan., 18  
 prevention and treatment, 1954: Jan., 41  
 insufficiency, severe dyspnea due to, 1954: Jan., 10  
 stenosis, cardiac catheterization in, 1952: July, 1045; 1954: Nov., 1626  
 congenital, with intact ventricular septum, 1952: Jan., 49  
 diagnosis and treatment, 1954: Nov., 1640  
 roentgenology in, 1952: Jan., 66

- Pulmonary, tuberculosis. See *Tuberculosis*.  
 veins, anomalous, 1954: Nov., 1640  
 Pulmonic stenosis, pure, 1952: Nov., 1669  
 Pulsus paradoxus, 1953: Nov., 1641  
 Punch biopsy. See under *Biopsy*.  
 Puncture wounds, care of, 1954: Jan., 104  
 Purinethol in leukemia, 1953: Nov., 1764  
 Purpura, allergic, 1952: Nov., 1707  
 anaphylactoid, 1952: Nov., 1707  
 senile, 1952: July, 1053  
 thrombocytopenic, 1952: Nov., 1698  
 idiopathic, 1952: July, 1056, Nov., 1701  
   pathogenesis and treatment, 1953: Sept., 1395-1407  
   secondary or symptomatic, 1952: July, 1057  
   splenectomy for, 1953: Jan., 191  
   thrombotic, 1952: July, 1058  
 Pyelogram, intravenous, in hypertension, 1952: Jan., 123  
 Pyelonephritis, 1952: Sept., 1413, 1415, 1425  
 Pylorus, obstruction, in peptic ulcer, 1952: Sept., 1338  
   treatment, 1953: Jan., 35  
 Pyrazinamide in tuberculosis, 1952: Sept., 1260  
 Pyrogen(s), hypotension due to, 1953: Sept., 1333  
 Pyrosis, 1952: March, 371  
   wrongly attributed to heart, 1952: March, 507  
 Q FEVER, nervous system involvement, 1953: March, 395-422  
 Quick's prothrombin test, 1953: Nov., 1846  
 Quinacrin in amebiasis, 1953: Nov., 1897  
 Quinidine, administration, for reversion, 1952: July, 1027  
   in atrioventricular heart block, 1952: Jan., 19  
   in auricular fibrillation, 1952: Jan., 16, July, 1026; 1953: July, 978  
   in auricular flutter, 1952: Jan., 15, July, 1027  
   in myocardial infarction, 1954: Nov., 1671  
   in paroxysmal supraventricular tachycardia, 1952: Jan., 13, July, 1027  
   in paroxysmal ventricular tachycardia, 1952: Jan., 17, July, 1027; 1953: July, 962  
   in premature contractions, 1952: Jan., 11, July, 1027  
   in ventricular fibrillation, 1952: Jan., 19, July, 1027  
   therapeutic use, 1952: July, 1025-1034  
 R-16 in leukemia and allied disorders, 1953: Nov., 1760  
 Rabellon in parkinsonism, 1953: Sept., 1514; 1954: March, 490, 492, 494  
 Rabies, 1953: March, 375, 380, 385  
   prevention, 1954: Jan., 107, Sept., 1518  
   treatment, 1953: March, 390  
   vaccine, indications, 1954: Jan., 109  
 Radiation syndrome, 1952: Jan., 264  
 Radiogold, intracavitary, in treatment of malignant pleural effusion, 1954: July, 1133-1138  
 Radioiodine. See *Iodine, radioactive*.  
 Radiomimetic agents in leukemia and allied disorders, 1953: Nov., 1755  
 Radiophosphorus. See *Phosphorus, radioactive*.  
 Radiotherapy in carcinoma of prostate, 1952: May, 699  
 Radium, in postmaturity abnormal uterine bleeding, 1952: May, 716  
 Rauwolfia in hypertension, 1953: Sept., 1303; 1954: March, 365, 370, 372; Nov., 1725  
 Raynaud's syndrome, 1952: Jan., 156  
 Reaction, inflammatory, delayed, 1953: Nov., 1626  
   whealing, immediate, 1953: Nov., 1626  
 Reagents for office laboratory, 1953: Sept., 1530  
 Rectum, abscesses, incision of, 1952: Sept., 1455  
   carcinoma, detection and early diagnosis, 1954: May, 647  
   examination, 1952: Sept., 1447; 1954: May, 829  
   impactions, treatment, 1952: Sept., 1456  
   polyps, benign, removal of, 1952: Sept., 1456  
   office treatment, 1953: Jan., 270  
   in children, 1953: Jan., 275  
   prolapse, in children, 1953: Jan., 274  
 Reflex(es), in cervical root compression, 1953: March, 459  
   in lumbar disk syndrome, 1953: March, 491  
   testing, 1953: March, 309  
   in neurology, 1952: Sept., 1399  
 Reflex therapy, conditioned, in alcoholism, 1953: March, 600  
 Regitine in diagnosis of pheochromocytoma, 1952: May, 754, 1954: March, 375-384  
 Regurgitation, 1952: March, 375; 1953: Jan., 4  
 Rehabilitation, in cardiovascular disease, 1954: Nov., 1785-1788  
   in chronic disease, 1953: May, 638, 915-932  
   in rheumatoid arthritis, 1953: May, 815  
   of handicapped, place of official agency in, 1953: May, 933-941  
   of paraplegic, 1953: May, 920  
 Renal. See *Kidney*.  
 Renin-antirenin therapy in hypertension, 1952: Jan., 135

- Research, avenues of, in chronic disease, 1953: May, 640
- Resection surgery in tuberculosis, 1952: Sept., 1264
- Resins, cation exchange, in congestive heart failure, 1952: March, 432; 1953: May, 651; 1954: March, 419-430  
in edema, 1952: July, 958  
in liver disease, 1953: July, 1148  
in peptic ulcer, 1952: Sept., 1327  
use, magnesium levels following, 1952: July, 1165
- Respiration, artificial, methods, 1954: Jan., 56  
extrauterine, in newborn infant, 1952: Nov., 1563  
maintaining, in poisoning, 1954: Jan., 207  
physiologic alterations in thoracic injuries, 1954: July, 1183-1188
- Respirator in poliomyelitis, 1953: March, 366
- Respiratory tract, diseases, chronic, heart disease due to (cor pulmonale), 1954: 1675-1692  
emergencies, 1954: Jan., 47-62  
infection, hemolytic streptococcal, prevention, 1952: Jan., 217  
secretional obstruction, 1954: Jan., 255
- Rest, in arthritis, rheumatoid, 1953: July, 1240, 1241  
in dermatitis, acute, 1952: Sept., 1440  
in heart disease, rheumatic, 1954: Nov., 1709  
in heart failure, congestive, 1952: March, 422; 1954: Nov., 1654  
in aged, 1954: Nov., 1773  
in hypertension, arterial, 1953: Nov., 1650  
in hepatitis, viral, 1953: Sept., 1388  
in hyperthyroidism, 1953: May, 698  
in liver disease, 1953: July, 1150  
in myocardial infarction, 1954: Nov., 1666  
in rheumatic fever, 1952: Nov., 1653; 1954: Nov., 1709  
in tuberculosis, 1952: Sept., 1256  
prolonged, hypotension after, 1953: Sept., 1326
- Restraints in acute psychoses, 1953: March, 581
- Resuscitation, cardiac, 1953: July, 968  
of newborn, 1954: Jan., 60
- Reticulocyte count, 1953: Sept., 1538
- Reticuloendothelial diseases, liver in, 1953: Jan., 101
- Reticuloendotheliosis in differential diagnosis of bone cysts, 1952: Nov., 1756
- Retinal dysplasia in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Retinoblastoma, in childhood, 1952: Nov., 1802  
in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Retinopathy of prematurity, 1952: Nov., 1579
- Retrolental fibroplasia, 1952: Nov., 1579-1585
- Retropharyngeal abscess, 1954: Jan., 248
- Retropneumoperitoneum, 1954: May, 806
- Rheumatic disease, hydrocortisone in, oral, 1954: March, 337-347  
intra-articular, 1954: March, 349-357
- Rheumatic fever, convalescent care, 1952: Nov., 1657  
course, 1952: Nov., 1653  
diagnosis, 1952: Nov., 1649; 1954: Nov., 1705  
diet in, 1952: Jan., 225  
etiologic factors in, 1954: Nov., 1693-1704  
heart disease and, 1954: Nov., 1705-1716  
manifestations, 1952: Nov., 1649  
nature of, 1953: July, 1215  
prophylaxis, 1952: Jan., 217, 218, Nov., 1657; 1954: Nov., 1712  
rebound reactions, 1953: July, 1232  
subclinical, 1952: Jan., 224  
treatment, 1952: Jan., 219, Nov., 1649-1658; 1953: July, 1215-1234; 1954: Nov., 1709
- Rheumatic heart disease, 1954: Nov., 1705-1716  
development, 1953: July, 1215  
disability in, causes, 1953: May, 668
- Rheumatic subject, care of, 1952: Jan., 217-228
- Rheumatism, psychogenic, 1954: May, 665
- Rheumatoid arthritis. See Arthritis, rheumatoid.
- Rheumatoid spondylitis, 1954: May, 660
- Rhinitis, allergic, perennial, 1953: May, 770  
vasomotor, 1953: May, 770; 1954: Sept., 1314  
in infants and children, 1954: Sept., 1265
- Rhizotomy for angina pectoris, 1954: Nov., 1665
- Riboflavin in infant nutrition, 1952: Jan., 280
- Rice diet in hypertension, 1952: Jan., 127, 135
- Rickets, refractory, in infants and children, 1952: Nov., 1761
- Rickettsial infections, antibiotics in, 1952: Jan., 254; 1953: March, 407  
diagnosis, 1953: March, 401  
prevention, 1953: March, 419  
problem cases, 1954: May, 917  
treatment, 1953: March, 406
- Rickettsialpox, nervous system involvement, 1953: March, 395-422
- Rimifon in tuberculosis, 1952: Sept., 1260
- Rings, vascular, 1952: Nov., 1665

- Ringworm, of nails, treatment, 1954: Sept., 1306  
 of scalp, treatment, 1954: Sept., 1305
- Robinson-Power-Kepler test in Addison's disease, 1952: May, 723, 745
- Rocky Mountain spotted fever, 1954: Sept., 1522  
 nervous system involvement, 1953: March, 395-427
- Roentgen diagnosis, of Addison's disease, 1952: May, 722, 747  
 of bronchiectasis, 1953: July, 1027  
 of bronchogenic carcinoma, 1954: July, 1114  
 of carcinoma of stomach, 1953: Jan., 74  
 of cervical root compression, 1953: March, 470  
 of chronic subdural hematoma, 1953: March, 447  
 of congenital malformations of heart, 1952: Jan., 53  
 of hypothyroidism, 1952: May, 743  
 of large gastric ulcers, failures in, 1952: July, 1099-1110  
 of lumbar disk syndrome, 1953: March, 492  
 of medical diseases, 1954: May, 795-816  
 of parathyroid disease, 1952: May, 755  
 of pulmonary disease, value of special techniques, 1954: July, 1193-1200  
 of pulmonary tuberculosis, 1954: July, 1155  
 of silicosis, 1953: Nov., 1725-1736
- Roentgen examination, in backache, 1953: July, 1209  
 in diarrhea and bloody stools, 1954: May, 832
- Roentgen findings after isoniazid in pulmonary tuberculosis, 1953: May, 888
- Roentgen studies in heart disease, 1954: Nov., 1575-1581
- Roentgen treatment, of amenorrhea, 1952: May, 711; 1953: July, 1092  
 of bronchogenic carcinoma, 1954: July, 1129  
 of cervical root compression, 1943: March, 468  
 of Hodgkin's disease, 1953: May, 844  
 of leukemia, 1953: May, 844  
 of lymphosarcoma, 1953: May, 844  
 of malignant lymphomas, 1953: May, 844  
 of metastatic carcinoma, 1954: Sept., 1283  
 of rheumatoid arthritis, 1953: May, 817  
 of skin diseases, 1953: July, 1181
- Roentgenography, in diagnosis of congenital heart disease, 1952: Nov., 1660  
 of newborn infant, 1952: Nov., 1568
- Roentgenography, of skull in hydrocephalus, 1952: Nov., 1742
- Roentgenoscopy in pulmonary disease, 1954: July, 1199
- Roniacol in chronic arterial occlusions, 1952: Jan., 150
- Root syndromes, cervical. See *Cervical root compression*.
- Rubella, immunization, 1952: Nov., 1604; 1954: Sept., 1529
- Rubeola. See *Measles*.
- Rupture, of bladder, 1954: Jan., 287  
 of membranes for inducing labor, 1952: Sept., 1481  
 of urethra, 1954: Jan., 287
- Rutin, effect on capillary permeability, 1952: Jan., 211
- SALAZOPYRIN in ulcerative colitis, 1953: July, 1170
- Salicylates, in liver disease, 1953: July, 1144  
 in rheumatic fever, 1952: Jan., 218, 223, Nov., 1654; 1953: July, 1218; 1954: Nov., 1710  
 in rheumatoid arthritis, 1953: July, 1237  
 toxicity, 1953: July, 1221
- Salivary glands, tumors, 1954: Sept., 1318
- Salk's vaccine in prevention of polio, 1954: Sept., 1526
- Salmonella infections, antibiotics in, 1952: Jan., 250, 251, July, 1092
- Salt(s), alkaline, in nephrotic syndrome, 1953: July, 1137  
 depletion, in heart disease therapy, 1952: Jan., 111, March, 430  
 syndrome, 1952: July, 962; 1953: July, 983  
 hormone deficiency, androgen-producing adrenocortical hyperplasia associated with, 1952: Nov., 1725
- restriction, in Addison's disease, diagnostic, 1952: May, 722, 746  
 in heart failure, 1953: May, 648  
 in aged, 1954: Nov., 1774  
 in heart disease in pregnancy, 1954: Nov., 1748  
 in hypertension, 1952: Jan., 127, 136; 1953: July, 1007; 1954: March, 368, Nov., 1727  
 handicaps of, 1953: May, 671  
 in liver disease, 1953: Jan., 137, July, 1147  
 in nephrotic syndrome, 1952: July, 929  
 in premenstrual tension, 1952: May, 719
- tolerance test in Addison's disease, 1952: May, 746
- Sarcoidosis, 1953: May, 829-841  
 of lung diagnosis, 1954: May, 740  
 and treatment, 1954: July, 997-



- Sarcoma, osteogenic, in childhood, 1952: Nov., 1803  
reticulum cell, triethylene melamine in, 1954: March, 549
- Scalenus anticus syndrome, 1952: Sept., 1298
- Scalp, examination, 1952: Nov., 1522  
ringworm, treatment, 1954: Sept., 1305
- Scarlet fever, immunization, 1954: Sept., 1530
- Schistosomiasis, of liver, 1953: Jan., 103  
treatment, 1953: May, 911
- Schizophrenia, 1953: March, 584, 589; 1954: Jan., 152
- Schonlein-Henoch's syndrome, 1952: Nov., 1707
- School, effect on normal posture development, 1952: Nov., 1538  
problems in children, 1953: March, 568
- Schüller-Christian disease, 1952: Nov., 1756  
liver and spleen in, 1954: May, 862
- Sciatica, neurological aspects, 1953: March, 479-502, 503-510
- Scintigrams, 1952: July, 987
- Scleroderma, 1953: Nov., 1701
- Sclerosis, emotional manifestations, 1952: March, 479  
endocardial, 1952: Nov., 1666  
multiple, onset and duration, 1953: March, 511-521  
physical medicine in, 1952: Sept., 1492
- Scoliosis, 1953: Sept., 1443
- Scopolamine, in motion sickness, 1952: Sept., 1378, 1379  
in obstetrics, 1954: Sept., 1440  
in parkinsonism, 1953: Sept., 1512
- Screening, in detection of chronic disease, 1953: May, 637  
tests, 1952: Nov., 1518
- Scrub typhus, nervous system involvement, 1953: March, 395-422
- Scurvy, 1952: July, 1055  
in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765
- Seasickness, treatment, 1952: Sept., 1373-1380
- Secretions, respiratory obstruction due to, 1954: Jan., 255
- Sedatives, in asthma, 1953: July, 1017; 1954: July, 975  
in heart disease, rheumatic, 1954: Nov., 1710  
in heart failure, congestive, in aged, 1954: Nov., 1773  
in hyperthyroidism, 1953: May, 698  
in insomnia, 1952: March, 551  
in peptic ulcer, 1952: Sept., 1336  
in psychosis, acute, 1953: March, 581  
in rheumatic fever, 1952: Nov., 1654; 1954: Nov., 1710  
testing pain with, 1952: March, 497
- Sedimentation rate, in ACTH and cortisone therapy, 1952: Jan., 235  
in congenital heart disease, 1952: Nov., 1662  
in rheumatic fever, 1952: Nov., 1650
- Sensation, disturbances of, 1953: March, 299
- Sensitivity testing, use and abuse, 1953: Sept., 1465
- Sensory testing, 1952: Sept., 1400; 1953: March, 301  
in cervical root compression, 1953: March, 459  
in lumbar disk syndrome, 1953: March, 490
- Septal defects, diagnosis and treatment, 1954: Nov., 1639, 1640  
roentgenology in, 1952: Jan., 66
- Sequestration, bronchopulmonary, intralobar, 1954: July, 1081-1090
- Serum, albumin. See under *Albumin*.  
alkaline phosphatase in liver disease, 1953: Jan., 119  
carbon dioxide concentration. See under *Carbon Dioxide*.  
chloride concentration. See under *Chloride(s)*.  
choline esterase in liver disease, 1953: Jan., 120  
neuritis, 1954: Sept., 1330  
placental, in treatment of rheumatoid arthritis, 1953: May, 805-814  
method of obtaining, 1953: May, 806  
potassium concentration in Addison's disease, 1952: May, 722  
sickness, in infants and children, 1954: Sept., 1270  
sodium concentration in Addison's disease, 1952: May, 722
- Sex hormones in pregnancy with diabetes, 1953: Sept., 1485
- Shigella infections, antibiotics in, 1952: Jan., 250, 251, July, 1095
- Shock, cardiogenic, treatment, 1953: Sept., 1320; 1954: Jan., 16  
in acute coronary thrombosis, treatment, 1953: July, 955, Sept., 1298  
in burns, treatment, 1954: Jan., 98  
in crash injuries, 1954: Jan., 81  
in myocardial infarction, treatment, 1954: Nov., 1670  
in poisoning, treatment, 1954: Jan., 208  
norepinephrine in, 1954: March, 499-514  
surgical, liver in, 1953: Jan., 110  
traumatic or hemorrhagic, hypotension in, 1953: Sept., 1335
- Shoulder, frozen, physical medicine in, 1952: Sept., 1490
- pain syndromes, 1952: Sept., 1289-1307
- Sialadenitis, 1954: Sept., 1317
- Sighing wrongly attributed to heart, 1952: March, 510

- Sigmoidoscopy, 1952: Sept., 1449;  
1953: Jan., 264; 1954: May, 829
- Silicosis, roentgen diagnosis, 1953:  
Nov., 1725-1736
- Silvester method of artificial respira-  
tion, 1954: Jan., 56
- Sinus disease, chronic, complicating  
asthma, 1953: May, 780
- headache in, 1954: May, 688
- Sinusitis, frontal, acute, 1954: Jan., 249  
treatment, 1954: Sept., 1312
- Sippy powders in peptic ulcer, 1952:  
Sept., 1326
- SKF-1637 in parkinsonism, 1953: Sept.,  
1515
- Skin, carcinoma, detection and early  
diagnosis, 1954: May, 649
- disease, hydrocortisone ointment in,  
1954: March, 321-336
- in aged, 1952: March, 578
- treatment, 1953: July, 1175-1190
- fungus diseases, treatment; 1954:  
Sept., 1301-1308
- grafts in burns, 1953: July, 1126
- lesions, in rheumatic fever, 1954:  
Nov., 1705
- resistance technique, galvanic, 1952:  
Nov., 1792
- tags, anal, excision of, 1952: Sept.,  
1451
- temperature studies in peripheral  
vascular disease, 1954: May, 788
- tests, in drug allergy, 1953: Sept.,  
1413
- in nasal allergy in children, 1954:  
Sept., 1267
- tuberculin, 1952: Nov., 1522
- ulcers, indolent, infected, Tryptar  
in, 1954: March, 359-361
- Skull, fractures, in auto crash, 1954:  
Jan., 91
- roentgenogram, in hydrocephalus,  
1952: Nov., 1742
- Sleep, disturbances, 1952: March, 539-  
555
- "Small laboratory disease," 1953:  
Jan., 15
- Smallpox, immunization, 1952: Nov.,  
1603; 1954: Sept., 1494
- Smear, blood, 1953: Sept., 1538
- Papanicolaou, 1953: Sept., 1543
- vaginal, 1952: May, 750
- Snake bite, 1954: Jan., 108
- Social factors in prolongation of ill-  
ness, 1952: March, 306
- Social measures in painful states, 1952:  
March, 500
- Sodium. See also *Salt*.  
carboxymethylcellulose in peptic  
ulcer, 1952: Sept., 1327
- chloride, in Addison's disease, 1952:  
May, 726
- in urine, office test, 1953: Sept.,  
1534
- citrate in lead poisoning, 1952: Nov.,  
1592, 1593
- deficiency in uremia, 1954: Sept., 1451
- Sodium, nitrite, hypotension due to,  
1953: Sept., 1332
- penicillin. See under *Penicillin*.
- salicylate in rheumatic fever, 1953:  
July, 1221
- Solution M for dissolution of calculi,  
1954: Sept., 1469
- Soma and psyche, interaction of, 1952:  
Nov., 1544
- Southey's tubes, use, in edema of  
nephrotic syndrome, 1952: July, 931
- Spasm, anal, 1953: Jan., 270
- cerebral, 1952: Jan., 162
- Specimens, collection, preservation  
and transportation, 1953: Sept.,  
1543
- Speech, development, normal, 1952:  
Nov., 1790
- screening test, 1952: Nov., 1521
- Sperm count, 1952: May, 748
- Spermatic cord, torsion of, 1954: Jan.,  
286
- Spinal abscess, epidural, acute, 1954:  
Jan., 167
- Spinal anesthesia in obstetrics, 1954:  
Sept., 1443
- Spinal canal, tumors of, neck and  
shoulder pain due to, 1952: Sept.,  
1294
- Spinal fluid examination in neuro-  
syphilis, 1952: July, 1146
- Spinal puncture. See *Lumbar puncture*.
- Spine, bones of, lesions, pain arising  
from, differential diagnosis, 1954:  
May, 657
- cervical, neck and shoulder pain in,  
1952: Sept., 1296
- examination, in low back pain, 1953:  
Sept., 1451
- fractures, in auto crash, 1954: Jan.,  
91, 92
- joints of, lesions, pain arising from,  
1954: May, 660
- lesions, pain from, mistaken for heart  
pain, 1952: March, 504
- osteoarthritis, treatment, 1954:  
Sept., 1482
- Splanchicectomy, surgical, hypoten-  
sion after, 1953: Sept., 1325
- Spleen, anatomy and physiology, 1953:  
Jan., 181, 182
- diseases, 1953: Jan., 181-198
- splenectomy in, indications and  
contraindications, 1953: Jan., 187
- infarction, 1954: May, 859
- Splenectomy, hematologic indications,  
1953: July, 1201
- in thrombocytopenic purpura, 1953:  
Sept., 1404
- indications and contraindications,  
1953: Jan., 187, 189, 191
- physiologic basis, 1953: Jan., 185
- Splenomegaly, congestive, 1953: Jan.,  
186
- hemorrhagic tendency, 1952: Nov.,  
1709
- differential diagnosis, 1954: May,  
857-874

- Splenoportography, 1954: May, 805  
 Splint, Denis-Browne, 1953: Sept., 1428  
 Spondylitis, rheumatoid, 1954: May, 660  
 Spondylolisthesis, 1954: May, 657  
 Spotted fever, rickettsial, nervous system involvement, 1953: March, 395-422  
 Sprue, nontropical, complicated by generalized amyloidosis, 1952: July, 1173-1185  
 Sputum, blood in, 1952: March, 337  
 cytology, in diagnosis of pulmonary disease, 1954: May, 725, July, 1220  
 in bronchogenic carcinoma, 1954: July, 1118  
 Staphylococcal infections, antibiotics in, 1952: Jan., 249, 250; 1953: Sept., 1467, 1475  
 erythromycin in, 1954: March, 571  
 treatment, 1953: Sept., 1461-1479  
 Staphylococci, penicillin-resistant, 1953: Sept., 1463  
 Starch bath, 1953: May, 800  
 Starling law, 1954: May, 879  
 Status asthmaticus, treatment, 1952: Sept., 1273; 1953: July, 1014; 1954: Jan., 63, July, 969-979  
 Status degenerativus, 1952: July, 918  
 Steam inhalations in asthma, 1953: July, 1017  
 Steatorrhea, amyloid disease associated with, 1952: July, 1173  
 Stellate ganglion block in cerebrovascular accidents, 1952: Jan., 169; 1953: March, 432; 1954: Jan., 32, 176  
 Stenosis, pulmonary, See *Pulmonary stenosis*.  
 Stereovectorcardiography, 1952: Jan., 106  
 Sterility. See *Infertility*.  
 Stilbestrol. See *Diethylstilbestrol*.  
 Stimulants in poisonings, 1954: Jan., 209  
 Stockings, elastic, in prevention of thromboembolism, 1952: Sept., 1313  
 Stokes-Adams syndrome, 1952: July, 912  
 Stoke's syndrome in Hodgkin's disease, treatment, 1953: May, 847  
 Stomach, aspirated material from, study in pulmonary disease, 1954: July, 1223  
 carcinoma, detection and early diagnosis, 1954: May, 651  
 diagnosis, failure of x-ray and gastroscopy in, 1952: July, 1106  
 diagnostic and therapeutic considerations, 1953: Jan., 63-85  
 dilatation, gastric hemorrhage initiated by, 1953: Jan., 25  
 diseases, x-ray diagnosis, 1954: May, 811  
 functional diseases, 1953: Jan., 3-16  
 hemorrhage from, massive, diagnosis, 1953: Jan., 28  
 treatment, 1953: Jan., 17-32  
 Stomach, secretion, effects of ACTH and cortisone on, 1952: July, 1079  
 tumors, miscellaneous, 1953: Jan., 81  
 ulcer. See *Peptic ulcer*.  
 Stomatitis, ulcerative, 1954: Sept., 1315  
 Stones. See *Calculi*.  
 Stools, bloody, differential diagnosis, 1954: May, 817-833  
 examination, 1952: Nov., 1522; 1954: May, 831  
 office procedures, 1953: Sept., 1541  
 Strabismus, test for, 1952: Nov., 1520  
 Strain, back, 1954: May, 670  
 low, 1953: Sept., 1449-1460  
 Stramonium in parkinsonism, 1953: March, 529, Sept., 1512  
 Strangulation, 1954: Jan., 58  
 Streptococcal infections, diagnosis and treatment, 1954: Nov., 1713  
 erythromycin in, 1954: March, 572  
 respiratory, prevention, 1952: Jan., 217  
 Streptococcus, hemolytic, in etiology of rheumatic fever, 1954: Nov., 1693, 1699  
 Streptokinase and streptodornase, in bronchiectasis, 1954: July, 1022  
 in staphylococcal infections, 1953: Sept., 1474  
 Streptomycin, administration and dose, 1952: Jan., 259, 260  
 effect on normal fecal flora, 1952: July, 1086  
 hazard to handlers, 1954: July, 1175  
 in bacterial endocarditis, 1954: March, 393  
 in bronchiectasis, 1954: July, 1025  
 in meningitis, influenzal, 1953: March, 339  
 intrathecal, 1953: Sept., 1363-1378  
 tuberculous, 1953: March, 351  
 in children, 1952: Nov., 1621  
 in pediatric practice, 1952: Nov., 1612  
 in pneumonia, 1954: July, 982  
 in salmonellosis, 1952: July, 1094  
 in shigellosis, 1952: July, 1096  
 in staphylococcal infections, 1953: Sept., 1469  
 in tuberculosis, 1952: Sept., 1257; 1954: July, 1167-1176  
 in children, 1952: Nov., 1623, 1624  
 in urinary tract infections, 1952: Sept., 1432, 1433  
 reactions, 1954: July, 1171  
 Stricture, bronchial, 1954: July, 1044  
 urethral, 1954: Jan., 281  
 "Stroke," 1952: Jan., 159-175  
 diagnosis, 1954: May, 766  
 emergency treatment, 1953: July, 968  
 little, unrecognized, abdominal distress due to, 1953: Jan., 16  
 Strongyloidiasis, treatment, 1953: May, 911  
 Subaortic stenosis, 1952: Nov., 1665  
 Suffering, 1952: March, 485-500

- Sugar, consumption, increase in, 1953: Jan., 278  
in blood. See *Blood, sugar*.  
in urine, tests, 1953: July, 1098, Sept., 1532
- Suicidal patients, management, 1953: March, 582; 1954: Jan., 161
- Sulfadiazine, in hemolytic streptococcal respiratory infection, prophylactic, 1952: Jan., 218  
in meningitis, 1953: March, 336  
in shigellosis, 1952: July, 1096  
in urinary tract infections, 1952: Sept., 1433
- Sulfamerazine, in meningitis, 1953: March, 336  
in prevention of recurrence of rheumatic fever, 1952: Nov., 1658
- Sulfate, protamine, in hyperheparinemia, 1953: Nov., 1851
- Sulfathiazole in meningitis, 1953: March, 336
- Sulfonamides. See also the individual drugs.  
effect on normal fecal flora, 1952: July, 1085  
in appendicitis, 1953: Jan., 224  
in bronchiectasis, prophylactic, 1953: Sept., 1354  
in colitis, ulcerative, chronic, 1953: Jan., 252, July, 1170  
in conjunctivitis, inclusion, 1952: Sept., 1243  
in lymphogranuloma venereum, 1952: Sept., 1242  
in meningitis, 1953: March, 336  
in poliomyelitis, 1952: Sept., 1251  
in psittacosis, 1952: Sept., 1244  
in rheumatic fever, prophylactic, 1954: Nov., 1713  
in trachoma, 1952: Sept., 1243  
in viral diseases, 1952: Sept., 1239-1252  
liver damage from, 1953: Sept., 1386
- Sulfone therapy of leprosy, 1954: March, 599-610
- Sulkowitch reagent, 1952: May, 755
- Sulphetrone in leprosy, 1954: March, 599, 603
- Suppositories, vaginal, in leukorrhea, 1952: Sept., 1463
- Supraspinatus tendinitis with and without rupture or calcification, 1952: Sept., 1300
- Surgery, arrhythmia during, 1952: Jan., 4  
in aged, 1952: March, 582
- Sympathectomy, for angina pectoris, 1952: Jan., 88; 1954: Nov., 1666  
for arterial occlusions, acute, 1952: Jan., 143; 1954: Jan., 32  
chronic, 1952: Jan., 151  
for hypertension, 1952: Jan., 127, 137, July, 1023; 1953: July, 1005; 1954: March, 368  
arterial, 1953: Nov., 1652  
for thrombophlebitis, 1952: Sept., 1319
- Sympathetic block, in acute arterial occlusion, 1954: Jan., 32  
in peripheral neuropathies, 1954: Sept., 1336
- Symptoms, basis of, 1952: March, 451  
symposium on, 1952: March, 303-444
- Syncope, 1952: March, 326-330  
causes and treatment, 1953: July, 967, Sept., 1313-1339  
in heart disease, [management, 1954: Jan., 22  
post-tussive, 1953: Sept., 1321  
reflex, 1952: March, 326, 563  
tussive, 1952: March, 328  
vasodepressor, 1953: Sept., 1327
- Syndromes, clinical, nature of, 1952: July, 911-920
- Synergism and antagonism, antibiotics, 1952: Nov., 1613
- Synovitis, toxic, of hip, 1953: Sept., 1433
- Syphilis, cardiovascular, penicillin in, 1954: Nov., 1757-1765  
in differential diagnosis, of infantile cortical hyperostosis, 1952: Nov., 1765  
of infectious hepatitis, 1952: Nov., 1645  
of aorta in aged, 1954: Nov., 1782  
of nervous system, 1952: July, 1141-1149
- TABES dorsalis, 1952: July, 1144
- Tachycardia, auricular, paroxysmal, 1953: Nov., 1630  
treatment, 1953: July, 964  
of emotional origin, 1954: Sept., 1542
- paroxysmal, congestive failure in, 1953: July, 978  
hypotension in, treatment, 1953: Sept., 1315  
supraventricular, treatment, 1952: Jan., 12; 1954: Jan., 24  
ventricular, 1952: Jan., 9, 17  
treatment, 1953: July, 962; 1954: Jan., 25  
sinus, 1952: Jan., 6, 17
- Taeniasis, treatment, 1953: May, 912
- Tamponade, cardiac, treatment, 1953: Sept., 1317; 1954: Jan., 19
- Tannic acid, liver damage from, 1953: Sept., 1386
- Tapazole in hyperthyroidism, 1952: May, 619, 621; 1953: May, 706, July, 1067
- Tar baths, 1953: May, 800
- Taussig-Bing syndrome, 1952: Nov., 1668
- Teeth, diseases, headache in, 1954: May, 690
- Telangiectasia, hemorrhagic, hereditary, 1952: July, 1053
- TEM. See *Triethylene melamine*.
- Temperatures, body, basal, See *Body temperatures*.  
environmental, for premature infant, 1952: Nov., 1572

- Tendinitis of shoulder, 1952: Sept., 1300  
physical medicine in, 1952: Sept., 4190
- Tension, and gratification, 1952: Nov., 1542  
physical manifestations, 1952: March, 458  
signs, objective, 1953: Nov., 1789
- Teratomas, precocious pseudopuberty due to, 1952: Nov., 1725
- Terramycin, dosages, 1952: Jan., 259  
effect on normal fecal flora, 1952: July, 1087  
in amebiasis, 1952: July, 1091  
in amebic dysentery, 1953: May, 905  
in bacterial endocarditis, 1954: March, 394  
in infectious hepatitis in children, 1952: Nov., 1645  
in meningitis, 1953: March, 338  
in pediatric practice, 1952: Nov., 1612  
in pneumonia, 1954: July, 982  
in rickettsial infections, 1953: March, 407, 420  
in salmonellosis, 1952: July, 1095  
in staphylococcal infections, 1953: Sept., 1470  
in urinary tract infections, 1952: Sept., 1433  
in vaginitis, nonspecific, 1952: Nov., 1731
- Test(s), for developmental appraisal of children, 1952: Nov., 1526  
for office laboratory, 1953: Sept., 1527  
of endocrine function, 1952: May, 739-756  
patch, Vollmer, 1952: Nov., 1522  
screening, 1952: Nov., 1518  
skin, in drug allergy, 1953: Sept., 1413  
tuberculin, 1952: Nov., 1522
- Testis, appendix, torsion of, 1954: Jan., 285  
biopsy, 1952: May, 749  
embryology, 1952: Nov., 1780  
functional tests, 1952: May, 748  
injuries, 1954: Jan., 286  
tumors, 1954: Jan., 298  
undescended, differential diagnosis and management, 1952: Nov., 1779-1785
- Testosterone, in amenorrhea, 1953: July, 1087  
in carcinoma of breast, 1952: May, 681, 682  
in dysmenorrhea, 1954: Sept., 1430  
in hyperthyroidism, 1953: May, 700  
in menometrorrhagia, 1952: Nov., 1735  
in osteoporosis, postmenopausal, 1952: May, 853
- Tetanus, prophylaxis, 1952: Nov., 1599; 1954: Jan., 110, Sept., 1499
- Tetany, biochemical and clinical considerations, 1952: May, 875-893
- Tetrachlorethylene in hookworm, 1953: May, 908
- Tetracyclin in pneumonia, 1954: July, 982
- Tetraethylammonium, hypotension due to, 1953: Sept., 1330  
in peptic ulcer, 1952: Sept., 1329  
test in hypertension, 1952: May, 754
- Tetralogy of Fallot, 1952: Jan., 45, 57, Nov., 1667  
diagnosis and treatment, 1954: Nov., 1641  
roentgenology in, 1952: Jan., 57
- Thalamic syndrome, pain in, 1952: March, 491
- Themisone in epilepsy, 1954: March, 477
- Thephorin, in parkinsonism, 1953: Sept., 1515
- Thiamine in infant nutrition, 1952: Jan., 280
- Thiantoin in epilepsy, 1952: Sept., 1385, 1389
- Thibierge-Weissenbach's syndrome, 1952: July, 912
- Thioarsenite in amebiasis, 1953: Nov., 1806
- Thiocyanate therapy in hypertension, 1954: Nov., 1721
- Thiomerin, as diuretic, 1952: July, 954  
in congestive heart failure, 1954: March, 433, Nov., 1656
- Thiosemicarbazones, in meningitis, tuberculous, in children, 1952: Nov., 1622  
in tuberculosis, 1952: Sept., 1260
- Thiouracil, effect on function of thyroid cancer, 1952: May, 658  
in hyperthyroidism, 1953: May, 706  
Thomas heel, 1953: Sept., 1438
- Thoracentesis, in bronchogenic carcinoma, 1954: July, 1121  
in rheumatic fever, 1952: Nov., 1656
- Thoracoplasty for tuberculosis, 1952: Sept., 1263
- Thoracotomy, exploratory, in pulmonary disease, 1954: May, 725, July, 1239-1241  
in spontaneous pneumothorax, 1954: July, 1071
- Thorax, circumference in first five years of life, 1952: Nov., 1740  
deformities, pulmonary function tests in, value, 1954: July, 1231  
injuries, alterations in respiratory physiology in, 1954: July, 1183-1188  
auto crash, 1954: Jan., 83  
treatment, 1954: July, 1188  
pain in, 1952: March, 339-341  
cardiac vs. noncardiac, 1954: May, 743-751  
"stove-in" chest, 1954: July, 1187, 1190
- Thrombin and fibrin activation test, 1953: Nov., 1846
- Thromboangiitis obliterans, 1952: Jan., 147, 148; 1953: Nov., 1636
- Thrombocytopenia, accompanying or complicating infection, 1952: Nov., 1699  
complicating infiltrative lesions in marrow, 1952: Nov., 1701

- Thrombocytopenia, idiopathic, 1952: Nov., 1701  
 pathogenesis and treatment, 1953: Sept., 1395-1407  
 secondary to drugs or allergens, 1952: Nov., 1699  
 splenectomy for, 1953: Jan., 191
- Thromboembolic accidents, 1954: Jan., 29-46
- Thromboembolism, diagnosis, 1952: Sept., 1316  
 in congestive heart failure, 1953: July, 986  
 prophylaxis, and medical treatment, 1952: Sept., 1309-1321  
 in aged, 1954: Nov., 1778
- Thrombopenia, bleeding disorders associated with, 1952: July, 1056
- Thrombophlebitis, 1953: July, 1113-1118  
 acute, treatment, 1954: Jan., 39
- Thromboplastin, activation test, 1953: Nov., 1845  
 generation test, 1953: Nov., 1848
- Thrombosis, arterial, acute, 1952: Jan., 142, 145  
 cerebral, 1952: Jan., 163, 169; 1953: March, 427  
 diagnosis, 1954: May, 767  
 hemorrhage and, differentiation, 1954: Jan., 41; May, 771  
 coronary, acute, emergencies in, management, 1953: July, 955  
 management, 1954: Nov., 1659-1674  
 prevention, 1952: July, 991-999  
 with infarction, pitfalls in, 1952: Jan., 113
- embolism and, differentiation, 1954: Jan., 36  
 of internal carotid artery, 1954: Jan., 175, May, 768  
 of splenic vein, splenectomy for, 1953: Jan., 189
- venous, acute, 1954: Jan., 39  
 chronic recurring, anticoagulant therapy, long-term, 1953: May, 660  
 deep, treatment, 1954: Jan., 305-313  
 diagnosis, 1952: Sept., 1316  
 pathogenesis, 1952: Sept., 1310  
 prevention, 1952: Sept., 1313  
 treatment, 1952: Sept., 1317
- Thrombus, ball-valve, 1953: Sept., 1319
- Thymectomy in myasthenia gravis, 1953: March, 540
- Thymol turbidity test of MacLagan, 1952: March, 398
- Thymoma, asthma and, 1952: March, 360
- Thyroid extract in nephrotic syndrome, 1953: July, 1136
- Thyroid gland, adenoma, physiologic concepts, 1952: May, 640, 641  
 adenocarcinoma, physiologic concepts, 1952: May, 648  
 carcinoma, metastatic, radioiodine in treatment, 1952: May, 663-680
- Thyroid gland, carcinoma, physiologic concepts, 1952: May, 648  
 disease, diagnosis, radioiodine in, 1952: July, 981-989  
 functional tests, 1952: May, 739; 1953: July, 1062  
 physiology, 1953: July, 1060  
 tumors, physiologic concepts, as revealed with newer tools of study, 1952: May, 639-662  
 hormone, atherogenesis and, 1952: Jan., 191  
 storm, treatment, 1953: July, 1071  
 with jaundice, clinicopathologic conference, 1953: Nov., 1684
- Thyroid therapy, in amenorrhea, 1952: May, 709; 1953: July, 1086
- Thyroidectomy, in hyperthyroidism, 1953: May, 711  
 total, effect on function of metastatic thyroid cancer, 1952: May, 654, 667
- Thyrotoxicosis. See *Hyperthyroidism*
- Thyrotropin in diagnosis of hypothyroidism, 1952: May, 742
- Thyroxine, hepatic function and, 1953: Jan., 114
- Tibione in tuberculosis, 1952: Sept., 1260
- Tick fever. See also *Rocky Mountain spotted fever*.
- Tinea versicolor, treatment, 1954: Sept., 1307
- Tissues, lead determination in, 1952: Nov., 1592, 1595
- Tobacco in myocardial ischemia, 1953: Sept., 1288
- "Toeing-in," 1953: Sept., 1437
- Tolserol in parkinsonism, 1953: Sept., 1514; 1954: March, 487, 491
- Tomography in pulmonary disease, 1954: July, 1197
- Tonics in treatment of functional disorders, 1953: Nov., 1799
- Tonsillitis, acute, treatment, 1954: Sept., 1315
- Toothache, 1954: Jan., 250
- Torkildsen's procedure in hydrocephalus, 1952: Nov., 1747
- Torsion, of appendix testis, 1954: Jan., 285  
 of spermatic cord, 1954: Jan., 286
- Torticollis, congenital, 1953: Sept., 1441
- Tourniquet, for pulmonary edema in rheumatic fever, 1952: Nov., 1656  
 test of capillary permeability, 1953: Nov., 1847
- Toxemias of pregnancy. See under *Pregnancy*.
- Toxoids, paralytic poliomyelitis following injection of, 1952: Nov., 1604
- Trachea, roentgenographic changes in silicosis, 1953: Nov., 1732  
 tumors, 1954: July, 1091-1096
- Tracheal suction in cardiac emergencies, 1953: July, 961
- Tracheobronchial obstruction, benign, 1954: July, 1039-1049

- Tracheobronchial tree, foreign bodies in, 1954: Sept., 1318
- Tracheotomy, in bulbar poliomyelitis, 1953: March, 369  
technique, 1954: Jan., 257
- Traction in cervical root compression, 1953: March, 463
- Transference in therapy of neurotic patient, 1954: Sept., 1359
- Transfusions, during operation, 1953: May, 760  
exchange, in erythroblastosis fetalis, 1953: March, 613  
in rheumatic fever, 1952: Nov., 1655  
in thrombocytopenic purpura, 1953: Sept., 1402  
preoperative, 1953: May, 759
- Transposition of great vessels, 1952: Nov., 1668; 1954: Nov., 1644
- Trauma to immature female genitalia, 1952: Nov., 1732
- Treatment methods, symposium on, 1952: Sept., 1201-1493; 1953: Sept., 1233-1523; 1954: Sept., 1255-1548
- Tremor in parkinsonism, 1953: March, 524
- Trench foot, 1952: Jan., 156
- Trephination, diagnostic, in chronic subdural hematoma, 1953: March, 447
- Trichinosis, treatment, 1953: May, 911
- Trichomonas vaginalis vaginitis, treatment, 1952: Sept., 1466
- Trichomoniasis, treatment, 1953: May, 908
- Trichophytid reaction, treatment, 1954: Sept., 1307
- Trichuriasis, treatment, 1953: May, 911
- Tricuspid valve, atresia, 1952: Jan., 48, 59, Nov., 1668  
roentgenology in, 1952: Jan., 59  
with hypoplastic right ventricle, 1954: Nov., 1644  
stenosis, 1952: Nov., 1668
- Tridione in epilepsy, 1952: Sept., 1385, 1388; 1953: March, 325; 1954: March, 477  
side effects, 1954: Sept., 1343, 1344, 1347
- Triethylene melamine, in Hodgkin's disease, 1953: May, 857; 1954: March, 547  
in leukemias, 1953: May, 857; 1954: March, 541-554  
and allied disorders, 1953: Nov., 1758  
granulocytic, chronic, 1953: Nov., 1759  
lymphocytic, chronic, 1953: Nov., 1759  
in lymphomas, 1953: May, 857; 1954: March, 541-554  
in lymphosarcoma, 1953: May, 657, Nov., 1758; 1954: March, 549  
in polycythemia vera, 1954: March, 550
- Trilein in obstetrics, 1954: Sept., 1441
- Trimethadione. See *Tridione*.
- Trinitrotoluene, liver damage from, 1953: Sept., 1387
- Tromexan, as anticoagulant, 1953: May, 664  
in coronary heart disease, 1954: March, 411  
in myocardial infarction, acute, 1953: Sept., 1295  
in prevention, 1952: Jan., 83
- Truncus arteriosus, 1952: Nov., 1670
- Truncus communis persistans, roentgenology in, 1952: Jan., 59
- Trypsin in bronchiectasis, 1954: July, 1022
- Tryptar in indolent infected cutaneous ulcers, 1954: March 359-361
- Tsutsugamushi fever, nervous system involvement, 1953: March, 395-422
- Tuberculin, in tuberculous meningitis with block, 1953: March, 359  
skin testing, 1952: Nov., 1522; 1954: July, 1154
- Tuberculosis, asthma and, 1952: March, 358  
chemotherapy, 1952: Sept., 1257; 1954: July, 1167-1176  
collapse therapy, 1952: Sept., 1260  
immunization, 1954: Sept., 1528  
meningeal, in children, 1953: March, 345-362  
treatment, 1952: Nov., 1619-1626; 1954: July, 1169
- tuberculous, in children, treatment, 1952: Nov., 1619-1626; 1954: July, 1169
- of hip, 1953: Sept., 1432
- of spine, 1954: May, 659
- of spleen, splenectomy in, 1953: Jan., 195
- pulmonary, bronchiectasis with, 1953: Sept., 1357  
diagnosis, May, 734; 1954: July, 1153-1160  
in children, treatment, 1952: Nov., 1619-1626
- isoniazid in, method and results, 1953: May, 885-901; 1954: March, 437-448, July, 1167-1176
- surgical resection in, indications, 1954: July, 1177-1182
- treatment, 1952: Sept., 1253-1267  
changing concepts, 1954: July, 1161-1166  
resection surgery in, 1952: Sept., 1264
- streptomycin - para-aminosalicylic acid (combined) regimen, 1952: Sept., 1257
- Tumor, giant cell, in differential diagnosis of bone cysts, 1952: Nov., 1756
- intrathoracic, neck and shoulder pain due to, 1952: Sept., 1305
- of biliary tract, 1953: Jan., 166
- of bone in childhood, 1952: Nov., 1803
- of bronchus, benign, 1954: July, 1043



- Tumor, of central nervous system in childhood, 1952: Nov., 1801  
 of larynx, 1954: Sept., 1317  
 of lung, alveolar cell, 1954: July, 1139-1142  
   diagnosis, 1954: May, 729  
 of mouth, 1954: Sept., 1315  
 of neck, 1954: Sept., 1317  
 of salivary glands, 1954: Sept., 1318  
 of soft tissues in childhood, 1952: Nov., 1803  
 of spinal canal, neck and shoulder pain due to, 1952: Sept., 1294  
 of spine, 1954: May, 658  
 of testis, 1954: Jan., 296  
 of thyroid gland, physiologic concepts, 1952: May, 639-662  
 of trachea, 1954: July, 1091-1096  
 Wilms', 1952: Nov., 1799; 1954: Jan., 296
- Tunica vasculosa lentis, 1952: Nov., 1581
- Turbidity tests in jaundice, 1952: March, 398
- 2614(1-n-propyl-3-ethyl-6-aminouracil) as diuretic, 1952: July, 954
- Typhoid fever, immunization, 1954: Sept., 1497  
   treatment, 1954: March, 577-590
- Typhus fever, immunization, 1954: Sept., 1515  
   nervous system involvement, 1953: March, 395-422
- U-0382 in parkinsonism, 1953: Sept., 1515
- Ulcer, duodenal. See *Duodenal ulcer* and *Peptic ulcer*.  
   gastric. See *Peptic ulcer*.  
   gastrojejunal, 1953: Jan., 40  
   peptic. See *Peptic ulcer*.  
   skin, indolent, infected, Trypitar in, 1954: March, 359-361
- Urea, as diuretic, 1952: July, 933; 1953: May, 691, July, 985, 1136  
   clearance test in hypertension, 1952: Jan., 121
- Uremia, chronic, medical management, 1954: Sept., 1447-1460  
   reversible, treatment, 1952: Sept., 1409-1419
- Ureter, calculus, 1954: Jan., 283  
   ectopic, 1952: Nov., 1732  
   injuries, 1954: Jan., 289
- Uretero-intestinal anastomosis, acidosis and, 1954: Jan., 294
- Urethane in leukemia, 1953: May, 858  
   and allied disorders, 1953: Nov., 1760
- Urethra, calculus, 1954: Jan., 280  
   meatus, imperforate, 1954: Jan., 279  
   rupture, 1954: Jan., 287  
   stricture, 1954: Jan., 281
- Urethritis, in female, 1952: Sept., 1427  
   in male, 1952: Sept., 1422
- Uric acid-creatinine ratio in ACTH and cortisone therapy, 1952: Jan., 235
- Urinary antiseptics, choice of, 1952: Sept., 1430
- Urinary lithiasis, medical management, 1954: Sept., 1461-1474
- Urinary obstruction, 1954: Jan., 279
- Urinary tract infections, management, 1952: Sept., 1421-1433
- Urine, concentration and dilution test, in hypertension, 1952: Jan., 122  
   examination, office procedures, 1953: Sept., 1531  
   lead concentration in lead poisoning, 1952: Nov., 1592, 1595  
   sugar in, tests for, 1953: July, 1098, Sept., 1532
- Urobilinogen in urine, in jaundice, 1952: March, 401  
   test for, 1954: Sept., 1345
- Urogastone in peptic ulcer, 1952: Sept., 1331
- Urologic emergencies, 1954: Jan., 87, 279-297
- Urticaria, acute severe, management, 1954: Jan., 69  
   chronic, 1953: May, 790, 793  
   in infants and children, 1954: Sept., 1269
- Uterus, bleeding from, abnormal, endocrine therapy, 1952: May, 712  
   course and management, 1953: Sept., 1497-1509  
   functional, 1953: Sept., 1506  
   carcinoma, bleeding in, 1953: Sept., 1505  
   early diagnosis, 1954: May, 645  
   conditions in, leukorrhea due to, 1952: Sept., 1469
- VACCINATION, against rickettsial infections, 1953: March, 419  
   procedures, 1954: Sept., 1493-1534  
   encephalitis associated with, 1952: Nov., 1627-1635  
   smallpox, 1952: Nov., 1603; 1954: Sept., 1494
- Vaccines, paralytic poliomyelitis following injection of, 1952: Nov., 1604
- Vagal stimulation, syncope due to, 1953: Sept., 1313
- Vagina, foreign bodies in, leukorrhea due to, 1952: Sept., 1468  
   smear of, 1952: May, 750  
   suppositories in leukorrhea, 1952: Sept., 1463
- Vaginitis, caused by foreign body, 1952: Nov., 1732  
   fungus and yeast, treatment, 1952: Sept., 1468  
   gonorrheal, acute, 1952: Nov., 1731  
   nonspecific, 1952: Nov., 1731  
   streptococcal, hemolytic, 1952: Nov., 1731
- Trichomonas vaginalis, treatment, 1952: Sept., 1466
- Van der Hoeve's syndrome, 1952: July, 913

- Varicella. See *Chickenpox*.
- Varices, esophageal, massive bleeding from, 1954: Jan., 139
- Variola. See *Smallpox*.
- Vascular disease, cerebral, differential diagnosis, 1954: May, 765-779  
emergency treatment, 1954: Jan., 43  
syncope in, 1953: Sept., 1327  
peripheral, diagnosis and management, 1952: Jan., 141-158  
diagnostic tests, 1954: May, 781-794
- Vascular headache, 1954: May, 682
- Vascular lesions, intracranial, acute, diagnosis and management, 1953: March, 423-435
- Vascular rings, 1952: Nov., 1665
- Vasoconstrictor blocking drugs in hypertension, 1952: Jan., 135; 1954: March, 364
- Vasodepressor syncope, 1953: Sept., 1327
- Vasodilator agents, hypotension due to, 1953: Sept., 1332
- Veins, cervical, observation of phenomena in, 1953: Nov., 1640  
ligation, in deep vein thrombosis, 1954: Jan., 309  
overdistention following sudden death, 1953: Nov., 1669-1673  
pulmonary, transposed, cardiac catheterization in, 1952: July, 1044  
splenic, thrombosis, splenectomy for, 1953: Jan., 189
- Venae cavae, occlusion, complete, 1953: Nov., 1611, 1616, 1619
- Venesection, hypotension following, 1953: Sept., 1335
- Venography, dural sinus, 1954: May, 801  
peripheral, 1954: May, 790  
portal and splenic, 1954: May, 805
- Venous congestion, syncope due to, 1953: Sept., 1335
- Venous occlusion, cerebral, diagnosis, 1954: May, 770
- Venous return, anomalous, 1952: Nov., 1670
- Venous thrombosis, acute, 1954: Jan., 39  
deep, treatment, 1954: Jan., 305-313
- Ventilatory tests of pulmonary function, 1954: July, 1227
- Ventricle, single, 1952: Nov., 1669
- Ventricular fibrillation, treatment, 1952: Jan., 18
- Ventricular septal defect, 1952: Nov., 1665  
cardiac catheterization in, 1952: July, 1044
- Ventricular tachycardia, paroxysmal, 1952: Jan., 9, 17; 1953: July, 962
- Ventriculoperitoneal shunt in hydrocephalus, 1952: Nov., 1748
- Ventriculostomy, third, in hydrocephalus, 1952: Nov., 1747
- Veratrum alkaloids in hypertension, 1953: Nov., 1651; 1954: March, 366, 371, Nov., 1725
- Veratrum viride, hypotension due to, 1953: Sept., 1332  
in hypertension, 1952: July, 1021; 1953: Sept., 1305
- Vertigo, 1952: March, 330
- Vesiculitis, 1952: Sept., 1423, 1426
- Vinobel in parkinsonism, 1953: Sept., 1513
- Vioform in amebiasis, 1953: Nov., 1807
- Viral infections, antibiotics in, 1952: Jan., 254, Sept., 1239-1252
- Virilism, adrenal, 17-ketosteroids in, 1952: May, 762
- Virus, encephalomyelitides, 1953: March, 373-393  
therapy in lymphomas and leukemias, 1953: May, 864
- Visceral disease, backache due to, 1954: May, 666
- Vision, loss of, 1954: Jan., 233  
screening test, 1952: Nov., 1520
- Vitamin(s), deficiencies, pre- and post-operative management, 1953: May, 761  
in infant nutrition, 1952: Jan., 277-283  
requirements of premature infant, 1952: Nov., 1576  
therapy, in asthma, 1953: July, 1016  
in liver disease, 1953: July, 1142, Sept., 1390
- Vitamin A deficiency, urinary calculi in, 1954: Sept., 1463
- Vitamin B<sub>12</sub>, in allergic disorders, 1952: Sept., 1234  
in anemias, 1953: July, 1198  
megaloblastic, 1952: Sept., 1232  
pernicious, 1952: Sept., 1230  
in dermatologic disorders, 1952: Sept., 1234  
in hematologic disorders, 1952: Sept., 1230  
in medicine, 1952: Sept., 1223-1237  
in neurologic disorders, 1952: Sept., 1235  
in nutritional disorders, 1952: Sept., 1235  
in peripheral neuropathies, 1954: Sept., 1335  
metabolism of, 1952: Sept., 1225
- Vitamin C. See *Ascorbic acid*.
- Vitamin D deprivation, tetany due to, 1952: May, 880
- Vitamin K, in hypoprothrombinemia, 1952: July, 1063  
following Dicumarol therapy, 1953: May, 762  
in liver disease, 1953: July, 1143
- Vitamin K<sub>1</sub>, emulsified, in excessive therapeutic hypoprothrombinemia, 1954: March, 413-417  
in bleeding from coumarin therapy, 1953: Sept., 1296

- Vitreous, hyperplastic, persistent, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581
- Vollmer patch test, 1952: Nov., 1522
- Volvulus of sigmoid colon, intestinal obstruction due to, 1954: Jan., 129
- Vomiting, 1952: March, 374
- functional types, 1953: Jan., 5
- persistent, massive gastric hemorrhage from, 1953: Jan., 27
- Von Gierke's disease, case presentation, 1954: May, 921-932
- liver and spleen in, 1954: May, 861
- Vulvovaginitis, 1952: Nov., 1731
- WARFARIN as anticoagulant, 1953: May, 665
- Wasp stings, reactions in children, 1954: Sept., 1273
- Water, metabolism, physiologic considerations, 1952: May, 829-846
- of body, total, 1954: May, 875
- tolerance test for Addison's disease, 1952: May, 723, 745
- Waterhouse-Friderichsen syndrome, 1953: March, 333
- Watson test for porphyrins in urine, 1954: Sept., 1330
- Weakness in emotional disorders, 1952: March, 461
- Weight, gain or loss, amenorrhea and, 1953: July, 1093
- reduction in myocardial ischemia, 1953: Sept., 1285
- Weil's disease, liver and spleen in, 1954: May, 863
- Whooping cough, erythromycin in, 1954: March, 572
- immunization, 1952: Nov., 1599; 1954: Sept., 1504
- Wilms' tumor, 1952: Nov., 1799; 1954: Jan., 296
- Wilson's disease, liver in, 1953: Jan., 102
- Win 2780-2 in parkinsonism, 1954: March, 490
- Work capacity of the cardiac, 1953: May, 667-684
- Wounds, compound, in auto crash, 1954: Jan., 88
- human bite, 1954: Jan., 106
- soft tissue, care of, 1954: Jan., 101-114
- Xanthine drugs in myocardial ischemia, 1953: Sept., 1290
- Xanthomatosis, liver and spleen in, 1954: May, 862
- X-ray. See Roentgen.
- YEAST infections of vagina, treatment, 1952: Sept., 1468
- Yellow fever, immunization, 1954: Sept., 1514
- Yellow jacket stings, reactions in children, 1954: Sept., 1273
- Zinc sulfate turbidity reaction of Kunkel, 1952: March, 399
- Zygoma, fractures, 1954: Jan., 260

